

Tim Stoner  
Kouts, IN

NORTHWEST IN  
Porter Co.



**PLANTED:** 05/03/2005      **POPULATION:** 31,700      **INSECTICIDE:** Aztec  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Sandy Clay Loam      **HERBICIDE:** Lumax  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5538	7	6	678	18.5	--	57.0	--	152.0	--	--	1
BECK 5166	10	6	678	17.4	--	56.5	--	149.5	--	--	2
BECK 5366	5	6	678	18.6	--	57.5	--	138.1	--	--	3
BECK 5166CL	1	6	678	15.8	--	55.5	--	136.2	--	--	4
BECK 5597Hx1	8	6	678	18.3	--	56.0	--	132.6	--	--	5
BECK 5214Hx1	2	6	678	14.4	--	56.0	--	132.2	--	--	6
BECK 5616RR	9	6	678	19.4	--	56.5	--	130.3	--	--	7
BECK 5322CB	4	6	678	19.0	--	57.0	--	121.1	--	--	8
BECK 5283Bt 1	3	6	678	18.0	--	54.5	--	118.4	--	--	9
BECK 5422Bt 1	6	6	678	18.6	--	56.0	--	101.5	--	--	10

Plot Averages (Non-Checker Rows):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Jim Burns

17.8      --      56.3      --      131.2      --

Steve Daube  
Walkerton, IN

NORTHWEST IN  
La Porte Co.



**PLANTED:** 04/25/2005      **POPULATION:** 26,100      **INSECTICIDE:** Aztec  
**HARVESTED:** 10/17/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Harness Xtra  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5422Bt 1	11	6	1220	21.5	--	55.5	--	150.0	-1.2	148.8	1
BECK EX 2426CB (5538Hx1 genetics)	21	6	1220	20.2	--	56.5	--	145.9	0.6	146.5	2
BECK 5538	15	6	1220	18.2	--	59.0	--	149.5	-3.7	145.8	3
BECK 5283Bt 1	8	6	1220	19.1	--	57.0	--	147.6	-1.9	145.7	4
BECK 5125CB	5	6	1220	16.2	--	57.0	--	145.8	-0.2	145.6	5
BECK 5166RW	3	6	1220	16.2	--	57.5	--	139.3	4.9	144.2	6
BECK 5222	6	6	1220	17.3	--	59.0	--	144.0	-0.2	143.8	7
BECK 5366	14	6	1220	18.0	--	57.5	--	146.1	-3.7	142.4	8
BECK 5322RW	12	6	1220	18.2	--	58.0	--	142.2	-1.2	141.0	9
BECK 5597Hx1	9	6	1220	19.0	--	56.0	--	142.2	-1.9	140.3	10
BECK EX 2469 (5444RR genetics)	17	6	1220	16.8	--	57.0	--	137.9	-0.5	137.4	11
BECK 5616RR	18	6	1220	18.3	--	57.5	--	137.6	-0.5	137.1	12
BECK 5129	2	6	1220	15.2	--	59.5	--	127.6	4.9	132.5	13
BECK EX 3417	20	6	1220	16.0	--	57.0	--	131.3	0.6	131.9	14

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5538 Poncho 1250):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Jim Burns

17.9      --      57.4      --      141.9      141.6  
18.0      --      59.6      --      142.0      --

Prairie View Farms  
Brookston, IN

NORTHWEST IN  
White Co.



PLANTED: 05/04/2005      POPULATION: 32,500      INSECTICIDE: Aztec  
 HARVESTED: 10/26/2005      SOIL TYPE: N/A      HERBICIDE: Guardsman Max, Balance Pro  
 ROW WIDTH: 30.0 inches      PREVIOUS CROP: Soybeans      TILLAGE: Chisel / Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK EX 2413 (5507RWRR genetics)	32	8	460	14.8	--	58.0	--	243.7	--	--	1
BECK 5422	35	8	460	15.1	--	56.5	--	238.8	--	--	2
BECK 5222	25	8	460	16.0	--	57.5	--	231.4	--	--	3
BECK EX 2411CB (5228CBRR genetics)	1	8	460	15.2	--	59.5	--	230.8	--	--	4
BECK 6197CB	28	8	460	16.8	--	56.5	--	230.7	--	--	5
BECK EX 3411	6	8	460	16.4	--	60.0	--	229.3	--	--	6
BECK 5366	31	8	460	14.8	--	56.5	--	227.5	--	--	7
BECK EX 3410	5	8	460	15.3	--	59.0	--	227.0	--	--	8
BECK 5616RR	20	8	460	15.9	--	59.5	--	226.5	--	--	9
BECK 5166CL	36	8	460	14.8	--	58.0	--	225.9	--	--	10
BECK 5129	2	8	460	15.7	--	57.5	--	225.4	--	--	11
BECK 6197	27	8	460	16.9	--	56.5	--	224.5	--	--	12
BECK 6197RW	29	8	460	16.4	--	58.0	--	223.7	--	--	13
BECK 5959	34	8	460	16.7	--	57.0	--	223.6	--	--	14
BECK 5538	24	8	460	16.4	--	59.5	--	221.4	--	--	15
BECK EX 2426CB (5538Hx1 genetics)	22	8	460	16.2	--	60.5	--	220.9	--	--	16
BECK EX 3417	21	8	460	15.1	--	58.0	--	220.8	--	--	17
BECK 5339CBCL	3	8	460	16.9	--	57.0	--	218.9	--	--	18
BECK 6097CB	26	8	460	15.5	--	58.0	--	218.7	--	--	19
BECK 5959RW	4	8	460	15.4	--	57.5	--	218.0	--	--	20
BECK 5959CB	8	8	460	17.2	--	56.5	--	217.4	--	--	21
BECK 5597	33	8	460	14.7	--	57.5	--	216.9	--	--	22
BECK EX 1411	7	8	460	16.1	--	60.5	--	216.8	--	--	23
BECK 5422CBCL	19	8	460	15.5	--	56.5	--	216.7	--	--	24
BECK 5166RW	30	8	460	14.8	--	57.5	--	215.4	--	--	25
BECK EX 1286	17	8	460	14.9	--	56.0	--	215.3	--	--	26
BECK 5322CBRW	23	8	460	15.2	--	58.0	--	213.9	--	--	27
BECK EX 0409	18	8	460	16.0	--	56.5	--	213.7	--	--	28
Pioneer 34A16	15	8	460	15.5	--	58.5	--	210.3	--	--	29
BECK 5727CBRW	10	8	460	16.0	--	61.0	--	208.6	--	--	30
BECK 5597Hx1	16	8	460	14.8	--	57.0	--	204.1	--	--	31
Pioneer 35Y33	14	8	460	16.2	--	61.5	--	201.9	--	--	32
Pioneer 35D28	13	8	460	14.7	--	57.0	--	200.4	--	--	33
Pioneer 33A84	12	8	460	16.3	--	59.5	--	196.5	--	--	34
BECK EX 3414	9	8	460	17.1	--	58.5	--	195.9	--	--	35
Pioneer 33D33	11	8	460	15.7	--	59.0	--	190.5	--	--	36
Plot Averages (Non-Checker Rows):				15.8	--	58.1	--	218.4	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Spray

Larry Davis  
Reynolds, IN

NORTHWEST IN  
White Co.



**PLANTED:** 04/21/2005      **POPULATION:** 30,000      **INSECTICIDE:** Force  
**HARVESTED:** 10/11/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Harness Xtra  
**ROW WIDTH:** 36.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Chisel / Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5222	14	8	515	14.5	--	57.0	--	203.2	--	--	1
BECK 5166	4	8	515	14.4	--	58.0	--	202.6	--	--	2
BECK EX 1286	3	8	515	13.9	--	57.5	--	200.7	--	--	3
BECK 5166RW	11	8	515	13.2	--	57.5	--	198.6	--	--	4
BECK 5366	16	8	515	14.5	--	57.0	--	197.6	--	--	5
BECK 5538	18	8	515	15.2	--	59.5	--	194.4	--	--	6
BECK 5129	5	8	515	14.8	--	57.5	--	194.2	--	--	7
BECK 5322wx	22	8	515	15.3	--	59.5	--	194.0	--	--	8
BECK 5727CBRW	13	8	515	15.6	--	59.0	--	193.8	--	--	9
BECK 5166wx	21	8	515	14.5	--	59.0	--	191.9	--	--	10
BECK 5959CB	6	8	515	17.3	--	55.5	--	191.9	--	--	11
BECK 5616RR	15	8	515	15.9	--	58.5	--	190.9	--	--	12
BECK 5597CB	10	8	515	15.0	--	56.5	--	190.8	--	--	13
BECK 5422	17	8	515	15.6	--	57.0	--	187.5	--	--	14
BECK 5322CBRW	12	8	515	15.3	--	57.0	--	186.4	--	--	15
BECK 5959RW	8	8	515	16.7	--	57.0	--	185.8	--	--	16
BECK 5959	7	8	515	16.1	--	56.5	--	184.1	--	--	17
BECK 5597	19	8	515	13.6	--	57.0	--	181.2	--	--	18
BECK 5366wx	23	8	515	15.3	--	58.0	--	176.2	--	--	19
BECK 4996	1	8	515	14.3	--	56.5	--	175.1	--	--	20
BECK 6197	20	8	515	15.3	--	56.0	--	172.5	--	--	21
BECK 5339CBCL	25	8	515	15.0	--	--	--	171.1	--	--	22
BECK 5422wx	24	8	515	17.0	--	58.5	--	170.3	--	--	23
BECK EX 2474	2	8	515	14.2	--	56.0	--	167.8	--	--	24
BECK 6097CB	9	8	515	15.4	--	55.0	--	159.1	--	--	25

Plot Averages (Non-Checker Rows):

15.1      --      57.4      --      186.5      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Spray

Richard Schlipf  
Milford, IN

NORTH CENTRAL IN  
Kosciusko Co.



**PLANTED:** 04/18/2005      **POPULATION:** 28,800      **INSECTICIDE:** None  
**HARVESTED:** 10/12/2005      **SOIL TYPE:** Sandy Clay Loam      **HERBICIDE:** Define, Balance Pro, Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** V-Rip / Conv.-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5322CBRW	5	6	375	17.8	--	56.0	--	172.0	4.7	176.7	1
BECK 5727CBRW	1	12	375	18.7	--	57.5	--	179.7	-4.6	175.1	2
BECK 5125CBRW	3	12	375	17.2	--	55.0	--	167.0	0.0	167.0	3
BECK 5399CBRR	6	6	375	17.3	--	56.0	--	158.5	4.7	163.2	4

Plot Averages (Non-Checker Rows):

17.8      --      56.1      --      169.3      170.5

Checker Average(BECK 5129):

17.8      --      56.3      --      164.1      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Brad Downing

PLOT NOTES: Plot had less than 6" of documented rainfall & Corn after Corn w/ NO Insecticide

Jon Langfeldt  
Plymouth, IN

NORTH CENTRAL IN  
Marshall Co.



**PLANTED:** 04/20/2005      **POPULATION:** 30,000      **INSECTICIDE:** Capture  
**HARVESTED:** 09/29/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Harness Xtra, Princep  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5538	5	8	1681	25.2	28500	60.5	0.0	160.0	--	--	1
Dekalb DKC61-43	7	8	1680	26.9	28000	62.0	0.0	157.3	--	--	2
BECK 5166	2	8	1685	23.7	28500	59.5	0.0	155.2	--	--	3
Dekalb DKC61-72	6	8	1690	26.5	28000	61.5	0.0	153.5	--	--	4
BECK 5222	4	8	1684	24.8	28000	60.0	0.0	152.2	--	--	5
BECK 5125CB	3	8	1675	24.0	28000	59.5	0.0	146.8	--	--	6
Dekalb DKC54-47	10	8	1685	20.1	28000	56.5	0.0	145.2	--	--	7
BECK 5012	1	8	1678	21.8	28500	58.0	0.0	144.1	--	--	8
Dekalb DKC54-51	9	8	1675	19.9	28000	56.5	0.0	143.8	--	--	9
Asgrow RX674RR	8	8	1685	26.0	28500	61.0	0.0	141.5	--	--	10

Plot Averages (Non-Checker Rows):

23.9    28200    59.5    0.0    150.0    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Jim Burns

Jeff & John Wolff  
Walkerton, IN

NORTH CENTRAL IN  
St Joseph Co.



**PLANTED:** 05/03/2005      **POPULATION:** 28,000      **INSECTICIDE:** None  
**HARVESTED:** 10/20/2005      **SOIL TYPE:** Sandy Clay Loam      **HERBICIDE:** Field Master, Atrazine, 2,4-D  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5214Hx1	14	4	1118	18.0	--	59.0	--	185.8	-3.3	182.5	1
BECK 5012	3	4	1118	15.2	--	59.5	--	172.3	7.8	180.1	2
BECK 5538	16	4	1078	17.5	--	58.0	--	178.2	-3.3	174.9	3
BECK EX 2411CB (5228CBRR genetics)	12	4	1118	17.5	--	58.5	--	179.2	-6.3	172.9	4
BECK 5125CBRW	15	4	1118	17.6	--	57.0	--	175.2	-3.3	171.9	5
BECK 5129	4	4	1118	15.4	--	58.5	--	163.4	7.8	171.2	6
BECK 5222	6	4	1118	16.5	--	56.5	--	173.6	-5.5	168.1	7
BECK 4812	2	4	1118	14.6	--	58.0	--	159.0	7.8	166.8	8
BECK EX 2474	8	4	1118	18.4	--	56.5	--	167.4	-5.5	161.9	9
BECK 5166	11	4	1118	15.1	--	56.5	--	162.6	-6.3	156.3	10
BECK 4996	7	4	1118	14.5	--	56.5	--	161.1	-5.5	155.6	11
BECK EX 1286	10	4	1118	15.4	--	55.5	--	160.9	-6.3	154.6	12

Plot Averages (Non-Checker Rows):

16.3    --    57.5    --    169.9    168.1

Checker Average(BECK 5125CB):

17.2    --    57.8    --    182.2    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Jim Burns

PLOT NOTES: Irrigated 1.5 inches during growing season. Entry 5538 was affected negatively by irrigation track.

Roger Wagoner  
Claypool, IN

NORTH CENTRAL IN  
Kosciusko Co.



**PLANTED:** 05/05/2005      **POPULATION:** 28,200      **INSECTICIDE:** 4.5 lb. Force  
**HARVESTED:** 10/27/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 3 qt. Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5616RR	5	4	1595	17.5	--	57.5	--	202.6	-4.5	198.1	1
BECK 5399CBRR	2	4	1595	17.8	--	56.0	--	190.5	3.8	194.3	2
BECK 5322CB	24	4	1555	18.5	--	56.5	--	187.4	6.7	194.1	3
BECK 5222	17	4	1595	18.0	--	57.0	--	194.6	-5.5	189.1	4
BECK 5444RR	3	4	1595	18.2	--	57.5	--	183.8	3.8	187.6	5
BECK 5125CB	23	4	1575	17.8	--	56.5	--	180.4	6.7	187.1	6
BECK EX 0588	36	4	1575	17.7	--	58.0	--	181.7	5.3	187.0	7
BECK EX 1581	9	4	1595	18.0	--	57.5	--	196.0	-9.5	186.5	8
BECK 5538	20	4	1595	18.6	--	58.5	--	183.5	1.4	184.9	9
BECK 5597CB	26	4	1555	18.1	--	56.5	--	178.0	5.3	183.3	10
BECK 6097CB	27	4	1555	18.5	--	56.5	--	175.1	5.3	180.4	11
BECK 5166	11	4	1595	17.7	--	57.0	--	187.8	-7.6	180.2	12
BECK 5283Bt 1	29	4	1555	17.5	--	56.0	--	175.6	3.6	179.2	13
BECK EX 2411CB (5228CBRR genetics)	12	4	1595	18.0	--	59.0	--	186.3	-7.6	178.7	14
BECK 5366	18	4	1595	18.2	--	56.0	--	182.3	-5.5	176.8	15
BECK 5597	21	4	1575	17.7	--	57.5	--	174.5	1.4	175.9	16
BECK 5012	14	4	1595	17.7	--	57.5	--	183.4	-7.8	175.6	17
BECK 5214Hx1	30	4	1555	18.3	--	57.5	--	171.5	3.6	175.1	18
Pioneer 34H31	32	4	1555	19.0	--	58.5	--	167.3	3.2	170.5	19
BECK 5129	15	4	1595	17.7	--	57.5	--	176.0	-7.8	168.2	20
BECK EX 2474	8	4	1595	17.6	--	56.5	--	176.1	-9.5	166.6	21
BECK EX 3566	33	4	1555	18.8	--	58.0	--	162.9	3.2	166.1	22
Pioneer 36B08	35	4	1575	17.5	--	59.0	--	151.5	5.3	156.8	23
BECK 4596RR	6	4	1595	17.7	--	57.0	--	98.7	-4.5	94.2	24

Plot Averages (Non-Checker Rows):

18.0      --      57.3      --      177.0      176.5

Checker Average(BECK 5166):

17.4      --      57.0      --      181.6      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ben Grimme, Roger Wagoner

Duane Riddle  
Rochester, IN

NORTH CENTRAL IN  
Fulton Co.



**PLANTED:** 04/25/2005      **POPULATION:** 26,000      **INSECTICIDE:** None  
**HARVESTED:** 10/31/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Lasso, Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5538	4	6	1340	15.9	--	60.0	--	176.0	2.9	178.9	1
BECK 5166	2	6	1340	14.8	--	58.0	--	174.6	0.6	175.2	2
Unity 8108	8	6	1340	14.9	--	57.5	--	171.6	0.5	172.1	3
Unity 6250	6	6	1340	15.4	--	57.0	--	160.9	3.4	164.3	4
Unity 6107	10	6	1340	15.6	--	56.0	--	152.2	-4.0	148.2	5

Plot Averages (Non-Checker Rows):

15.3      --      57.7      --      167.1      167.7

Checker Average(BECK 5597):

15.3      --      57.8      --      156.0      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Spray

Richard Schlipf  
Milford, IN

NORTH CENTRAL IN  
Kosciusko Co.



**PLANTED:** 04/18/2005      **POPULATION:** 28,800      **INSECTICIDE:** None  
**HARVESTED:** 10/12/2005      **SOIL TYPE:** Sandy Clay Loam      **HERBICIDE:** Define, Balance Pro, Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** V-Rip / Conv.-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5222	21	6	375	18.2	--	56.0	--	200.4	0.3	200.7	1
BECK 5166	10	6	375	17.3	--	56.0	--	192.4	1.6	194.0	2
BECK EX 2474	9	6	375	17.3	--	55.5	--	189.7	1.6	191.3	3
BECK 5125CBRW	25	6	375	17.6	--	55.0	--	193.8	-2.7	191.1	4
BECK EX 2469 (5444RR genetics)	13	6	375	18.1	--	56.5	--	188.5	2.5	191.0	5
BECK 5366	22	6	375	18.2	--	56.5	--	190.6	0.3	190.9	6
BECK EX 3417	15	6	375	17.7	--	57.0	--	188.3	2.5	190.8	7
BECK 5538	23	6	375	18.5	--	60.0	--	190.4	0.3	190.7	8
BECK 4996Hx1	17	6	375	17.9	--	55.0	--	189.7	0.9	190.6	9
Pioneer 34M94	1	6	375	17.7	--	56.0	--	189.1	1.1	190.2	10
BECK 5322 Poncho 1250	6	6	375	17.7	--	56.0	--	191.5	-1.4	190.1	11
BECK 5616RR	14	6	375	18.9	--	56.0	--	186.3	2.5	188.8	12
BECK 5166 Poncho 1250	2	6	375	16.8	--	56.5	--	186.0	1.1	187.1	13
BECK 5322CBRW	26	6	375	18.4	--	55.0	--	189.6	-2.7	186.9	14
BECK 5283Bt 1	7	6	375	17.4	--	56.0	--	187.6	-1.4	186.2	15
BECK 5012	18	6	375	17.7	--	58.5	--	182.6	0.9	183.5	16
BECK 5399CBRR	29	6	375	18.2	--	56.5	--	183.6	-2.2	181.4	17
Pioneer 34H31	5	6	375	19.1	--	59.0	--	180.6	-1.4	179.2	18
Pioneer 36B08	3	6	375	17.4	--	58.5	--	175.0	1.1	176.1	19
BECK EX 1286	11	6	375	17.1	--	55.0	--	174.3	1.6	175.9	20
BECK 5899CBRR	30	6	375	19.0	--	56.0	--	177.9	-2.2	175.7	21
BECK 5727CBRW	27	6	375	18.7	--	59.0	--	175.9	-2.7	173.2	22
BECK 5702ND	35	6	375	20.2	--	55.0	--	172.1	-0.5	171.6	23
BECK 5597	33	6	375	18.6	--	56.5	--	164.2	-0.5	163.7	24
BECK 5129	19	6	375	17.5	--	58.5	--	161.6	0.9	162.5	25
BECK 5302NDCB	34	6	375	19.7	--	56.5	--	159.1	-0.5	158.6	26
BECK 4596RR	31	6	375	18.1	--	55.5	--	140.7	-2.2	138.5	27

Plot Averages (Non-Checker Rows):

18.1      --      56.6      --      181.5      181.5

Checker Average(BECK 5166):

17.8      --      56.0      --      190.7      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Brad Downing

PLOT NOTES: Less than 6" of documented rainfall



“When I walk in the office at Beck’s there is always someone that offers to help me. The sales support, DSM’s and front counter are the best! Beck’s is one of the only places that I can call on the telephone and never have to listen to a computer. This makes me feel like someone cares about why I am calling and this all makes me feel important.”

Joe Rush  
Walton, IN

Motz Farms  
Plymouth, IN

NORTH CENTRAL IN  
Marshall Co.



PLANTED: 04/19/2005      POPULATION: 23,000      INSECTICIDE: None  
 HARVESTED: 10/07/2005      SOIL TYPE: Sandy Loam      HERBICIDE: Lumax  
 ROW WIDTH: 30.0 inches      PREVIOUS CROP: Soybeans      TILLAGE: Chisel / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5283Bt 1	16	6	908	19.7	--	58.5	--	164.7	-5.5	159.2	1
BECK EX 2474	6	6	908	18.8	--	56.5	--	157.8	0.3	158.1	2
BECK EX 2488	35	6	908	21.9	--	57.5	--	153.1	4.8	157.9	3
BECK 5322CBRW	24	6	908	22.1	--	58.5	--	161.3	-3.4	157.9	4
BECK 5616RR	34	6	908	21.3	--	60.0	--	150.4	4.8	155.2	5
BECK 5959CB	31	6	908	22.9	--	55.5	--	157.5	-5.4	152.1	6
BECK EX 3567	36	6	908	20.9	--	57.5	--	146.8	4.8	151.6	7
BECK EX 3411	28	6	908	21.2	--	58.0	--	157.5	-7.1	150.4	8
BECK 4812	2	6	908	17.6	--	61.0	--	140.7	8.7	149.4	9
BECK 5366	20	6	908	20.8	--	57.0	--	154.0	-4.6	149.4	10
BECK 5538	22	6	908	21.5	--	58.5	--	151.1	-3.4	147.7	11
BECK EX 1497	26	6	908	25.0	--	58.0	--	154.8	-7.1	147.7	12
BECK 5166	8	6	908	18.3	--	57.5	--	146.6	0.3	146.9	13
BECK 5166RW	23	6	908	19.6	--	57.5	--	149.9	-3.4	146.5	14
BECK EX 3414	32	6	908	21.4	--	58.0	--	151.6	-5.4	146.2	15
BECK EX 1411	30	6	908	22.6	--	60.0	--	151.6	-5.4	146.2	16
BECK 5214Hx1	18	6	908	22.3	--	58.0	--	146.7	-4.6	142.1	17
BECK 5322CB	19	6	908	22.8	--	57.0	--	146.7	-4.6	142.1	18
BECK EX 1286	7	6	908	18.4	--	56.5	--	141.6	0.3	141.9	19
BECK 5222	14	6	908	20.1	--	57.0	--	145.7	-5.5	140.2	20
BECK 4996	4	6	908	18.0	--	56.5	--	127.1	8.7	135.8	21
BECK 5012	11	6	908	18.2	--	58.0	--	135.3	-1.7	133.6	22
BECK 5422CBCL	27	6	908	24.3	--	57.0	--	140.4	-7.1	133.3	23
BECK 5129	12	6	908	18.4	--	60.5	--	133.8	-1.7	132.1	24
BECK EX 3566	10	6	908	20.1	--	60.5	--	133.4	-1.7	131.7	25
BECK 4596RR	3	6	908	17.8	--	58.5	--	118.0	8.7	126.7	26
BECK 5125CB	15	6	908	18.5	--	57.5	--	131.0	-5.5	125.5	27

Plot Averages (Non-Checker Rows):

20.5      --      58.0      --      146.3      144.7


Checker Average(BECK 5129):

18.9      --      59.6      --      134.9      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Jim Burns

PLOT NOTES: 1" rain in June and 1" rain in May



“Over the years I have tried a number of different companies and their products. My experience with Beck’s is that their products compare quite favorably and the backing is second to none. We feel that in the long run they are the best value for our dollar spent.”

Jim Schriver  
Montpelier, IN

Dick Arnold  
Bluffton, IN

NORTHEAST IN  
Wells Co.



**PLANTED:** 04/19/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 10/15/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 2.1 oz. Lumax  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** V-Rip / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5597	3	6	2033	18.1	--	--	--	173.5	--	--	1
BECK 5222	2	6	2033	16.2	--	--	--	166.9	--	--	2
Select Seed 813	9	6	2033	16.3	--	--	--	165.6	--	--	3
Select Seed 4680	6	6	2033	15.1	--	--	--	164.1	--	--	4
Select Seed 4740	10	6	2033	16.3	--	--	--	162.0	--	--	5
BECK 5366	4	6	2033	15.8	--	--	--	161.2	--	--	6
Select Seed 854	7	6	2033	17.4	--	--	--	159.6	--	--	7
Select Seed 4844	11	6	2033	16.2	--	--	--	159.5	--	--	8
Select Seed 277	8	6	2033	16.4	--	--	--	159.5	--	--	9
Mycogen F80	5	6	2033	16.4	--	--	--	155.3	--	--	10
Dekalb DKC61-45	1	6	2033	17.5	--	--	--	153.6	--	--	11
Select Seed 4570	12	6	2033	15.4	--	--	--	153.4	--	--	12
BECK 5166	15	6	2033	16.4	--	--	--	151.6	--	--	13
BECK 5597CB	14	6	2033	16.4	--	--	--	147.1	--	--	14
Select Seed 4815	13	6	2033	15.4	--	--	--	144.2	--	--	15
Plot Averages (Non-Checker Rows):				16.4	--	--	--	158.5	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.  
 WEIGHED BY: Dick Arnold Yield Monitor

Bob Hildebrand  
Decatur, IN

NORTHEAST IN  
Adams Co.



**PLANTED:** 05/25/2005      **POPULATION:** 28,300      **INSECTICIDE:** None  
**HARVESTED:** 10/25/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** Keystone, Princep, Atrazine, Cinch Atz  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** V-Rip / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5422Bt 1	30	6	551	20.0	--	56.0	--	187.3	-3.3	184.0	1
BECK 5322CB	22	6	551	18.1	--	57.0	--	177.9	-4.5	173.4	2
BECK 5166	8	6	551	18.5	--	56.0	--	174.7	-2.0	172.7	3
BECK 5222	16	6	551	18.5	--	56.5	--	175.2	-3.0	172.2	4
BECK EX 2411CB (5228CBRR genetics)	10	6	551	18.5	--	57.5	--	170.4	-1.2	169.2	5
BECK 5283Bt 1	20	6	551	18.5	--	57.5	--	173.6	-7.2	166.4	6
BECK 4996	2	6	551	17.5	--	55.0	--	153.5	12.1	165.6	7
BECK 5214Hx1	18	6	551	19.8	--	58.0	--	167.3	-5.0	162.3	8
BECK 5444RR	26	6	551	18.1	--	56.0	--	154.7	6.0	160.7	9
BECK 5366	28	6	551	19.5	--	55.0	--	156.3	0.0	156.3	10
BECK 5012	12	6	551	17.4	--	58.0	--	159.7	-3.8	155.9	11
BECK 5616RR	24	6	551	19.9	--	57.0	--	147.2	3.8	151.0	12
BECK 5129	14	6	551	17.5	--	56.5	--	150.2	-4.5	145.7	13
BECK EX 1286	6	6	551	17.5	--	56.0	--	147.1	-1.6	145.5	14
BECK EX 2474	4	6	551	18.5	--	56.0	--	123.4	6.8	130.2	15
Plot Averages (Non-Checker Rows):				18.5	--	56.5	--	161.2		160.7	
Checker Average(BECK 5166):				18.0	--	56.2	--	158.9		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
 WEIGHED BY: Beck's Hybrids - Kurt R. Bandel

Haynes Dairy Farm Inc.  
Auburn, IN

NORTHEAST IN  
De Kalb Co.



**PLANTED:** 05/05/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 10/28/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 2 qt. Harness Xtra, 1/2 oz. Balance Pro  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK EX 2413 (5507RWRR genetics)	6	6	510	16.4	--	56.0	--	191.2	-0.4	190.8	1
BECK 5125CB	17	6	510	18.0	--	56.0	--	186.2	0.5	186.7	2
BECK 5214Hx1	16	6	510	18.0	--	57.0	--	184.4	0.5	184.9	3
BECK 5222	10	6	510	17.2	--	56.0	--	182.2	0.5	182.7	4
BECK 5214Hx1	19	6	510	17.9	--	56.5	--	181.9	0.7	182.6	5
BECK 5012	8	6	510	16.0	--	58.0	--	180.5	0.5	181.0	6
BECK EX 0588	2	6	510	16.3	--	57.0	--	180.6	-0.4	180.2	7
BECK EX 1581	3	6	510	17.1	--	58.0	--	177.5	-0.4	177.1	8
BECK 5283Bt 1	15	6	510	16.5	--	56.0	--	174.4	0.5	174.9	9
BECK 5538	13	6	510	17.9	--	59.0	--	172.1	0.5	172.6	10
BECK 5129	9	6	510	17.0	--	57.0	--	168.0	0.5	168.5	11
BECK 5322CBRW	12	6	510	17.4	--	57.0	--	167.8	0.5	168.3	12
BECK 5597	14	6	510	18.4	--	57.0	--	167.5	0.5	168.0	13
BECK EX 1497	4	6	510	17.6	--	56.0	--	166.0	-0.4	165.6	14
BECK 5422CBCL	5	6	510	17.8	--	55.5	--	165.4	-0.4	165.0	15
BECK 5322	11	6	510	16.5	--	56.0	--	156.6	0.5	157.1	16
Plot Averages (Non-Checker Rows):				17.3	--	56.8	--	175.1		175.4	
Checker Average(BECK 5166):				15.8	--	56.8	--	169.3		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids - Bill Shaffer

Lehman Feed Mill Inc.  
Berne, IN

NORTHEAST IN  
Adams Co.



**PLANTED:** 05/09/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/19/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 2.5 qt. Harness Xtra, Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5222	8	6	524	15.6	--	57.0	--	206.9	-0.9	206.0	1
BECK EX 2469 (5444RR genetics)	10	6	524	15.4	--	57.0	--	204.1	-0.7	203.4	2
BECK 5616RR	11	6	524	17.0	--	58.0	--	197.3	-0.7	196.6	3
BECK 5597CB	7	6	524	15.6	--	56.0	--	193.4	-0.9	192.5	4
BECK 5166	5	6	524	13.8	--	57.0	--	191.1	-0.9	190.2	5
Stewart HC540	12	6	524	15.0	--	57.0	--	190.8	-0.7	190.1	6
Stewart HC500	13	6	524	17.0	--	57.5	--	188.8	-0.7	188.1	7
BECK 5597	6	6	524	15.4	--	56.0	--	188.3	-0.9	187.4	8
Stewart HC738	15	6	524	16.2	--	59.5	--	187.5	-0.7	186.8	9
BECK EX 2474	3	6	524	14.6	--	55.0	--	182.6	-0.9	181.7	10
BECK EX 1286	4	6	524	14.3	--	55.0	--	181.8	-0.9	180.9	11
BECK 4996	2	6	524	15.1	--	57.0	--	180.7	-0.9	179.8	12
Stewart HC570	14	6	524	18.5	--	58.0	--	163.4	-0.7	162.7	13
Plot Averages (Non-Checker Rows):				15.7	--	56.9	--	189.0		188.2	
Checker Average(BECK 5597):				15.4	--	56.3	--	178.9		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Kurt R. Bandel

Ron Hostetler  
Topeka, IN

NORTHEAST IN  
Lagrange Co.



**PLANTED:** 05/04/2005      **POPULATION:** 27,500      **INSECTICIDE:** 4 lb. Force  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Loam      **HERBICIDE:** 1/3 oz. Basis Gold  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5166RW	21	6	700	18.4	--	57.0	--	156.5	1.7	158.2	1
BECK 5125CB	19	6	700	19.2	--	56.5	--	145.6	10.8	156.4	2
BECK EX 2416	23	6	700	17.5	--	57.0	--	164.1	-11.1	153.0	3
BECK 5166	7	6	700	18.0	--	57.0	--	158.7	-5.7	153.0	4
BECK EX 2474	3	6	700	17.0	--	57.0	--	142.9	9.3	152.2	5
BECK 5222	13	6	700	16.0	--	57.0	--	142.6	6.8	149.4	6
BECK 5538	17	6	700	18.7	--	57.0	--	144.4	4.6	149.0	7
BECK EX 1286	5	6	700	18.0	--	57.0	--	145.2	1.2	146.4	8
BECK 5129	11	6	700	16.8	--	57.0	--	148.7	-5.2	143.5	9
BECK EX 2411CB (5228CBRR genetics)	9	6	700	18.2	--	57.0	--	150.9	-10.2	140.7	10
BECK 5322	15	6	700	19.3	--	57.0	--	139.0	1.5	140.5	11
BECK 4996	1	6	700	17.5	--	56.5	--	132.2	7.8	140.0	12

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5012):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids- Bill Shaffer

Hartman Bros.  
Woodburn, IN

NORTHEAST IN  
Allen Co.



**PLANTED:** 05/07/2005      **POPULATION:** 29,900      **INSECTICIDE:** None  
**HARVESTED:** 10/29/2005      **SOIL TYPE:** Hoytville      **HERBICIDE:** 2.5 qt. Lumax  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5322CBRW	32	6	323	16.4	--	57.0	--	208.1	2.3	210.4	1
BECK 5222	22	8	323	16.0	--	56.0	--	171.6	-1.0	170.6	2
BECK 5322	24	8	323	16.5	--	56.0	--	168.0	1.2	169.2	3
BECK EX 2474	4	8	323	15.4	--	55.0	--	171.6	-4.9	166.7	4
BECK 5166	8	8	323	14.6	--	56.5	--	171.8	-6.0	165.8	5
BECK EX 2411CB (5228CBRR genetics)	10	8	323	15.3	--	57.0	--	168.7	-3.3	165.4	6
BECK EX 2426CB (5538Hx1 genetics)	18	8	323	16.7	--	58.0	--	163.8	0.1	163.9	7
BECK 4996	2	8	323	15.5	--	56.0	--	162.3	0.1	162.4	8
BECK 5444RR	12	8	323	14.8	--	56.0	--	162.7	-1.1	161.6	9
BECK EX 3417	16	8	323	15.7	--	57.0	--	160.3	1.1	161.4	10
BECK 5125CBRW	28	8	323	16.0	--	56.0	--	154.7	6.4	161.1	11
BECK 5125CB	30	8	323	16.2	--	57.0	--	158.1	2.9	161.0	12
BECK 5538	26	8	323	15.0	--	58.0	--	154.6	5.2	159.8	13
BECK 5616RR	14	8	323	16.2	--	57.0	--	156.9	-0.7	156.2	14
BECK 5129	20	8	323	15.5	--	57.0	--	158.0	-2.1	155.9	15
BECK EX 1286	6	8	323	15.7	--	56.0	--	161.2	-5.5	155.7	16

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5366):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Bill Shaffer

PLOT NOTES: Hog Manure used at plow down.

Travis Zook  
Wolcottville, IN

NORTHEAST IN  
Lagrange Co.



**PLANTED:** 05/06/2005      **POPULATION:** 28,000      **INSECTICIDE:** None  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 1 qt. Harness Xtra, 1 oz. Balance Pro  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Rank
		No.	Length							
BECK 5444RR	10	6	583	17.2	--	57.0	--	205.7	--	1
BECK EX 2426CB (5538Hx1 genetics)	13	6	582	18.5	--	57.0	--	204.2	--	2
BECK EX 2411CB (5228CBRR genetics)	5	6	586	13.4	--	56.0	--	202.9	--	3
BECK EX 0588	6	6	586	15.4	--	57.0	--	200.6	--	4
BECK EX 2474	2	6	589	11.5	--	56.0	--	197.6	--	5
BECK 5422CBCL	9	6	584	16.5	--	56.0	--	196.6	--	6
BECK 5166	4	6	586	14.2	--	56.5	--	194.9	--	7
BECK 5366	15	6	582	17.6	--	56.0	--	193.8	--	8
BECK 6197CB	19	6	582	19.0	--	56.0	--	192.6	--	9
BECK 5616RR	11	6	582	18.8	--	56.0	--	191.3	--	10
BECK EX 1581	7	6	586	16.2	--	56.5	--	189.8	--	11
BECK EX 1286	3	6	589	13.5	--	56.0	--	189.0	--	12
BECK 5538	17	6	582	18.0	--	57.0	--	188.2	--	13
BECK EX 1497	8	6	584	16.4	--	56.0	--	185.7	--	14
BECK 5222	16	6	582	17.4	--	56.0	--	181.8	--	15
BECK 4996	1	6	589	11.0	--	55.0	--	180.9	--	16
BECK 5322	20	6	582	16.8	--	56.0	--	180.9	--	17
BECK 5597	14	6	582	17.5	--	57.0	--	180.9	--	18
BECK EX 3417	12	6	582	17.9	--	56.5	--	179.4	--	19
BECK 5129	18	6	582	17.0	--	56.0	--	165.5	--	20

Plot Averages (Non-Checker Rows):

16.2      --      56.3      --      190.1      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Bill Shaffer, Input by Chuck Brooks

PLOT NOTES: There was an additional 215 lbs. of 28% applied with the Harness Xtra (60 lbs. actual N) for a total of 140 lbs.

Bobby and Joe Kincaid  
Farmersburg, IN

WEST CENTRAL IN  
Vigo Co.



**PLANTED:** 04/25/2005      **POPULATION:** 29,000      **INSECTICIDE:** 4.4 lb. Force  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Reelsville Silt Loam      **HERBICIDE:** 1 qt. Roundup, 1 qt. Aatrex  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Rank
		No.	Length							
BECK 5616RR	1	8	340	13.8	--	56.0	--	223.2	--	1
BECK 5899CBRR	5	8	340	13.8	--	58.0	--	198.6	--	2
BECK 5322CBRWRR w/o Force	8	8	340	14.5	--	54.0	50.0	192.8	--	3
BECK 6599CBRR	6	8	340	14.0	--	54.5	--	189.3	--	4
BECK 6722RR	2	8	340	17.0	--	57.0	--	188.8	--	5
BECK EX 1425	3	8	340	13.5	--	61.0	--	185.8	--	6
BECK 5322CBRWRR	7	8	340	15.0	--	57.0	50.0	184.9	--	7
BECK 5399CBRR	4	8	340	12.3	--	55.0	--	181.3	--	8

Plot Averages (Non-Checker Rows):

14.2      --      56.6      50.0      193.1      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Jim Love

John Gable  
Colfax, IN

WEST CENTRAL IN  
Montgomery Co.



**PLANTED:** 04/19/2005      **POPULATION:** 29,500      **INSECTICIDE:** 8.5 lb. Lorsban  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Crosby Silt Loam      **HERBICIDE:** 2.7 qt. Dual II Magnum  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK EX 2426CB (5538Hx1 genetics)	3	8	600	16.8	--	58.0	--	193.0	--	--	1
BECK 6599CBRR	19	8	600	16.5	--	56.0	--	190.7	--	--	2
BECK EX 3410	4	8	600	15.0	--	57.5	--	189.3	--	--	3
BECK 6522CL	15	8	600	17.2	--	56.0	--	189.3	--	--	4
BECK 6197CB	12	8	600	17.5	--	57.0	--	185.5	--	--	5
BECK 5737CL	14	8	600	13.8	--	58.5	--	184.7	--	--	6
BECK 5959	10	8	600	17.2	--	56.5	--	184.6	--	--	7
BECK 5597Hx1	20	8	600	17.2	--	58.0	--	181.9	--	--	8
BECK 5616RR	1	8	600	14.5	--	57.0	--	181.7	--	--	9
BECK EX 1411	6	8	600	14.8	--	58.0	--	180.6	--	--	10
BECK 5827	11	8	600	15.5	--	57.0	--	180.2	--	--	11
BECK 7997CBCL	17	8	600	20.9	--	56.0	--	179.8	--	--	12
BECK 5597	9	8	600	13.9	--	57.5	--	179.6	--	--	13
BECK 5959CB	7	8	600	16.2	--	56.0	--	179.6	--	--	14
BECK 5899CBRR	18	8	600	15.8	--	58.0	--	176.9	--	--	15
BECK 7997CL	16	8	600	18.2	--	57.0	--	176.2	--	--	16
BECK EX 3411	5	8	600	15.8	--	56.5	--	175.3	--	--	17
BECK EX 3414	8	8	600	16.0	--	58.5	--	174.9	--	--	18
BECK EX 3417	2	8	600	17.0	--	57.0	--	172.8	--	--	19
BECK 5597CB	13	8	600	15.5	--	58.0	--	172.7	--	--	20

Plot Averages (Non-Checker Rows):

16.3      --      57.2      --      181.5      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Jim Love

## Side By Side

Garrison Brothers	Delphi, IN	Beck 5737CL	17.7%	214.3 Bu./A.
		Select Seed 4925	16.7%	199.0 Bu./A.
Garrison Brothers	Delphi, IN	Beck 5166	16.5%	226.6 Bu./A.
		Select Seed 4740	18.0%	212.9 Bu./A.
Kay & Dave Martin	Delphi, IN	Beck 5166	15.8%	210.9 Bu./A.
		Beck 5399CBRR	15.7%	212.8 Bu./A.
		Beck 5616RR	16.4%	197.2 Bu./A.
Kay & Dave Martin	Delphi, IN	Beck 5166	14.8%	212.8 Bu./A.
		Beck 5597	16.2%	202.4 Bu./A.
McLelland Farms	Delphi, IN	Beck 5727wx	14.9%	188.4 Bu./A.
		Pioneer 34D69	15.1%	182.2 Bu./A.
Bob Benesh	Royal Center, IN	Beck 5727wx	15.8%	193.1 Bu./A.
		Garst 8464wx	16.2%	191.3 Bu./A.

Todd Welch  
Lafayette, IN

WEST CENTRAL IN  
Tippecanoe Co.



**PLANTED:** 04/14/2005      **POPULATION:** 32,000      **INSECTICIDE:** 7 lbs. Aztec  
**HARVESTED:** 10/01/2005      **SOIL TYPE:** N/A      **HERBICIDE:** 3 qts. Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Rank
		No.	Length							
BECK EX 2469 (5444RR genetics)	18	8	1050	17.8	--	59.0	--	215.8	--	1
Garst 8450	9	8	1050	20.7	--	55.5	--	211.8	--	2
BECK 5322CB	4	8	1050	19.7	--	57.5	--	207.9	--	3
BECK 5322	11	8	1050	18.7	--	58.0	--	206.7	--	4
BECK 5616RR	19	8	1050	19.2	--	58.5	--	205.8	--	5
Select Seed 4740	10	8	1050	18.8	--	58.5	--	205.7	--	6
BECK 5166	16	8	1050	17.1	--	58.0	--	203.5	--	7
BECK 5597	13	8	1050	17.9	--	57.0	--	201.4	--	8
BECK 5366	12	8	1050	18.8	--	57.0	--	201.1	--	9
BECK 5597CB	3	8	1050	19.8	--	57.5	--	200.7	--	10
BECK 5538	15	8	1050	18.3	--	60.0	--	200.2	--	11
BECK 5275wx	22	8	1050	17.7	--	59.5	--	200.0	--	12
Garst 8464	8	8	1050	21.1	--	57.0	--	199.2	--	13
BECK EX 1425	20	8	1050	20.0	--	59.5	--	197.9	--	14
BECK 5129	17	8	1050	16.9	--	58.5	--	197.3	--	15
BECK 5322wx	23	8	1050	18.9	--	60.0	--	195.3	--	16
BECK 6197	7	8	1050	21.6	--	56.5	--	194.5	--	17
BECK 5959	14	8	1050	19.9	--	56.5	--	193.9	--	18
BECK 5959CB	1	8	1050	21.0	--	56.5	--	192.5	--	19
BECK 5322CBRW	28	8	1050	18.7	--	58.0	--	191.0	--	20
BECK 5366wx	24	8	1050	18.9	--	58.0	--	190.5	--	21
BECK 6197CB	6	8	1050	24.3	--	56.0	--	189.6	--	22
BECK 5166wx	21	8	1050	17.8	--	60.0	--	189.2	--	23
BECK 6097CB	5	8	1050	19.9	--	56.5	--	188.1	--	24
BECK 5727CBRW	29	8	1050	17.7	--	61.0	--	185.3	--	25
BECK 5727wx	26	8	1050	19.3	--	60.5	--	182.8	--	26
BECK 5339CBCL	2	8	1050	20.3	--	56.5	--	181.4	--	27
BECK 5422wx	25	8	1050	21.0	--	58.5	--	175.2	--	28
BECK 5959RW	30	8	1050	19.5	--	55.5	--	171.5	--	29
Pioneer 34N41	27	8	1050	19.2	--	59.0	--	166.8	--	30
Plot Averages (Non-Checker Rows):				19.4	--	58.0	--	194.8	--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Spray



“We have been Beck’s seed users for about ten years. Dealers that can provide recommendations on what seed to use in our no-till system have kept us loyal. The seed is reasonably priced and top quality.”

Mark Neal  
Troy, OH

Kevin Cates  
Kingman, IN

WEST CENTRAL IN  
Fountain Co.



**PLANTED:** 05/06/2005      **POPULATION:** 32,000      **INSECTICIDE:** 4.4 lb. Force  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** Princep, 2,4-D, Degree Xtra, Clarity  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5597Hx1	23	8	760	16.0	29000	56.0	1.0	179.0	1.2	180.2	1
BECK EX 1576	12	8	760	16.7	28000	56.0	2.0	190.3	-10.5	179.8	2
BECK 6722RR	15	8	760	17.8	27000	56.0	1.0	179.2	0.2	179.4	3
BECK 5166	2	8	760	15.4	30000	56.0	1.0	172.8	6.5	179.3	4
BECK 5616RR	4	8	760	15.1	31000	57.0	2.0	171.0	6.5	177.5	5
BECK EX 3414	11	8	760	17.1	29000	59.0	2.0	187.5	-10.5	177.0	6
BECK 5597CB	28	8	760	16.4	29000	56.0	1.0	177.4	-2.7	174.7	7
BECK 5727CBRW	24	8	760	16.1	25000	59.0	1.0	172.7	1.2	173.9	8
BECK EX 1286	3	8	760	15.1	29000	54.0	1.0	166.6	6.5	173.1	9
BECK 5597	30	8	760	14.8	28000	56.0	2.0	172.9	0.0	172.9	10
BECK 5959RW	26	8	760	18.2	30000	56.0	1.0	173.4	-2.7	170.7	11
BECK 5959	10	8	760	18.4	30000	56.0	1.0	180.6	-10.5	170.1	12
BECK EX 3411	7	8	760	16.1	36000	58.0	1.0	175.6	-5.6	170.0	13
BECK EX 3410	6	8	760	14.8	32000	57.0	3.0	174.5	-5.6	168.9	14
BECK 5366	32	8	760	15.2	25000	56.0	1.0	167.0	0.0	167.0	15
BECK 7997CBCL	31	8	760	20.4	28000	56.0	1.0	166.5	0.0	166.5	16
BECK EX 1411	8	8	760	15.2	26000	59.0	1.0	170.8	-5.6	165.2	17
BECK EX 0409	14	8	760	17.6	34000	55.0	1.0	162.2	0.2	162.4	18
BECK 6197	18	8	760	18.1	28000	56.0	1.0	156.0	5.9	161.9	19
BECK 6097CB	19	8	760	16.6	26000	56.0	3.0	155.8	5.9	161.7	20
BECK EX 1425	16	8	760	18.2	26000	60.0	1.0	160.1	0.2	160.3	21
BECK EX 2488	22	8	760	15.7	20000	54.0	1.0	158.0	1.2	159.2	22
BECK EX 3572	20	8	760	16.5	24000	57.0	2.0	147.6	5.9	153.5	23
BECK 6289Hx1	27	8	760	17.6	27000	56.0	2.0	153.1	-2.7	150.4	24

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5366):

16.6    28208    56.5    1.4    169.6    169.0  
15.2    24778    55.6    1.2    150.5    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan & Joe McElho

Cox Farms  
Lafayette, IN

WEST CENTRAL IN  
Tippecanoe Co.



**PLANTED:** 04/17/2005      **POPULATION:** 32,000      **INSECTICIDE:** Label Rate Aztec  
**HARVESTED:** 10/15/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 3 oz. Callisto, 2.1 qt. Bicep II Magnum  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5166 EPC	2	8	1124	16.4	29000	56.0	--	182.3	--	--	1
BECK 5166	4	8	1124	16.6	27000	56.5	--	181.6	--	--	2
BECK 5166	5	8	1124	17.0	27000	56.5	--	181.0	--	--	3
BECK 5166 EPC	3	8	1124	17.2	25000	56.5	--	179.2	--	--	4
BECK 5166	6	8	1124	17.0	24000	56.0	--	176.8	--	--	5
BECK 5166 EPC	1	8	1124	17.8	27000	55.5	--	176.6	--	--	6

Plot Averages (Non-Checker Rows):

17.0    26500    56.2    --    179.6    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Brett Winger

Earl Davis  
Ambia, IN

WEST CENTRAL IN  
Warren Co.



PLANTED: 04/15/2005      POPULATION: 32,000      INSECTICIDE: 3.25 lbs. Aztec  
HARVESTED: 09/28/2005      SOIL TYPE: N/A      HERBICIDE: 5 pt. Guardsman Max, 3 oz. Callisto  
ROW WIDTH: 30.0 inches      PREVIOUS CROP: Soybeans      TILLAGE: Field Cultivation

Brand - Hybrid	Entry Order	Rows No.	Length	% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
BECK 5959RW	26	8	725	20.4	31000	55.0	--	183.9	6.4	190.3	1
BECK 5166	2	8	745	16.9	25000	57.0	--	187.8	-6.6	181.2	2
BECK 5616RR	7	8	735	18.2	30000	57.0	--	180.6	-4.2	176.4	3
BECK 5597	21	8	725	18.2	31000	56.0	--	173.3	0.9	174.2	4
BECK EX 1411	9	8	725	18.5	28000	59.0	--	177.4	-3.7	173.7	5
BECK 5727CB	38	8	725	20.2	33000	56.0	--	163.1	10.1	173.2	6
BECK 5959	34	8	715	19.6	33000	55.0	--	172.0	0.5	172.5	7
BECK 5597CB	25	8	725	19.9	28000	55.0	--	165.1	6.4	171.5	8
BECK EX 0409	14	8	735	21.9	28000	55.0	--	181.4	-10.0	171.4	9
BECK 5538	23	8	735	16.7	28000	58.0	--	170.0	0.9	170.9	10
BECK EX 3414	11	8	735	19.8	31000	57.0	--	174.5	-3.7	170.8	11
BECK EX 1576	13	8	725	22.0	33000	54.0	--	180.7	-10.0	170.7	12
BECK 5125CBRW	29	8	725	17.2	30000	56.0	--	167.6	2.9	170.5	13
BECK 5214Hx1	30	8	725	17.3	27000	57.0	--	167.6	2.9	170.5	14
BECK 6197RW	33	8	715	22.2	33000	55.0	--	169.2	0.5	169.7	15
BECK 5899CBRR	39	8	725	20.4	31000	57.0	--	158.9	10.1	169.0	16
BECK 6599CBRR	35	8	708	19.5	26000	54.0	--	167.5	0.5	168.0	17
BECK 5322CBRW	27	8	735	18.7	30000	55.0	--	161.4	6.4	167.8	18
BECK 5366	22	8	725	18.0	31000	56.0	--	166.5	0.9	167.4	19
BECK 5959CB	10	8	735	20.4	28000	55.0	--	170.8	-3.7	167.1	20
BECK 5222	3	8	745	16.4	30000	57.0	--	173.1	-6.6	166.5	21
BECK 5012	18	8	735	16.2	26000	58.0	--	174.7	-8.5	166.2	22
BECK 5099RR	37	8	725	18.0	32000	57.0	--	154.4	10.1	164.5	23
BECK EX 3411	5	8	745	18.4	29000	59.0	--	167.7	-4.2	163.5	24
BECK EX 3410	6	8	745	18.2	28000	57.0	--	167.5	-4.2	163.3	25
BECK EX 1425	17	8	725	21.3	33000	56.0	--	171.3	-8.5	162.8	26
BECK EX 1256	1	8	745	16.6	25000	55.0	--	169.2	-6.6	162.6	27
BECK 5125CB	31	8	725	17.4	32000	55.0	--	156.7	2.9	159.6	28
BECK 5129	19	8	735	17.0	29000	57.0	--	167.3	-8.5	158.8	29
BECK 5399CBRR	15	8	735	17.6	32000	58.0	--	160.8	-10.0	150.8	30
Plot Averages (Non-Checker Rows):				18.8	29700	56.3	--	170.1		168.8	
Checker Average(BECK 5366):				17.7	28500	55.9	--	168.1		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan, Joe McElhoe

## Side By Side

Don & Troy Furrer	Wolcott, IN	Beck 5129	15.5%	197.0 Bu./A.
		Beck 5166	15.6%	203.1 Bu./A.
		Specialty 4672A	16.9%	199.0 Bu./A.
Garrison Brothers	Delphi, IN	Beck 5538	16.9%	209.4 Bu./A.
		Select Seed 5122	17.5%	199.0 Bu./A.

Brien Duncan  
Veedersburg, IN

WEST CENTRAL IN  
Fountain Co.



**PLANTED:** 04/18/2005      **POPULATION:** 31,000      **INSECTICIDE:** Force  
**HARVESTED:** 10/17/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 1 pt. 2,4-D, 1 qt. Clear Out, 3 oz. Option  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank	
		No.	Length									
BECK 5538	15	6	1230	15.2	30000	60.0	1.0	209.1	-1.6	207.5	1	
BECK 5166	3	6	1230	14.0	28000	57.0	1.0	198.9	2.7	201.6	2	
BECK 5538RW	27	6	1230	14.2	30000	59.0	2.0	198.0	0.1	198.1	3	
BECK 5366	14	6	1230	14.2	27000	57.0	1.0	195.3	-1.6	193.7	4	
BECK 5727CBRW	22	6	1230	14.2	29000	60.0	1.0	186.7	6.5	193.2	5	
BECK 5166RW	18	6	1230	14.0	29000	58.0	1.0	187.0	3.0	190.0	6	
BECK 5597	17	6	1230	14.0	28000	56.0	1.0	186.3	3.0	189.3	7	
Pioneer 33J24	25	6	1230	14.8	30000	59.0	1.0	188.6	0.1	188.7	8	
BECK 5959RW	19	6	1230	15.8	30000	55.0	1.0	183.8	3.0	186.8	9	
BECK 5125CBRW	21	6	1230	14.2	28000	57.0	1.0	179.3	6.5	185.8	10	
BECK EX 3414	11	6	1230	15.5	29000	58.0	1.0	190.5	-6.0	184.5	11	
BECK EX 1411	7	6	1230	13.8	31000	59.0	1.0	189.7	-6.2	183.5	12	
BECK 5616RR	5	6	1230	14.2	33000	57.0	1.0	187.8	-6.2	181.6	13	
BECK 6289Hx1	23	6	1230	16.5	28000	59.0	1.0	174.6	6.5	181.1	14	
BECK EX 1286	2	6	1230	13.4	26000	55.0	1.0	178.1	2.7	180.8	15	
BECK 5727	26	6	1230	15.0	27000	59.0	1.0	180.5	0.1	180.6	16	
BECK 5129	13	6	1230	13.6	28000	56.0	1.0	179.2	-1.6	177.6	17	
BECK EX 3411	9	6	1230	14.5	24000	58.0	1.0	178.6	-6.0	172.6	18	
BECK EX 3410	6	6	1230	14.0	29000	57.0	1.0	178.0	-6.2	171.8	19	
BECK 5959CB	10	6	1230	17.8	26000	55.0	1.0	174.7	-6.0	168.7	20	
Plot Averages (Non-Checker Rows):					14.6	28500	57.6	1.1	186.2		185.9	
Checker Average(BECK 5727):					14.7	25875	58.9	1.0	177.1		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan & Joe McElhoe

Wimmer Farms  
Rockville, IN

WEST CENTRAL IN  
Parke Co.



**PLANTED:** 04/25/2005      **POPULATION:** 29,000      **INSECTICIDE:** 7.3 lb. Aztec  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Crosby Silt Loam      **HERBICIDE:** 1.28 oz. Lightning, 3 oz. Distinct  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank	
		No.	Length									
BECK 7997CBCL	4	8	390	17.5	--	59.0	--	197.3	--	--	1	
BECK 7997CL	5	8	390	17.5	--	58.5	--	196.5	--	--	2	
BECK 5597CL	1	8	390	14.2	--	57.5	--	190.5	--	--	3	
BECK 6522CL	3	8	390	15.0	--	56.0	--	181.9	--	--	4	
BECK 5737CL	2	8	390	14.8	--	59.0	--	174.9	--	--	5	
Plot Averages (Non-Checker Rows):					15.8	--	58.0	--	188.2		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Jim Love

Paul Adams  
Clinton, IN

WEST CENTRAL IN  
Vermillion Co.



**PLANTED:** 04/20/2005  
**HARVESTED:** 10/28/2005  
**ROW WIDTH:** 30.0 inches

**POPULATION:** 30,000  
**SOIL TYPE:** Silt Loam  
**PREVIOUS CROP:** Soybeans

**INSECTICIDE:** 4.4 lb. Force  
**HERBICIDE:** 2.7 pt. Keystone, 2.5 lb. Atrazine  
**TILLAGE:** No-Till / Strip-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5538	7	8	816	14.8	31000	59.0	2.0	174.1	3.7	177.8	1
BECK 5597CB	5	8	816	14.2	27000	57.0	1.0	161.8	15.5	177.3	2
BECK 5616	8	8	816	14.6	28000	58.0	2.0	172.4	3.7	176.1	3
BECK 5727CBRW	4	8	816	15.0	23000	59.0	3.0	159.8	15.5	175.3	4
BECK 5727CB	13	8	816	13.8	26000	58.0	4.0	179.4	-5.4	174.0	5
BECK 5366	3	8	816	15.0	25000	56.0	1.0	158.1	15.5	173.6	6
BECK 5959RW	17	8	816	15.4	25000	57.0	1.0	178.4	-6.4	172.0	7
BECK EX 1576	9	8	816	14.8	27000	56.0	1.0	164.0	3.7	167.7	8
BECK EX 0409	15	8	816	15.4	27000	56.0	2.0	173.3	-6.4	166.9	9
BECK 5959CB	1	8	816	17.0	26000	56.0	1.0	150.0	16.7	166.7	10
BECK 6197	25	8	816	15.2	25000	57.0	1.0	169.4	-5.7	163.7	11
BECK 6289Hx1	23	8	816	16.2	26000	58.0	1.0	166.5	-5.7	160.8	12
BECK EX 1425	12	8	816	16.0	29000	59.0	2.0	164.9	-5.4	159.5	13
BECK 5422Bt 1	16	8	816	14.6	25000	57.0	3.0	165.1	-6.4	158.7	14
BECK 7997CBCL	24	8	816	17.0	24000	56.0	1.0	162.1	-5.7	156.4	15
BECK 6827	21	8	816	14.0	29000	60.0	1.0	163.9	-7.9	156.0	16
BECK 6599CBRR	19	8	816	14.5	28000	56.0	7.0	163.7	-7.9	155.8	17
BECK 7538Bt 1	20	8	816	16.0	27000	59.0	1.0	163.3	-7.9	155.4	18
BECK 5597	11	8	816	13.5	29000	57.0	2.0	157.5	-5.4	152.1	19

Plot Averages (Non-Checker Rows):

15.1 26684 57.4 1.9 165.7 165.6

Checker Average(BECK 6197):

15.4 26857 56.9 1.0 159.6 --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan & Joe McElhoe



"I am very impressed with how my Beck's seed performed this year. 5222 was outstanding. We planted it early at 29,900 and I think every seed came up. We had a 30 acre field average 237 Bu./Acre, 15.2% moisture, 57.9 test weight and great standability. That's good corn! I'm very happy with Beck's."

Bob Binegar  
Bryant, IN

Bill Stonecipher  
Covington, IN

WEST CENTRAL IN  
Fountain Co.



**PLANTED:** 04/28/2005      **POPULATION:** 31,000      **INSECTICIDE:** 4.4 lb. Force  
**HARVESTED:** 10/30/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 3.25 qt. Fultime, 4 oz. Banvel  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK EX 2413 (5507RWRR genetics)	10	8	1270	13.8	30000	58.0	1.0	194.2	1.4	195.6	1
BECK EX 1581	6	8	1270	15.4	30000	59.0	1.0	184.6	6.3	190.9	2
BECK 5899CBRR	3	8	1270	15.0	26000	58.0	1.0	184.5	3.2	187.7	3
BECK 5727CB	15	8	1270	14.8	29000	58.0	1.0	185.8	0.8	186.6	4
BECK EX 1497	7	8	1270	15.8	29000	56.0	2.0	177.6	6.3	183.9	5
BECK EX 3411	13	8	1270	16.4	30000	58.0	1.0	181.1	0.8	181.9	6
BECK EX 0588	11	8	1270	14.4	28000	57.0	1.0	179.4	1.4	180.8	7
BECK 5322CBRW	2	8	1270	14.8	27000	56.0	3.0	176.0	3.2	179.2	8
BECK 5339CBCL	5	8	1270	15.2	29000	56.0	1.0	171.0	6.3	177.3	9
BECK 5166RW	18	8	1270	14.6	30000	57.0	2.0	181.7	-4.6	177.1	10
BECK 5597CB	14	8	1270	15.0	31000	57.0	1.0	176.1	0.8	176.9	11
BECK 5422CBCL	9	8	1270	15.2	29000	57.0	1.0	170.1	1.4	171.5	12
BECK 5959CB	17	8	1270	17.0	29000	56.0	1.0	174.0	-4.6	169.4	13
BECK 6289Hx1	19	8	1270	17.2	29000	56.0	1.0	162.7	-4.6	158.1	14
Plot Averages (Non-Checker Rows):				15.3	29000	57.1	1.3	178.5		179.8	
Checker Average(BECK 5422):				15.3	27667	56.8	1.7	173.9		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan & Joe McElhoe

George Lumley  
Lafayette, IN

WEST CENTRAL IN  
Tippecanoe Co.



**PLANTED:** 04/15/2005      **POPULATION:** 27,700      **INSECTICIDE:** Aztec  
**HARVESTED:** 10/12/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Define  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5275wx	9	4	1000	13.7	--	58.5	--	188.8	--	--	1
BECK 5422	3	4	1000	13.6	--	57.0	--	188.7	--	--	2
BECK 5366	4	4	1000	13.2	--	57.0	--	184.0	--	--	3
BECK 5422wx	14	4	1000	13.9	--	59.5	--	182.8	--	--	4
BECK 5166	6	4	1000	14.0	--	56.0	--	180.2	--	--	5
Pioneer 34D69	11	4	1000	14.6	--	61.0	--	180.2	--	--	6
BECK 5597	1	4	1000	14.2	--	58.0	--	180.1	--	--	7
BECK 5322	5	4	1000	13.1	--	56.0	--	179.1	--	--	8
BECK 5727wx	15	4	1000	14.0	--	60.0	--	176.4	--	--	9
BECK 5322wx	12	4	1000	14.5	--	58.5	--	175.1	--	--	10
BECK 6197	2	4	1000	14.2	--	57.5	--	174.3	--	--	11
BECK 5366wx	13	4	1000	14.2	--	58.0	--	173.7	--	--	12
BECK 5959	7	4	1000	13.5	--	56.5	--	172.9	--	--	13
BECK 5166wx	10	4	1000	14.6	--	59.0	--	166.6	--	--	14
BECK 5129	8	4	1000	14.3	--	58.0	--	166.3	--	--	15
Plot Averages (Non-Checker Rows):				14.0	--	58.0	--	177.9		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Spray

Ben Defreese  
Attica, IN

WEST CENTRAL IN  
Tippecanoe Co.



**PLANTED:** 05/04/2005      **POPULATION:** 29,600      **INSECTICIDE:** Aztec  
**HARVESTED:** 11/01/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Define, Atrazine, Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 6197RW	7	8	820	16.4	--	58.0	--	207.8	--	--	1
BECK EX 2413 (5507RWRR genetics)	11	8	820	15.1	--	59.0	--	204.0	--	--	2
BECK 5222	14	8	820	15.0	--	58.0	--	203.1	--	--	3
BECK 5322wx	20	8	820	15.8	--	59.5	--	197.6	--	--	4
BECK 5597CB	10	8	820	14.8	--	58.5	--	197.4	--	--	5
BECK 5616RR	12	8	820	15.6	--	59.0	--	196.9	--	--	6
BECK EX 1411	4	8	820	15.7	--	60.0	--	196.4	--	--	7
BECK EX 2411CB (5228CBRR genetics)	1	8	790	14.9	--	60.0	--	191.4	--	--	8
BECK 5538	16	8	820	15.5	--	60.0	--	191.3	--	--	9
BECK 5129	18	8	770	15.4	--	58.0	--	189.5	--	--	10
BECK 6197CB	9	8	820	16.7	--	58.0	--	189.5	--	--	11
BECK EX 3414	6	8	820	16.6	--	60.0	--	189.1	--	--	12
BECK 5959CB	5	8	820	16.6	--	57.0	--	188.7	--	--	13
BECK 5166wx	19	8	820	15.5	--	59.0	--	188.2	--	--	14
BECK 5959	17	8	770	15.8	--	56.5	--	187.9	--	--	15
BECK EX 3410	2	8	810	15.4	--	59.0	--	187.0	--	--	16
BECK 5727wx	22	8	820	15.9	--	61.0	--	186.2	--	--	17
BECK EX 3411	3	8	820	15.8	--	59.5	--	185.8	--	--	18
BECK 5366	15	8	820	15.0	--	57.0	--	184.3	--	--	19
BECK 6097CB	8	8	820	15.3	--	56.5	--	184.1	--	--	20
BECK 5166	13	8	820	14.6	--	58.0	--	183.5	--	--	21
BECK 5366wx	21	8	820	16.0	--	58.5	--	182.0	--	--	22

Plot Averages (Non-Checker Rows):

15.6      --      58.6      --      191.4      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Spray

## Side By Side

Bruce Edwards	Cambridge City, IN	Beck 5538	21.5%	195.1 Bu./A.
		Vigoro 4530	19.3%	189.9 Bu./A.
Fuhs Bros.	Evansville, IN	Beck 6722RR	22.0%	173.9 Bu./A.
		Dekalb DKC63-81	18.3%	167.3 Bu./A.
Fuhs Bros.	Evansville, IN	Beck 6722RR	19.9%	181.6 Bu./A.
		Dekalb DKC61-72	18.7%	179.3 Bu./A.
Fuhs Bros.	Evansville, IN	Beck 6722RR	23.1%	184.1 Bu./A.
		Pioneer 33P65	22.0%	181.8 Bu./A.
Gary Spray	Kirklin, IN	Beck 5166	21.5%	193.8 Bu./A.
		Pioneer 34M94	22.6%	188.4 Bu./A.
Arin Ziebarth	Normal, IL	Beck 5959RW	16.5%	176.9 Bu./A.
		Asgrow RX718YGRW	15.8%	170.1 Bu./A.

George & Tom Crosby  
Greensburg, IN

CENTRAL IN  
Shelby Co.



**PLANTED:** 05/23/2005      **POPULATION:** 28,000      **INSECTICIDE:** 5 lb. Lorsban  
**HARVESTED:** 10/18/2005      **SOIL TYPE:** Crosby/Brookston      **HERBICIDE:** 2 qt. Harness Xtra, 3 oz. Hornet  
**ROW WIDTH:** 36.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6599CBRR	22	4	883	18.5	27500	56.0	3.0	176.1	14.5	190.6	1
BECK 6197CB	20	4	883	18.4	27000	57.5	--	177.2	9.9	187.1	2
BECK 7997CL	28	4	883	22.2	27500	56.0	--	185.5	1.6	187.1	3
BECK 6097CB	18	4	883	18.3	26500	57.0	--	180.8	3.6	184.4	4
BECK 5899CBRR	16	4	883	17.2	28000	60.0	--	185.1	-6.3	178.8	5
BECK 6722RR	24	4	883	17.6	27000	57.0	2.0	161.0	17.2	178.2	6
BECK 5214Hx1	2	4	883	15.7	25000	60.0	--	178.8	-1.1	177.7	7
BECK 5597Hx1	8	4	883	18.2	26000	58.5	12.0	183.4	-6.9	176.5	8
BECK EX 2411CB (5228CBRR genetics)	26	4	883	15.3	28000	60.5	--	164.4	8.9	173.3	9
BECK 5597CB	6	4	883	17.8	27000	59.0	12.0	178.3	-7.6	170.7	10
BECK 5444RR	10	4	883	14.8	26000	57.0	--	177.3	-7.5	169.8	11
BECK 5616RR	12	4	883	17.0	26000	59.0	--	179.9	-11.5	168.4	12
BECK 5422CBCL	4	4	883	18.4	26000	56.0	--	167.0	-1.8	165.2	13
BECK 5827	14	4	883	14.8	26000	60.0	--	173.5	-12.1	161.4	14

Plot Averages (Non-Checker Rows):

17.4    26679    58.1    7.3    176.3    176.4

Checker Average(BECK 5727CB):

16.4    26800    58.9    --    168.5    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Kris Johnson & Todd Theobald

Keith Cooper  
Danville, IN

CENTRAL IN  
Hendricks Co.



**PLANTED:** 05/10/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/11/2005      **SOIL TYPE:** Crosby-Brookston      **HERBICIDE:** Keystone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6599CBRR	3	12	290	22.8	--	53.0	--	178.5	-9.7	168.8	1
BECK 6522CL	5	12	290	23.6	--	53.0	--	175.2	-7.6	167.6	2
BECK 7538Bt 1	1	12	290	23.6	--	54.0	--	168.0	-8.7	159.3	3
Stewart HC530	15	12	278	21.2	--	55.5	--	139.6	16.1	155.7	4
BECK 6289Hx1	7	12	290	22.8	--	54.0	--	152.0	-3.6	148.4	5
BECK 6197CB	11	12	290	25.4	--	53.0	--	142.3	5.1	147.4	6
BECK 5399CBRR	13	12	278	22.0	--	53.5	--	133.7	10.2	143.9	7
BECK 5214Hx1	9	12	290	20.3	--	55.0	--	129.4	1.7	131.1	8

Plot Averages (Non-Checker Rows):

22.7    --    53.9    --    152.3    152.8

Checker Average(Stewart HC500):

20.2    --    56.0    --    152.6    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Kris Johnson

Marshall Hurst  
Danville, IN

CENTRAL IN  
Hendricks Co.



**PLANTED:** 04/17/2005      **POPULATION:** 30,160      **INSECTICIDE:** Force  
**HARVESTED:** 10/11/2005      **SOIL TYPE:** Crosby- Brookston      **HERBICIDE:** Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
Pioneer 33J24	1	6	417	16.6	--	58.5	--	202.2	--	--	1
BECK 5627	9	6	377	16.7	--	59.0	--	200.3	--	--	2
BECK 5538	6	6	392	17.4	--	59.5	--	198.7	--	--	3
BECK 5827	11	6	367	16.6	--	59.0	--	196.0	--	--	4
BECK 5727	10	6	372	16.7	--	60.0	--	194.0	--	--	5
BECK 5222	3	6	407	16.2	--	56.0	--	191.9	--	--	6
BECK 6197	12	6	362	19.3	--	55.0	--	191.2	--	--	7
BECK 5366	4	6	402	16.2	--	57.0	--	190.8	--	--	8
BECK 5959	8	6	382	18.5	--	55.0	--	183.5	--	--	9
BECK 5597	7	6	387	16.4	--	58.0	--	182.1	--	--	10
BECK 6827	13	6	357	17.6	--	58.0	--	179.7	--	--	11
BECK 5422	5	6	397	18.3	--	57.0	--	176.5	--	--	12
BECK 5129	2	6	412	16.6	--	58.0	--	169.4	--	--	13
Plot Averages (Non-Checker Rows):				17.2	--	57.7	--	188.9	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Todd Theobald

Lawson Farms  
Thorntown, IN

CENTRAL IN  
Boone Co.



**PLANTED:** 05/05/2005      **POPULATION:** 29,700      **INSECTICIDE:** 4.4 lb. Force  
**HARVESTED:** 10/25/2005      **SOIL TYPE:** Brookston      **HERBICIDE:** 2.4 qt. Bicep II Magnum  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK EX 3410	4	8	420	13.9	--	57.0	--	196.4	--	--	1
BECK 5616RR	1	8	405	13.2	--	56.0	--	189.5	--	--	2
BECK EX 1411	6	8	420	13.8	--	58.0	--	187.3	--	--	3
BECK EX 3417	2	8	405	13.6	--	56.5	--	187.0	--	--	4
BECK EX 3411	5	8	420	14.8	--	56.0	--	183.2	--	--	5
BECK EX 2426CB (5538Hx1 genetics)	3	8	420	14.8	--	57.0	--	181.9	--	--	6
BECK EX 1425	11	8	420	14.8	--	58.0	--	180.8	--	--	7
BECK EX 1576	9	8	420	14.5	--	55.0	--	180.3	--	--	8
BECK 5959CB	7	8	420	17.5	--	56.0	--	178.9	--	--	9
BECK 6722RR	10	8	420	15.5	--	57.0	--	172.1	--	--	10
BECK EX 3414	8	8	420	14.8	--	56.0	--	165.6	--	--	11
Plot Averages (Non-Checker Rows):				14.7	--	56.6	--	182.1	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Jim Love

Downing Farms, Inc.  
Greentown, IN

CENTRAL IN  
Howard Co.



**PLANTED:** 04/06/2005      **POPULATION:** 30,000      **INSECTICIDE:** 3 lb. Aztec  
**HARVESTED:** 10/28/2005      **SOIL TYPE:** Brookston/Crosby      **HERBICIDE:** 1.5 oz. Balance Pro, 2.65 qt. Keystone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5322	15	4	736	17.5	--	57.0	--	207.2	1.1	208.3	1
BECK EX 2488	39	4	736	17.9	--	56.0	--	204.2	2.4	206.6	2
Wyckoff 2624	47	4	736	18.0	--	57.0	--	206.8	-4.6	202.2	3
BECK 5827	34	4	736	17.9	--	59.0	--	199.5	0.9	200.4	4
BECK 5627	29	4	736	18.8	--	58.0	--	199.5	-0.7	198.8	5
BECK 5322CB	17	4	736	17.6	--	57.0	--	205.1	-7.2	197.9	6
BECK 5899CBRR	35	4	736	17.8	--	58.0	--	195.6	0.9	196.5	7
Wyckoff 2683	51	4	736	17.7	--	58.5	--	196.9	-1.7	195.2	8
Wyckoff 2624	49	4	736	18.0	--	58.0	--	196.4	-1.7	194.7	9
BECK 5959	3	4	736	18.3	--	58.0	--	193.4	1.0	194.4	10
BECK 5422	21	4	736	18.1	--	57.0	--	198.2	-4.0	194.2	11
BECK 5616RR	23	4	736	18.1	--	57.0	--	197.6	-4.0	193.6	12
BECK 5222	14	4	736	17.3	--	57.0	--	192.1	1.1	193.2	13
BECK 6097CB	41	4	736	18.1	--	55.0	--	193.5	-2.0	191.5	14
BECK 5727CBRW	33	4	736	17.5	--	59.0	--	187.5	0.9	188.4	15
BECK 6722RR	45	4	736	18.8	--	56.0	--	193.0	-4.6	188.4	16
BECK 6197CB	43	4	736	18.6	--	56.0	--	189.3	-2.0	187.3	17
BECK 6197	42	4	736	19.0	--	55.0	--	188.7	-2.0	186.7	18
BECK 5597	25	4	736	16.9	--	56.0	--	186.2	0.3	186.5	19
BECK 5322CBRW	19	4	736	17.8	--	57.0	--	193.4	-7.2	186.2	20
BECK 5538	30	4	736	18.2	--	58.0	--	186.7	-0.7	186.0	21
Pioneer 34H31	22	4	736	18.5	--	60.0	--	189.9	-4.0	185.9	22
BECK 5597CB	26	4	736	16.9	--	56.0	--	185.2	0.3	185.5	23
BECK 5366	13	4	736	17.1	--	55.5	--	184.3	1.1	185.4	24
BECK 5399CBRR	18	4	736	17.6	--	57.5	--	192.0	-7.2	184.8	25
BECK EX 1497	6	4	736	17.8	--	56.0	--	177.6	6.8	184.4	26
BECK 5727	31	4	736	17.8	--	58.0	--	184.6	-0.7	183.9	27
BECK 5166	10	4	736	17.5	--	56.0	--	174.4	9.2	183.6	28
BECK 5597Hx1	27	4	736	17.9	--	56.5	--	182.7	0.3	183.0	29
Wyckoff 2674	50	4	736	17.8	--	57.5	--	183.8	-1.7	182.1	30
BECK 5125CBRW	9	4	736	16.8	--	55.5	--	170.7	9.2	179.9	31
BECK EX 3572	37	4	736	18.1	--	57.5	--	177.0	2.4	179.4	32
BECK 5214Hx1	11	4	736	17.3	--	57.0	--	169.7	9.2	178.9	33
BECK EX 2474	5	4	736	17.5	--	56.5	--	169.3	6.8	176.1	34
BECK EX 3567	38	4	736	17.7	--	56.5	--	170.5	2.4	172.9	35
Pioneer 36B08	46	4	736	17.1	--	57.0	--	176.5	-4.6	171.9	36
BECK 5129	2	4	736	16.8	--	59.5	--	168.6	1.0	169.6	37
BECK 5125CB	7	4	736	17.1	--	56.0	--	162.7	6.8	169.5	38
BECK 5012	1	4	736	16.7	--	59.0	--	162.6	1.0	163.6	39

Plot Averages (Non-Checker Rows):

17.7      --      57.1      --      187.0      187.1

Checker Average(Pioneer 34H31):

17.9      --      59.9      --      185.8      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Brad Downing, Brett Winger, Tracy Stevenson

Rinehart Family Farms  
Burlington, IN

CENTRAL IN  
Carroll Co.



**PLANTED:** 04/29/2005      **POPULATION:** 29,000      **INSECTICIDE:** Poncho 1250  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Brookston      **HERBICIDE:** Bicep II Magnum, Hornet  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5222	6	8	1117	15.8	--	57.0	--	202.5	2.5	205.0	1
BECK 5538	11	8	1117	15.9	--	59.0	--	205.5	-3.0	202.5	2
BECK 5959	2	8	1117	16.7	--	57.0	--	191.8	6.1	197.9	3
BECK 5422	10	8	1117	16.0	--	56.5	--	200.6	-3.0	197.6	4
BECK 5129	1	8	1117	15.2	--	57.0	--	190.2	6.1	196.3	5
BECK 5322	7	8	1117	15.3	--	56.5	--	191.6	2.5	194.1	6
BECK 5166	5	8	1117	15.0	--	57.0	--	190.0	2.5	192.5	7
BECK 5366	9	8	1117	15.8	--	56.5	--	194.8	-3.0	191.8	8
BECK EX 2474	3	8	1117	15.3	--	56.0	--	182.1	6.1	188.2	9
BECK 5597	13	8	1117	15.5	--	57.0	--	186.7	-4.9	181.8	10

Plot Averages (Non-Checker Rows):

15.7      --      57.0      --      193.6      194.8

Checker Average(BECK 5229 Poncho 1250):

15.2      --      57.0      --      201.5      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ben Grimme

Jack & Bryan Farley  
Fairmount, IN

CENTRAL IN  
Grant Co.



**PLANTED:** 05/06/2005      **POPULATION:** 31,000      **INSECTICIDE:** 3.5 lb. Fortress  
**HARVESTED:** 10/31/2005      **SOIL TYPE:** Silty Clay Loam      **HERBICIDE:** 2.65 qt. Keystone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK EX 2469 (5444RR genetics)	11	8	520	16.6	--	58.0	--	220.0	-1.6	218.4	1
BECK EX 2426CB (5538Hx1 genetics)	14	8	428	16.4	--	58.0	--	214.1	3.0	217.1	2
BECK 6722RR	17	8	319	20.0	--	57.0	--	208.8	2.6	211.4	3
BECK EX 0588	5	8	520	16.1	--	57.0	--	212.6	-2.5	210.1	4
BECK 5538	26	8	520	18.2	--	59.0	--	210.6	-3.4	207.2	5
BECK 5322CBRW	30	8	520	17.3	--	57.0	--	204.0	-1.7	202.3	6
BECK 5222 Poncho 1250	20	8	520	15.6	--	57.0	--	196.7	4.3	201.0	7
BECK 5422CBCL	9	8	520	16.8	--	57.0	--	202.2	-1.9	200.3	8
BECK 6197 Poncho 1250	27	8	520	18.3	--	56.0	--	203.6	-3.4	200.2	9
BECK 5125CBRW	29	8	520	15.8	--	56.0	--	201.5	-1.7	199.8	10
BECK EX 2411CB (5228CBRR genetics)	3	8	520	16.8	--	59.0	--	200.6	-2.4	198.2	11
Pioneer 34M94	23	8	520	16.7	--	58.0	--	193.5	3.0	196.5	12
BECK 5616RR	12	8	520	16.3	--	58.0	--	197.4	-1.6	195.8	13
BECK 6097CB	15	8	520	16.2	--	57.0	--	191.9	3.0	194.9	14
BECK 5166 Poncho 1250	2	8	520	15.4	--	57.0	--	196.4	-2.4	194.0	15
Pioneer 34H31	21	8	520	18.2	--	60.0	--	188.0	4.3	192.3	16
BECK 5129	18	8	520	15.4	--	57.0	--	189.1	2.6	191.7	17
BECK 5366 Poncho 1250	24	8	520	15.3	--	56.5	--	188.1	3.0	191.1	18
BECK EX 1497	8	8	520	16.5	--	57.0	--	190.0	-1.9	188.1	19
BECK EX 1581	6	8	520	17.0	--	58.0	--	180.2	-2.5	177.7	20

Plot Averages (Non-Checker Rows):

16.7      --      57.5      --      199.5      199.4

Checker Average(BECK 5827):

16.8      --      58.0      --      195.9      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ben Grimme

Rex Klise  
Kokomo, IN

CENTRAL IN  
Howard Co.



PLANTED: 04/14/2005      POPULATION: 30,000      INSECTICIDE: Aztec  
HARVESTED: 10/05/2005      SOIL TYPE: Brookston      HERBICIDE: Keystone, Hornet  
ROW WIDTH: 30.0 inches      PREVIOUS CROP: Soybeans      TILLAGE: Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK EX 2469 (5444RR genetics)	14	6	388	18.6	--	58.0	--	234.7	-0.1	234.6	1
BECK 5538	18	6	388	19.8	--	58.0	--	227.5	4.6	232.1	2
BECK 5222	22	6	388	17.4	--	56.5	--	227.3	3.2	230.5	3
BECK EX 2426CB (5538Hx1 genetics)	16	6	388	19.7	--	58.0	--	227.3	-0.1	227.2	4
BECK 5322	24	6	388	18.0	--	56.0	--	222.8	3.2	226.0	5
BECK 5616RR	15	6	388	18.8	--	58.0	--	226.0	-0.1	225.9	6
BECK EX 1286	8	6	388	16.3	--	56.5	--	223.7	0.7	224.4	7
BECK 5129	3	6	388	16.2	--	58.0	--	220.8	0.8	221.6	8
BECK 6722RR	36	6	388	20.2	--	57.0	--	225.9	-4.8	221.1	9
Pioneer 34H31	23	6	388	20.4	--	59.0	--	217.3	3.2	220.5	10
BECK 5166	10	6	388	16.7	--	57.0	--	221.4	-1.2	220.2	11
BECK 5125CB	19	6	388	16.6	--	56.0	--	215.3	4.6	219.9	12
BECK 5012	2	6	388	16.7	--	58.0	--	218.5	0.8	219.3	13
BECK 5214Hx1	20	6	388	18.3	--	58.5	--	213.8	4.6	218.4	14
BECK EX 2474	7	6	388	16.4	--	56.0	--	216.9	0.7	217.6	15
BECK 5366	26	6	388	17.4	--	56.0	--	217.2	0.4	217.6	16
BECK 6197	35	6	388	19.2	--	56.5	--	222.3	-4.8	217.5	17
BECK 5399CBRR	27	6	388	18.0	--	56.0	--	213.0	0.4	213.4	18
BECK EX 1497	11	6	388	20.1	--	56.5	--	212.6	-1.2	211.4	19
BECK 5899CBRR	28	6	388	20.0	--	58.5	--	208.1	0.4	208.5	20
Pioneer 34M94	31	6	388	18.0	--	57.0	--	208.4	-1.9	206.5	21
BECK 5597	30	6	388	17.4	--	57.0	--	207.8	-1.9	205.9	22
BECK 6097CB	34	6	388	17.3	--	56.5	--	208.6	-4.8	203.8	23
BECK 5597Hx1	32	6	388	18.6	--	57.0	--	202.2	-1.9	200.3	24
BECK 5422CBCL	12	6	388	18.6	--	56.5	--	200.7	-1.2	199.5	25
BECK 4996	6	6	388	17.8	--	56.0	--	191.8	0.7	192.5	26
BECK 4596RR	4	6	388	16.4	--	56.5	--	183.0	0.8	183.8	27

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5166):

18.1	--	57.1	--	215.4	215.6
16.8	--	57.1	--	218.4	--

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ben Grimme

## Side By Side

Gore Grain Corp.	Monrovia, IN	Beck 5366wx	23.8%	180.1 Bu./A.
		Pioneer 33J58	27.5%	165.2 Bu./A.
Gore Grain Corp.	Monrovia, IN	Beck 5166wx	28.8%	181.0 Bu./A.
		Pioneer 34D69	24.0%	174.0 Bu./A.
John Weiler	Connersville, IN	Beck 5597CB	16.8%	213.2 Bu./A.
		Golden Harvest H-8692Bt	15.9%	196.4 Bu./A.
Heath Hokey	Cambridge City, IN	Beck 5129	15.0%	148.5 Bu./A.
		Sunstar 5309	15.4%	143.2 Bu./A.

Dennis Hartman  
Waldron, IN

CENTRAL IN  
Shelby Co.



**PLANTED:** 05/09/2005      **POPULATION:** 26,000      **INSECTICIDE:** None  
**HARVESTED:** 10/28/2005      **SOIL TYPE:** Crosby-Brookston      **HERBICIDE:** Keystone, Hornet  
**ROW WIDTH:** 36.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6599CBRR	14	2	290	17.9	25500	57.0	--	189.1	11.3	200.4	1
BECK 5597	4	4	290	15.2	25000	58.0	--	188.4	-1.5	186.9	2
BECK 5597Hx1	6	4	290	16.8	25000	58.0	--	184.2	0.5	184.7	3
BECK 6097CB	10	4	290	16.8	24000	57.0	--	187.3	-6.5	180.8	4
BECK 6197CB	12	4	277	18.4	26000	57.0	--	174.8	5.3	180.1	5
BECK 5727CB	8	4	290	16.7	26000	60.0	--	183.1	-6.3	176.8	6
BECK 5959CB	2	4	290	18.0	23500	55.0	--	175.1	0.1	175.2	7

Plot Averages (Non-Checker Rows):

17.1    25000    57.4    --    183.1    183.6

Checker Average(BECK 5422):

18.0    25143    55.2    --    178.8    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Kris Johnson

Tator Patch Farms  
Greentown, IN

CENTRAL IN  
Howard Co.



**PLANTED:** 04/17/2005      **POPULATION:** 29,850      **INSECTICIDE:** None  
**HARVESTED:** 10/18/2005      **SOIL TYPE:** Silty Clay Loam      **HERBICIDE:** 2.65 qt. Keystone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5322 Poncho 1250	7	6	325	16.1	--	58.5	--	197.8	-7.3	190.5	1
Adler 3110YGCB	6	6	320	15.1	--	60.5	--	191.3	-7.3	184.0	2
BECK 5129	23	6	325	11.7	--	59.0	--	163.1	17.8	180.9	3
BECK 5166 Poncho 1250	2	6	325	13.5	--	58.0	--	199.4	-20.5	178.9	4
Adler 5805	15	6	325	15.2	--	57.0	--	176.1	2.6	178.7	5
BECK 5959 Poncho 1250	16	6	325	15.9	--	57.0	--	175.9	2.6	178.5	6
BECK 5737CL Poncho 1250	13	6	325	14.9	--	61.0	--	178.3	-0.1	178.2	7
Adler 4005	12	6	325	14.3	--	59.0	--	177.9	-0.1	177.8	8
BECK 5222	19	6	325	14.1	--	59.0	--	169.0	3.7	172.7	9
Dekalb DKC61-43	24	6	325	13.6	--	60.0	--	154.4	17.8	172.2	10
BECK 5125CBRW	4	6	325	13.6	--	58.0	--	191.4	-20.5	170.9	11
Dekalb DKC63-79	20	6	325	14.4	--	60.5	--	165.8	3.7	169.5	12
BECK 5012	11	6	325	13.6	--	60.0	--	166.4	-0.1	166.3	13
Adler 6105	17	6	325	14.6	--	58.5	--	162.2	2.6	164.8	14
Adler 5010YGCB	9	6	325	17.2	--	58.0	--	170.4	-7.3	163.1	15
BECK 5827	21	6	325	14.2	--	60.0	--	158.8	3.7	162.5	16
Adler 2525YGCB	3	6	325	13.5	--	57.5	--	181.9	-20.5	161.4	17
Dekalb DKC57-84	8	6	325	13.0	--	61.0	--	162.7	-7.3	155.4	18

Plot Averages (Non-Checker Rows):

14.4    --    59.0    --    174.6    172.6

Checker Average(Adler 2525CB):

13.6    --    58.3    --    167.3    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Brad Downing, Adler Seeds - Doug Nesbitt

Cates Farms  
Marion, IN

CENTRAL IN  
Grant Co.



**PLANTED:** 04/16/2005      **POPULATION:** 32,000      **INSECTICIDE:** Force  
**HARVESTED:** 10/11/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Bicep II Magnum, Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Pioneer 33N09	38	4	605	17.4	--	60.0	--	222.9	7.5	230.4	1
BECK 5538	20	4	605	15.6	--	59.0	--	235.4	-5.2	230.2	2
BECK EX 2426CB (5538Hx1 genetics)	18	4	605	16.3	--	58.5	--	225.4	4.2	229.6	3
BECK EX 3417	16	4	605	15.5	--	57.0	--	216.0	2.5	218.5	4
BECK 6197CB	36	4	598	16.5	--	56.0	--	215.7	1.6	217.3	5
BECK 5166	4	4	605	14.9	--	57.0	--	212.4	3.7	216.1	6
BECK 5627	46	4	445	15.8	--	59.0	--	218.5	-2.8	215.7	7
BECK EX 2469 (5444RR genetics)	12	4	605	15.1	--	57.0	--	214.7	-0.1	214.6	8
BECK 6722RR	40	4	605	16.8	--	57.0	--	205.9	8.6	214.5	9
BECK EX 0409	26	4	605	17.5	--	56.0	--	212.6	-1.7	210.9	10
BECK 5616RR	14	4	605	16.9	--	57.5	--	212.4	-3.8	208.6	11
BECK EX 1425	28	4	605	17.0	--	58.0	--	201.4	4.9	206.3	12
BECK 5214Hx1	10	4	605	15.4	--	57.0	--	205.3	-1.3	204.0	13
BECK 5222	8	4	605	15.3	--	56.5	--	205.8	-3.1	202.7	14
BECK 5727CB	48	4	445	15.9	--	58.0	--	205.8	-3.2	202.6	15
Pioneer 34A15	22	4	605	15.9	--	58.0	--	207.6	-6.3	201.3	16
BECK 5597Hx1	32	4	605	15.5	--	57.0	--	198.6	2.6	201.2	17
BECK 5899CBRR	42	4	605	15.8	--	59.0	--	202.8	-3.6	199.2	18
BECK 5283Bt 1	44	4	445	14.3	--	56.0	--	205.5	-9.1	196.4	19
BECK 6097CB	34	4	605	15.4	--	56.0	--	190.7	-0.6	190.1	20
BECK 5597	30	4	605	14.2	--	57.0	--	183.3	6.2	189.5	21
BECK 5129	2	4	605	15.0	--	57.5	--	180.8	3.8	184.6	22
BECK 5125CB	6	4	605	15.0	--	56.0	--	182.6	0.1	182.7	23
BECK 5422CBCL	24	4	605	16.6	--	56.0	--	174.3	-5.2	169.1	24

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5366):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ben Grimme

Hite Farms  
Kokomo, IN

CENTRAL IN  
Howard Co.



**PLANTED:** 04/18/2005      **POPULATION:** 30,000      **INSECTICIDE:** Poncho 1250  
**HARVESTED:** 10/17/2005      **SOIL TYPE:** Brookston      **HERBICIDE:** Balance Pro, Degree Xtra, Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5222	10	8	1205	16.9	--	57.0	--	207.0	1.3	208.3	1
BECK 5322	8	8	1205	17.0	--	56.5	--	200.4	1.5	201.9	2
BECK 6197	2	8	1205	17.0	--	57.5	--	201.7	-0.5	201.2	3
BECK 5366	6	8	1205	17.0	--	56.5	--	201.1	-1.4	199.7	4
BECK 5129	16	8	1205	16.8	--	57.5	--	199.7	-0.5	199.2	5
BECK 5959	4	8	1205	17.1	--	56.5	--	199.6	-2.7	196.9	6
BECK 5129	14	8	1205	16.8	--	57.5	--	194.6	1.7	196.3	7
BECK 5166	12	8	1205	16.9	--	57.0	--	193.7	0.5	194.2	8

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5422):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Hite Farms

PLOT NOTES: Entry number 16 was planted at 32,000 which increased yield approximately 2 3/4 bu per acre.

Hal & Ty Brown  
Mulberry, IN

CENTRAL IN  
Clinton Co.



**PLANTED:** 04/16/2005      **POPULATION:** 29,700      **INSECTICIDE:** Force  
**HARVESTED:** 09/16/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Prowl H20, Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Pioneer 33N09	1	8	588	26.2	--	59.0	--	223.9	--	--	1
BECK 5616RR	4	8	588	26.6	--	56.5	--	218.3	--	--	2
BECK EX 2488	7	8	588	22.0	--	55.0	--	216.6	--	--	3
BECK 5727CB	5	8	588	27.0	--	56.5	--	214.0	--	--	4
BECK 6722RR	2	8	588	27.1	--	55.2	--	213.3	--	--	5
BECK 5538	10	8	588	21.0	--	57.0	--	206.7	--	--	6
BECK 5129	13	8	588	19.9	--	56.0	--	201.0	--	--	7
BECK 5166	11	8	588	21.2	--	55.5	--	201.0	--	--	8
BECK 5222	12	8	588	22.2	--	56.5	--	200.3	--	--	9
BECK 5366	15	8	588	23.3	--	55.0	--	197.1	--	--	10
BECK 5959CB	6	8	588	29.5	--	55.5	--	196.7	--	--	11
BECK 5099RR	14	8	588	20.5	--	57.5	--	195.1	--	--	12
BECK 5597CB	9	8	588	24.6	--	56.0	--	195.0	--	--	13
BECK 6197CB	3	8	588	31.7	--	55.5	--	185.5	--	--	14
BECK EX 3567	8	8	588	20.2	--	56.5	--	179.5	--	--	15

Plot Averages (Non-Checker Rows):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Spray

Daryl Stephenson  
Coatesville, IN

CENTRAL IN  
Hendricks Co.



**PLANTED:** 04/17/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 10/14/2005      **SOIL TYPE:** Crosby Brookston      **HERBICIDE:** Keystone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5727CB	12	6	240	19.1	20000	57.5	--	168.2	--	--	1
BECK 5616RR	11	6	240	19.2	26000	55.0	--	164.7	--	--	2
BECK EX 1576	1	6	240	19.2	29000	55.0	--	162.3	--	--	3
BECK 6097CB	13	6	240	18.6	25000	55.5	--	157.7	--	--	4
BECK 5827	9	6	240	18.7	25000	59.0	--	153.8	--	--	5
BECK 5959CB	10	6	240	20.7	22000	54.5	--	149.2	--	--	6
BECK 5538	8	6	240	18.8	24000	58.5	--	146.6	--	--	7
BECK EX 0409	2	6	240	20.8	22000	55.0	--	145.4	--	--	8
BECK 6722RR	3	6	240	20.2	23000	54.0	--	144.8	--	--	9
BECK EX 1425	4	6	240	20.4	22000	58.0	--	139.2	--	--	10
BECK 5366	7	6	240	18.7	20000	57.0	--	134.3	--	--	11
BECK 6197CB	14	6	240	20.5	25000	55.0	--	131.0	--	--	12
BECK 5214Hx1	6	6	240	17.8	24000	58.0	--	130.4	--	--	13
BECK 5129	5	6	240	15.8	26000	58.0	--	113.4	--	--	14

Plot Averages (Non-Checker Rows):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Todd Theobald

Ken & Dennis Runyan  
Fairmount, IN

CENTRAL IN  
Madison Co.



**PLANTED:** 04/20/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 10/19/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK EX 2469 (5444RR genetics)	10	4	390	15.8	--	60.5	--	218.1	-4.1	214.0	1
BECK 5399CBRR	25	4	390	15.2	--	58.0	--	206.5	3.4	209.9	2
BECK 5597CB	22	4	390	16.3	--	59.0	--	211.3	-1.6	209.7	3
BECK 5339CBCL	5	4	390	17.4	--	57.0	--	210.1	-2.4	207.7	4
BECK EX 2426CB (5538Hx1 genetics)	14	4	390	17.2	--	60.0	--	209.8	-6.6	203.2	5
BECK 5422CBCL	8	4	390	17.2	--	57.5	--	204.8	-1.6	203.2	6
BECK 5702ND	34	4	390	16.4	--	60.0	--	190.3	11.5	201.8	7
BECK 5366	20	4	390	15.7	--	58.5	--	207.3	-6.8	200.5	8
BECK EX 1581	35	4	390	16.8	--	59.5	--	189.0	11.5	200.5	9
BECK 5597Hx1	28	4	390	16.3	--	59.0	--	196.4	3.6	200.0	10
BECK 5422	23	4	390	16.2	--	58.0	--	201.4	-1.6	199.8	11
BECK 5302NDCB	29	4	390	17.2	--	60.0	--	194.7	3.6	198.3	12
BECK 5214Hx1	26	4	390	15.0	--	60.0	--	193.9	3.4	197.3	13
BECK EX 1286	2	4	390	14.6	--	56.5	--	199.6	-2.4	197.2	14
BECK 5616RR	11	4	390	16.2	--	59.0	--	200.2	-4.1	196.1	15
BECK 5166	4	4	390	14.6	--	57.5	--	196.8	-2.4	194.4	16
BECK EX 3414	19	4	390	19.0	--	57.0	--	201.1	-6.8	194.3	17
BECK EX 1411	16	4	390	16.0	--	59.0	--	195.5	-7.0	188.5	18
BECK EX 1497	7	4	390	15.8	--	58.5	--	188.5	-1.6	186.9	19
BECK 5166RW	1	4	390	14.9	--	58.0	--	186.5	-2.4	184.1	20
BECK 5702ND	31	4	390	16.7	--	60.0	--	178.7	4.7	183.4	21
BECK 5959CB	17	4	390	18.2	--	58.0	--	184.3	-7.0	177.3	22
BECK EX 3417	13	4	390	14.5	--	57.0	--	181.4	-6.6	174.8	23
BECK EX 0588	37	4	390	17.7	--	60.0	--	154.9	16.5	171.4	24
BECK 6102ND	32	4	390	16.7	--	60.0	--	159.9	4.7	164.6	25

Plot Averages (Non-Checker Rows):

16.3      --      58.7      --      194.4      194.4

Checker Average(BECK 5166 Poncho 1250):

15.0      --      58.7      --      199.8      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Tom Wallace



"I have been planting Beck's corn since 1990. Beck's has provided excellent service, simple pricing, and agronomic support. Also, 100% replant has been utilized many years. I attend the Beck's Southern PFR Day to find the latest technologies and newest hybrid releases that work on my farm."

Larry Michel  
Ft. Branch, IN

Phil Kuhn  
Rushville, IN

EAST CENTRAL IN  
Rush Co.



**PLANTED:** 05/06/2005      **POPULATION:** 31,000      **INSECTICIDE:** 8.7 lb. Lorsban  
**HARVESTED:** 10/27/2005      **SOIL TYPE:** N/A      **HERBICIDE:** 1.5 oz. Balance Pro, 1.5 qt. Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 6599CBRR	16	8	431	18.9	--	54.5	2.0	188.6	0.9	189.5	1
BECK 5616RR	10	8	431	17.0	--	56.0	1.0	177.1	11.1	188.2	2
Pioneer 33N09	8	8	431	18.4	--	57.5	2.0	184.1	3.0	187.1	3
BECK 5899CBRR	12	8	431	17.3	--	58.5	1.0	176.0	8.9	184.9	4
BECK 5422Bt 1	4	8	431	18.2	--	54.5	4.5	188.0	-4.2	183.8	5
BECK 6722RR	20	8	431	18.4	--	56.0	2.0	187.1	-4.2	182.9	6
BECK 5597CB	6	8	431	16.2	--	54.5	1.0	183.7	-1.0	182.7	7
Campbell 7110	18	8	431	19.5	--	54.5	2.0	182.0	-1.0	181.0	8
Stewart S600	14	8	431	17.2	--	57.5	3.0	158.2	0.3	158.5	9
BECK 5322CB	2	8	431	16.3	--	55.0	2.5	163.5	-6.7	156.8	10
NK N70-A2	22	8	431	17.3	--	57.0	--	160.7	-5.8	154.9	11

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5597):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ryan McAllister

Neil Gettinger  
Hagerstown, IN

EAST CENTRAL IN  
Wayne Co.



**PLANTED:** 04/18/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/27/2005      **SOIL TYPE:** N/A      **HERBICIDE:** 3 qt. Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 6522CL	19	8	450	20.2	--	55.5	1.0	213.8	3.7	217.5	1
BECK 6197	17	8	450	19.9	--	55.5	2.0	204.0	3.1	207.1	2
BECK 5366	3	8	450	17.6	--	54.0	1.5	199.8	3.0	202.8	3
Dyna Grow 57F87	21	8	450	16.5	--	59.0	1.0	199.1	-0.9	198.2	4
BECK 5899CBRR	15	8	450	20.8	--	56.5	1.0	200.5	-2.9	197.6	5
BECK 5616RR	11	8	450	17.3	--	57.5	1.0	202.2	-5.4	196.8	6
BECK 5222	1	8	450	16.8	--	55.5	3.0	185.7	6.7	192.4	7
BECK 5538	7	8	450	17.8	--	57.5	2.0	188.5	1.6	190.1	8
BECK 5827	13	8	450	17.2	--	58.0	1.0	194.5	-5.5	189.0	9
BECK 5597	9	8	450	17.7	--	56.0	2.0	187.9	-1.0	186.9	10
BECK 5422CBCL	5	8	450	18.6	--	54.0	2.5	182.5	0.6	183.1	11

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5166):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ryan McAllister

Charles Weiler  
Connersville, IN

EAST CENTRAL IN  
Fayette Co.



**PLANTED:** 04/18/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/29/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 2.5 qt. Harness Xtra, Post Applied Buctril  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 6197CB	17	6	460	19.5	--	56.0	--	165.5	10.3	175.8	1
BECK 5222	7	6	460	17.8	--	57.0	--	170.6	3.8	174.4	2
BECK 6522CL	21	6	460	19.6	--	56.0	--	175.4	-5.8	169.6	3
BECK 5538	11	6	460	18.0	--	59.0	--	172.4	-3.9	168.5	4
BECK 5597	9	6	460	17.9	--	56.5	--	163.9	4.1	168.0	5
BECK 6289Hx1	19	6	460	20.2	--	56.5	--	157.7	4.1	161.8	6
BECK 5616RR	13	6	460	18.6	--	57.0	--	161.9	-5.8	156.1	7
Golden Harvest H-9231	15	6	460	18.4	--	56.0	--	146.1	-0.7	145.4	8
BECK 5214Hx1	5	6	460	17.2	--	59.0	--	147.2	-3.4	143.8	9
Golden Harvest H-8692Bt	3	6	460	16.4	--	56.5	--	138.6	-1.0	137.6	10
BECK 5166CL	1	6	460	16.6	--	56.5	--	127.2	1.1	128.3	11

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5827):

18.2      --      56.9      --      157.0      157.2

18.0      --      58.1      --      161.2      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ryan McAllister

C & F Walker  
Hartford City, IN

EAST CENTRAL IN  
Blackford Co.



**PLANTED:** 05/18/2005      **POPULATION:** 32,000      **INSECTICIDE:** None  
**HARVESTED:** 10/17/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** Field Master  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5166	7	8	1161	17.7	--	57.0	--	185.8	2.5	188.3	1
Great Lakes 5961	13	8	1161	18.3	--	56.0	--	188.0	-0.9	187.1	2
Great Lakes 6070	17	8	1161	18.7	--	57.0	--	187.8	-3.5	184.3	3
BECK 5222	1	8	1161	18.0	--	57.0	--	180.1	0.4	180.5	4
Great Lakes 6192	15	8	1161	18.4	--	55.0	--	181.4	-1.2	180.2	5
BECK 6197	9	8	1161	19.4	--	55.0	--	175.2	3.2	178.4	6
BECK 5597	11	8	1161	18.9	--	57.0	--	176.1	-0.6	175.5	7
BECK 5538	5	8	1161	18.1	--	58.5	--	173.5	0.8	174.3	8
BECK 5422Bt 1	3	8	1161	20.4	--	56.5	--	151.3	0.8	152.1	9

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5129):

18.7      --      56.6      --      177.7      177.9

17.9      --      56.6      --      174.2      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Kurt Bandel

Luther Upchurch  
New Castle, IN

EAST CENTRAL IN  
Henry Co.



**PLANTED:** 05/06/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 10/11/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Keystone, Cinch Atz  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK EX 2413 (5507RWRR genetics)	27	6	736	17.6	--	56.5	--	199.3	-5.8	193.5	1
Pioneer 33K39	17	6	736	18.4	--	58.0	--	185.6	6.0	191.6	2
BECK 5737CL	5	6	736	17.8	--	58.5	--	183.3	5.0	188.3	3
BECK 5538	1	6	736	16.2	--	58.5	--	173.4	12.2	185.6	4
Pioneer 33M72	23	6	736	18.0	--	58.0	--	192.8	-7.5	185.3	5
BECK 5616RR	3	6	736	18.2	--	57.0	--	172.8	9.4	182.2	6
BECK 5214Hx1	29	6	736	18.0	--	56.5	--	174.4	1.7	176.1	7
BECK 5422Bt 1	25	6	736	20.4	--	55.0	--	184.0	-8.9	175.1	8
BECK 5597CB	7	6	736	17.8	--	58.0	--	175.2	-1.0	174.2	9
BECK 5366	19	6	736	17.3	--	56.0	--	174.8	-1.0	173.8	10
BECK 6197	21	6	736	19.2	--	56.0	--	179.4	-6.9	172.5	11
BECK EX 1286	15	6	736	15.3	--	55.0	--	162.0	8.6	170.6	12
BECK 5597Hx1	13	6	736	19.0	--	55.5	--	165.2	4.1	169.3	13
Pioneer 34M94	11	6	736	17.1	--	57.0	--	170.4	-4.3	166.1	14
BECK 5166	9	6	736	17.0	--	56.5	--	171.9	-7.2	164.7	15
Plot Averages (Non-Checker Rows):				17.8	--	56.8	--	177.6		177.9	
Checker Average(BECK 5597):				17.7	--	55.5	--	177.3		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Tom Wallace

Jack Frost  
Connersville, IN

EAST CENTRAL IN  
Fayette Co.



**PLANTED:** 05/09/2005      **POPULATION:** 29,500      **INSECTICIDE:** None  
**HARVESTED:** 10/05/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** Balance Pro, Atrazine, Simazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6722RR	5	4	425	24.3	--	52.5	--	191.5	-5.6	185.9	1
BECK EX 1576	2	4	425	22.6	--	51.5	--	192.5	-14.1	178.4	2
BECK 5322	9	4	425	21.7	--	55.0	--	178.7	-2.5	176.2	3
BECK 5597Hx1	21	4	425	22.5	--	54.0	--	163.5	8.7	172.2	4
BECK 5214Hx1	18	4	425	20.0	--	56.5	--	161.1	10.8	171.9	5
BECK EX 1425	6	4	425	26.4	--	54.0	--	175.9	-5.6	170.3	6
BECK 5366	11	4	425	20.0	--	53.5	--	165.4	2.7	168.1	7
BECK 5616RR	12	4	425	21.6	--	56.5	--	165.4	2.7	168.1	8
BECK 5597	20	4	425	21.7	--	54.5	--	159.3	8.7	168.0	9
BECK EX 2411CB (5228CBRR genetics)	8	4	425	18.9	--	57.5	--	169.4	-2.5	166.9	10
BECK 5422	14	4	425	22.7	--	53.5	--	158.1	7.9	166.0	11
BECK 5827	23	4	425	22.2	--	57.0	--	160.8	4.6	165.4	12
BECK 5422CBCL	15	4	425	23.8	--	54.5	--	157.5	7.9	165.4	13
BECK 5538	17	4	425	19.6	--	56.5	--	145.4	10.8	156.2	14
BECK 6097CB	24	4	425	24.1	--	53.5	--	150.4	4.6	155.0	15
BECK EX 0409	3	4	425	24.6	--	52.5	--	166.4	-14.1	152.3	16
Plot Averages (Non-Checker Rows):				22.3	--	54.6	--	166.3		167.9	
Checker Average(BECK 5166):				19.0	--	54.7	--	167.9		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Ryan McAllister

DMH Farms, Inc.  
Portland, IN

EAST CENTRAL IN  
Jay Co.



**PLANTED:** 04/16/2005      **POPULATION:** 29,600      **INSECTICIDE:** None  
**HARVESTED:** 10/11/2005      **SOIL TYPE:** Clay loam      **HERBICIDE:** 2.25 oz. Keystone, 1.5 oz. Balance Pro  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5616RR	11	8	925	22.0	--	55.0	--	172.9	-0.1	172.8	1
BECK 6197CB	14	8	925	24.0	--	52.5	--	173.4	-1.1	172.3	2
BECK 5166	3	8	925	19.8	--	54.0	--	168.5	3.7	172.2	3
LG Seeds LG2540Bt	16	8	925	21.3	--	55.0	--	173.2	-1.1	172.1	4
LG Seeds LGR109	15	8	925	22.0	--	52.5	--	172.8	-1.1	171.7	5
BECK 5366	7	8	925	21.7	--	54.0	--	165.4	3.1	168.5	6
BECK 5827	12	8	925	21.4	--	56.0	--	166.1	-0.1	166.0	7
BECK 5422Bt 1	20	8	925	22.4	--	53.0	--	170.0	-5.3	164.7	8
BECK 5597CB	10	8	925	21.2	--	53.0	--	162.4	-0.1	162.3	9
BECK 5129	2	8	925	19.2	--	55.0	--	158.4	3.7	162.1	10
BECK 5222	6	8	925	19.8	--	56.0	--	158.9	3.1	162.0	11
BECK 5538	8	8	925	20.5	--	56.0	--	158.9	3.1	162.0	12
LG Seeds LG2518RW	18	8	925	19.8	--	56.0	--	165.2	-3.5	161.7	13
BECK 5214Hx1	4	8	925	19.6	--	56.0	--	141.7	3.7	145.4	14
Plot Averages (Non-Checker Rows):				21.1	--	54.6	--	164.8		165.4	
Checker Average(BECK 5422Bt 1):				21.9	--	53.0	--	164.7		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Kurt R. Bandel

Ray Rexing Farms  
Haubstadt, IN

SOUTHWEST IN  
Vanderburgh Co.



**PLANTED:** 04/18/2005      **POPULATION:** 30,100      **INSECTICIDE:** 2.56 oz. Capture  
**HARVESTED:** 09/13/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 3 qt. Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** V-Rip / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6197	3	4	450	23.0	--	57.0	--	222.4	8.3	230.7	1
BECK 5702ND	17	4	450	24.0	--	56.0	--	199.4	4.8	204.2	2
BECK 5737CL	19	4	450	22.2	--	58.0	--	198.7	4.8	203.5	3
BECK 5597	18	4	450	22.0	--	57.0	--	198.3	4.8	203.1	4
BECK 7997CL	4	4	450	26.0	--	55.0	--	194.4	8.3	202.7	5
Pioneer 33N09	15	4	450	24.0	--	57.0	--	199.4	3.0	202.4	6
BECK 5422	2	4	450	22.0	--	58.0	--	191.9	8.3	200.2	7
BECK 5616	6	4	450	20.0	--	58.0	--	210.7	-11.9	198.8	8
BECK 5627	14	4	450	22.5	--	58.0	--	193.2	3.0	196.2	9
BECK 6827	11	4	450	22.5	--	58.5	--	196.4	-13.2	183.2	10
BECK EX 0116	10	4	450	23.0	--	58.0	--	193.2	-13.2	180.0	11
BECK 5827	12	4	450	21.5	--	58.0	--	192.5	-13.2	179.3	12
BECK 6218W	7	4	450	22.5	--	57.0	--	169.0	-11.9	157.1	13
BECK 6102ND	8	4	450	22.0	--	56.0	--	164.3	-11.9	152.4	14
Plot Averages (Non-Checker Rows):				22.7	--	57.3	--	194.6		192.4	
Checker Average(BECK 6522CL):				23.3	--	56.0	--	217.0		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Gene Hagedorn

Gary Collins  
Hazleton, IN

SOUTHWEST IN  
Pike Co.



**PLANTED:** 05/03/2005      **POPULATION:** 27,000      **INSECTICIDE:** None  
**HARVESTED:** 10/25/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Aatrex, Dual II Magnum, Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Pioneer 33M54	14	6	510	15.8	--	60.0	--	195.4	0.6	196.0	1
BECK 7997CL	12	6	486	17.6	--	56.0	--	191.4	0.6	192.0	2
BECK 5737CL	13	6	510	14.4	--	58.0	--	184.3	0.6	184.9	3
BECK 6197CB	4	6	352	15.1	--	56.0	--	178.8	4.4	183.2	4
BECK 6522CL	8	6	413	15.0	--	55.0	--	177.7	-6.6	171.1	5
BECK 5827	9	6	420	13.9	--	58.0	--	176.3	-6.6	169.7	6
BECK 6827	5	6	420	14.5	--	57.0	--	161.5	4.4	165.9	7
BECK 5959RW	1	6	329	16.4	--	56.0	--	161.2	4.0	165.2	8

Plot Averages (Non-Checker Rows):

15.3      --      57.0      --      178.3      178.5

Checker Average(Pioneer 33M54):

15.5      --      59.0      --      191.2      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Ben Carter

Jackson Farms  
Mt. Vernon, IN

SOUTHWEST IN  
Posey Co.



**PLANTED:** 04/15/2005      **POPULATION:** 35,000      **INSECTICIDE:** None  
**HARVESTED:** 09/12/2005      **SOIL TYPE:** N/A      **HERBICIDE:** 3 qt. Lexar, 1 lb. Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Pioneer 32H69	21	6	494	16.2	--	--	--	229.5	7.9	237.4	1
Pioneer 33P70	5	6	492	18.4	--	--	--	239.6	-9.6	230.0	2
BECK EX 1576	9	6	494	17.5	--	--	--	238.6	-11.4	227.2	3
BECK 5616RR	27	6	494	15.8	--	--	--	211.1	9.2	220.3	4
BECK EX 2469 (5444RR genetics)	13	6	494	15.2	--	--	--	224.7	-6.2	218.5	5
BECK 6722RR	23	6	494	19.0	--	--	--	210.1	8.1	218.2	6
BECK 5899CBRR	25	6	494	15.1	--	--	--	209.5	6.2	215.7	7
BECK EX 1425	11	6	494	17.0	--	--	--	223.5	-8.1	215.4	8
BECK 5597	19	6	494	15.8	--	--	--	206.7	3.7	210.4	9
BECK EX 3417	37	6	511	16.6	--	--	--	199.7	10.4	210.1	10
BECK 6197CB	31	6	511	18.0	--	--	--	200.3	5.7	206.0	11
BECK 5597CB	17	6	494	16.7	--	--	--	208.2	-2.3	205.9	12
BECK 7997CBCL	35	6	511	23.3	--	--	--	202.0	2.5	204.5	13
BECK 6522CL	39	6	511	20.0	--	--	--	199.0	1.5	200.5	14
BECK 5597Hx1	15	6	494	16.1	--	--	--	205.4	-5.4	200.0	15
BECK 6289Hx1	29	6	511	17.7	--	--	--	187.1	9.8	196.9	16
BECK EX 0409	7	6	494	18.0	--	--	--	204.0	-13.6	190.4	17
BECK 5727CBRW	41	6	511	16.0	--	--	--	196.2	-6.4	189.8	18
BECK 6097CB	33	6	511	16.5	--	--	--	179.4	3.8	183.2	19
BECK 5422CBCL	3	6	490	16.6	--	--	--	187.3	-4.7	182.6	20
BECK 6599CBRR	1	6	487	20.2	--	--	--	174.5	-4.7	169.8	21

Plot Averages (Non-Checker Rows):

17.4      --      --      --      206.5      206.3

Checker Average(BECK 7538Bt 1):

17.2      --      --      --      173.0      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gary Folz

Keith Lockwood  
Poseyville, IN

SOUTHWEST IN  
Posey Co.



**PLANTED:** 04/10/2005      **POPULATION:** 31,000      **INSECTICIDE:** None  
**HARVESTED:** 09/27/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 4.5 oz. Celebrity Plus, 1 qt. Aatrex 4L  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** V-Rip / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6522CL	10	6	851	17.3	--	57.0	--	226.7	-5.7	221.0	1
BECK 6197	6	12	1075	17.6	--	58.5	--	221.6	-7.8	213.8	2
Croplan Genetics 731HX/LL	4	12	1075	19.1	--	58.0	--	212.9	-7.3	205.6	3
Great Lakes 6298	14	12	1075	16.5	--	60.0	--	193.0	11.0	204.0	4
Pioneer 33A84	18	12	1075	17.7	--	58.0	--	194.9	9.1	204.0	5
BECK 5597	8	12	1075	15.2	--	57.0	--	208.3	-7.0	201.3	6
BECK 5737CL	2	12	1075	17.1	--	59.5	--	207.4	-6.6	200.8	7
Great Lakes 5961	16	12	1075	16.2	--	56.5	--	181.9	13.2	195.1	8
Great Lakes 6192	12	12	1075	16.2	--	57.0	--	190.1	0.8	190.9	9

Plot Averages (Non-Checker Rows):

Checker Average(Pioneer 33M54):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

Alan Douglas Farms  
Princeton, IN

SOUTHWEST IN  
Gibson Co.



**PLANTED:** 04/20/2005      **POPULATION:** 29,500      **INSECTICIDE:** Pounce  
**HARVESTED:** 09/15/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 2.5 qt. Harness Xtra, 4 oz. Celebrity Plus  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 7997CBCL	27	6	1150	24.0	--	57.0	--	147.0	16.5	163.5	1
BECK 5737CL	29	6	1150	18.6	--	--	--	149.4	11.8	161.2	2
BECK 6197CB	26	6	1150	21.7	--	57.0	--	144.1	16.5	160.6	3
BECK EX 1576	2	6	1150	24.5	--	55.0	--	169.7	-11.0	158.7	4
BECK EX 0409	3	6	1150	25.5	--	55.0	--	162.6	-11.0	151.6	5
BECK 6289Hx1	17	6	1150	25.0	--	56.0	--	150.4	0.7	151.1	6
BECK 5597CB	15	6	1150	21.9	--	57.0	--	154.3	-5.1	149.2	7
BECK 6722RR	5	6	1150	24.0	--	56.0	--	154.8	-6.0	148.8	8
BECK EX 2469 (5444RR Genetics)	8	6	1150	20.0	--	58.0	--	152.0	-4.3	147.7	9
BECK 6097CB	23	6	1150	18.8	--	56.0	--	134.4	12.8	147.2	10
BECK EX 3417	11	6	1150	20.0	--	59.0	--	152.6	-7.3	145.3	11
BECK EX 1392	14	6	1150	26.8	--	55.0	--	148.6	-5.1	143.5	12
BECK 5616RR	9	6	1150	19.0	--	58.0	--	146.5	-4.3	142.2	13
BECK EX 1425	6	6	1150	24.0	--	57.0	--	146.2	-6.0	140.2	14
Pioneer 33M54	21	6	1150	19.9	--	58.0	--	136.1	4.0	140.1	15
BECK 6722CBRR	20	6	1150	24.0	--	57.0	--	134.6	4.0	138.6	16
BECK EX 2426CB (5538Hx1 genetics)	12	6	1150	20.9	--	58.0	--	143.7	-7.3	136.4	17
BECK 5422CBCL	24	6	1150	20.1	--	56.0	--	111.1	12.8	123.9	18
BECK 6599CBRR	18	6	1150	25.1	--	56.0	--	122.4	0.7	123.1	19

Plot Averages (Non-Checker Rows):

Checker Average(BECK 7538Bt 1):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

Hirsch Genetics  
Ft. Branch, IN

SOUTHWEST IN  
Gibson Co.



**PLANTED:** 04/09/2005      **POPULATION:** 33,500      **INSECTICIDE:** 4 oz. Pounce  
**HARVESTED:** 09/02/2005      **SOIL TYPE:** Ragsdale/Clay-Loam      **HERBICIDE:** 2.3 qts. Degree Xtra, 2 lbs. Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5616RR	16	6	812	26.3	--	--	--	227.5	2.7	230.2	1
BECK 7538Bt 1	22	6	812	27.9	--	--	--	216.9	8.4	225.3	2
BECK 6722RR	8	6	812	29.5	--	--	--	233.1	-8.4	224.7	3
Pioneer 33P65	5	6	812	27.5	--	--	--	231.8	-8.4	223.4	4
BECK EX 1392	15	6	587	31.6	--	--	--	217.7	2.7	220.4	5
BECK 5597Hx1	20	6	812	25.7	--	--	--	211.8	8.4	220.2	6
BECK 5222	2	6	812	26.2	--	--	--	225.0	-8.4	216.6	7
BECK EX 1576	6	6	812	29.4	--	--	--	224.7	-8.4	216.3	8
BECK 6599CBRR	4	6	812	30.5	--	--	--	224.5	-8.4	216.1	9
BECK 5597CB	19	6	812	26.2	--	--	--	207.2	8.4	215.6	10
BECK 5737CL	24	6	812	24.7	--	--	--	205.5	8.4	213.9	11
BECK 6097CB	13	6	587	24.8	--	--	--	210.0	2.7	212.7	12
BECK 7997CBCL	14	6	587	32.1	--	--	--	209.9	2.7	212.6	13
BECK EX 1425	9	6	812	28.4	--	--	--	220.1	-8.4	211.7	14
BECK 6289Hx1	21	6	812	26.1	--	--	--	195.8	8.4	204.2	15
BECK 5422Bt 1	3	6	812	28.9	--	--	--	211.2	-8.4	202.8	16
BECK 5727CBRW	23	6	812	24.4	--	--	--	193.5	8.4	201.9	17
BECK 5899CBRR	17	6	812	23.6	--	--	--	195.3	2.7	198.0	18
BECK 6218W	11	6	812	25.8	--	--	--	192.6	2.7	195.3	19
BECK 6102ND	12	6	812	26.1	--	--	--	186.6	2.7	189.3	20
BECK EX 0409	7	6	812	28.3	--	--	--	194.5	-8.4	186.1	21
Plot Averages (Non-Checker Rows):				27.3	--	--	--	211.2		211.3	
Checker Average(BECK 6722RR):				28.6	--	--	--	217.5		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Gene Hagedorn, Beck's Hybrids - Gary Folz

Alan Douglas Farms  
Princeton, IN

SOUTHWEST IN  
Gibson Co.



**PLANTED:** 04/19/2005      **POPULATION:** 30,000      **INSECTICIDE:** 2.56 oz. Warrior  
**HARVESTED:** 09/22/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 3 qt. Degree Xtra  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5737CL	9	6	445	19.3	--	59.0	--	174.8	--	--	1
BECK 7997CBCL	5	6	445	26.1	--	56.0	--	169.2	--	--	2
BECK 5727CBRW	8	6	445	19.9	--	58.5	--	167.8	--	--	3
BECK 6722RR	10	6	445	22.4	--	57.0	--	166.0	--	--	4
BECK 5899CBRR	7	6	445	18.7	--	60.0	--	163.2	--	--	5
BECK 5597CB	2	6	445	17.4	--	58.0	--	156.3	--	--	6
BECK 6197CB	4	6	445	18.8	--	57.5	--	155.2	--	--	7
BECK 5222	1	6	445	18.9	--	57.0	--	152.9	--	--	8
BECK 6102ND	6	6	445	21.3	--	57.0	--	146.7	--	--	9
BECK 6097CB	3	6	445	17.7	--	57.0	--	143.5	--	--	10
Plot Averages (Non-Checker Rows):				20.1	--	57.7	--	159.6		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

Nichols Farm  
Sullivan, IN

SOUTHWEST IN  
Sullivan Co.



**PLANTED:** 04/25/2005      **POPULATION:** 28,000      **INSECTICIDE:** None  
**HARVESTED:** 09/27/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** 2.25 qts. Harness Xtra, 0.5 pt. Aatrex  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5899CBRR	24	12	1155	16.5	--	59.0	--	186.6	8.3	194.9	1
BECK 6197CB	32	12	1155	17.8	--	54.0	--	188.9	4.9	193.8	2
BECK 5616RR	4	12	1155	16.7	--	57.0	--	198.9	-5.4	193.5	3
BECK EX 1576	16	12	1155	17.5	--	54.0	--	193.9	-0.8	193.1	4
BECK 5727CB	28	12	1155	15.7	--	59.0	--	175.9	12.8	188.7	5
BECK 5538	29	12	1155	15.5	--	58.0	--	173.6	12.8	186.4	6
BECK 5422CBCL	2	12	1155	17.3	--	54.0	--	188.3	-3.0	185.3	7
BECK 6599CBRR	26	12	1155	19.4	--	52.0	--	171.6	12.8	184.4	8
BECK EX 1425	22	12	1155	18.5	--	57.0	--	180.8	2.8	183.6	9
BECK 6289Hx1	36	12	1155	17.7	--	65.0	--	178.2	4.9	183.1	10
BECK 5959CB	12	12	1155	18.1	--	54.0	--	188.6	-7.1	181.5	11
BECK 6722RR	20	12	1155	19.9	--	54.0	--	181.1	0.2	181.3	12
BECK 6097CB	30	12	1155	16.6	--	55.0	--	167.8	12.8	180.6	13
BECK EX 3414	14	12	1155	17.3	--	55.0	--	180.8	-2.6	178.2	14
BECK 5737RWCL	34	12	1155	16.6	--	60.0	--	172.2	4.9	177.1	15
BECK 5727CBRW	33	12	1155	16.7	--	60.0	--	172.0	4.9	176.9	16
BECK 5597Hx1	35	12	1155	17.4	--	54.0	--	170.6	4.9	175.5	17
BECK EX 3410	8	12	1155	16.1	--	58.0	--	175.1	0.1	175.2	18
BECK 5597CB	27	12	1155	16.6	--	55.0	--	159.0	12.8	171.8	19
BECK EX 1411	10	12	1155	16.4	--	58.0	--	173.1	-3.1	170.0	20
BECK EX 0409	18	12	1155	19.0	--	52.0	--	169.0	-4.0	165.0	21
BECK EX 3417	6	12	1155	16.4	--	56.0	--	164.7	-2.8	161.9	22

Plot Averages (Non-Checker Rows):

17.3      --      56.4      --      177.8      181.0

Checker Average(BECK 5737CL):

16.7      --      59.0      --      182.7      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Nichols Farm

Weilbrenner Farms  
Mt. Vernon, IN

SOUTHWEST IN  
Posey Co.



**PLANTED:** 04/05/2005      **POPULATION:** 29,000      **INSECTICIDE:** 3 oz. Capture  
**HARVESTED:** 09/12/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** 1 lb. Atrazine, 3.5 oz. Celebrity Plus  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6599CBRR	8	8	475	16.0	--	--	--	146.1	-1.0	145.1	1
BECK 7997CBCL	5	8	475	18.6	--	--	--	141.0	-2.6	138.4	2
BECK 7538Bt 1	2	8	475	16.3	--	--	--	139.2	-2.6	136.6	3
BECK 6197CB	7	8	475	16.8	--	--	--	135.9	-1.0	134.9	4
BECK 6289Hx1	4	8	475	16.8	--	--	--	135.3	-2.6	132.7	5
BECK 5737CL	9	8	475	16.7	--	--	--	132.9	-1.0	131.9	6
BECK 5597	3	8	475	15.9	--	--	--	132.9	-2.6	130.3	7

Plot Averages (Non-Checker Rows):

16.7      --      --      --      137.6      135.7

Checker Average(BECK 5616RR):

15.9      --      --      --      122.5      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gary Folz

## Brent Wening Farms Jasper, IN

## SOUTHWEST IN Dubois Co.



**PLANTED:** 04/16/2005      **POPULATION:** 26,116      **INSECTICIDE:** 2 oz. Warrior  
**HARVESTED:** 09/22/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** Gramoxone, Atrazine, Balance Pro  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5597CB	10	4	368	19.5	21000	56.0	--	236.2	--	--	1
BECK 6522CL	12	4	368	20.6	22000	57.0	--	212.1	--	--	2
BECK 7997CBCL	13	4	368	28.0	22000	56.0	--	202.6	--	--	3
BECK 6197CB	9	4	368	23.5	27000	57.0	--	198.4	--	--	4
BECK EX 1425	7	4	368	20.8	20000	59.0	--	192.2	--	--	5
BECK 5616RR	2	4	368	18.0	25000	59.0	--	190.0	--	--	6
BECK 6722RR	6	4	368	21.2	21500	57.0	--	182.7	--	--	7
BECK 6599CBRR	15	4	368	20.8	21000	56.0	--	175.4	--	--	8
BECK 5899CBRR	14	4	368	18.2	24000	59.0	--	174.3	--	--	9
BECK EX 1576	4	4	368	19.0	24000	56.0	--	174.3	--	--	10
BECK 6218W	16	4	368	20.0	23000	59.0	--	174.3	--	--	11
BECK 5959CB	3	4	368	20.0	23000	58.0	--	174.3	--	--	12
BECK 6097CB	8	4	368	19.3	17000	57.0	--	173.2	--	--	13
BECK EX 1392	11	4	368	26.4	20000	55.0	--	169.0	--	--	14
BECK EX 0409	5	4	368	20.8	24000	56.0	--	167.0	--	--	15
BECK 5422CBCL	1	4	368	19.6	25000	58.0	--	137.6	--	--	16

Plot Averages (Non-Checker Rows):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ben Carter

## Gries Farms Poseyville, IN

## SOUTHWEST IN Posey Co.



**PLANTED:** 04/18/2005      **POPULATION:** 30,500      **INSECTICIDE:** 2.56 oz. Capture  
**HARVESTED:** 09/20/2005      **SOIL TYPE:** Evansville Silt Loam      **HERBICIDE:** .75 oz. Steadfast  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6522CL	10	6	380	20.4	--	56.0	--	176.1	3.3	179.4	1
Pfister 2750CL	7	6	380	17.9	--	55.0	--	172.4	3.3	175.7	2
Pioneer 33K39	5	6	380	18.0	--	57.0	--	176.9	-2.8	174.1	3
BECK 6197	4	6	380	21.0	--	53.0	--	168.4	-2.8	165.6	4
AgriGold A6490CL	3	6	380	17.5	--	57.0	--	166.6	-2.8	163.8	5
AgriGold A6395	14	6	380	17.2	--	54.0	--	157.7	2.7	160.4	6
BECK 5597CL	8	6	380	17.4	--	56.0	--	157.0	3.3	160.3	7
Pioneer 33M54	17	6	380	21.8	--	55.0	--	158.9	1.1	160.0	8
BECK 5422	9	6	380	18.1	--	53.0	--	154.9	3.3	158.2	9
BECK 7997CL	12	6	380	25.4	--	55.0	--	148.8	2.7	151.5	10
Pioneer 33M54	18	6	380	25.0	--	54.0	--	145.5	1.1	146.6	11
BECK 5737CL	2	6	380	17.6	--	57.0	--	147.1	-2.8	144.3	12
Pioneer 33M54	15	6	380	23.4	--	56.0	--	137.5	2.7	140.2	13
Pioneer 33N56	13	6	380	18.6	--	55.0	--	122.6	2.7	125.3	14

Plot Averages (Non-Checker Rows):

Checker Average(NK N70-A2):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Scott Ebelhar

George Krieg  
Ft. Branch, IN

SOUTHWEST IN  
Gibson Co.



**PLANTED:** 04/25/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 09/19/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 2.5 qt. Degree Xtra, 1 qt. Aatrex 4L  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 7997CBCL	14	6	1175	26.0	--	55.0	--	159.5	-0.8	158.7	1
BECK 6197CB	12	6	1175	23.0	--	56.0	--	159.1	-1.5	157.6	2
BECK 5616RR	8	6	1175	17.9	--	58.0	--	148.8	6.9	155.7	3
BECK 5597CL	18	6	1175	19.2	--	57.0	--	155.6	-3.3	152.3	4
BECK 5737CL	6	6	1175	17.6	--	59.0	--	148.3	3.2	151.5	5
BECK 6722CBRR	20	6	1175	24.5	--	55.0	--	146.8	4.2	151.0	6
Pioneer 32W86	2	6	1175	20.0	--	58.0	--	147.9	-3.0	144.9	7
BECK EX 2469 (5444RR genetics)	16	6	1175	20.0	--	57.0	--	144.8	-2.9	141.9	8
Pioneer 32K22	22	6	1175	24.1	--	56.0	--	139.0	1.6	140.6	9
BECK 6599CBRR	4	6	1175	26.1	--	55.0	--	144.0	-6.4	137.6	10
Pioneer 33M54	10	6	1175	19.8	--	58.0	--	131.8	2.1	133.9	11

Plot Averages (Non-Checker Rows):

21.7      --      56.7      --      147.8      147.8

Checker Average(BECK 7538Bt 1):

19.2      --      57.7      --      157.9      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

M. Vieck & Sons  
Vincennes, IN

SOUTHWEST IN  
Knox Co.



**PLANTED:** 04/09/2005      **POPULATION:** 32,000      **INSECTICIDE:** None  
**HARVESTED:** 09/13/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Define, 1.5 qt. Aatrex 4L, Cinch Atz  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 7538Bt 1	9	4	1095	17.1	--	59.0	--	172.2	7.5	179.7	1
BECK 5222	11	4	1095	15.7	--	58.0	--	170.9	6.8	177.7	2
BECK 6599CBRR	5	4	1095	15.5	--	60.5	--	178.9	-1.3	177.6	3
BECK 5422Bt 1	12	4	1095	17.1	--	58.0	--	167.9	6.8	174.7	4
BECK 6289Hx1	18	4	1095	15.3	--	59.5	--	172.0	0.6	172.6	5
BECK 5737CL	17	4	1095	15.8	--	62.0	--	170.4	0.6	171.0	6
BECK 5616RR	6	4	1095	16.4	--	57.0	--	171.7	-1.3	170.4	7
BECK 6722RR	8	4	1095	16.4	--	61.0	--	162.5	7.5	170.0	8
BECK 7997CBCL	2	4	1095	19.2	--	58.0	--	173.0	-8.3	164.7	9
BECK 5899CBRR	14	4	1095	16.4	--	62.0	--	164.3	-2.3	162.0	10
BECK 5597CB	3	4	1095	15.6	--	59.0	--	169.3	-8.3	161.0	11
BECK 6097CB	15	4	1095	16.0	--	59.0	--	159.6	-2.3	157.3	12

Plot Averages (Non-Checker Rows):

16.4      --      59.4      --      169.4      169.9

Checker Average(BECK 6197CB):

16.5      --      57.9      --      164.9      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

Ziliak Enterprises  
Haubstadt, IN

SOUTHWEST IN  
Gibson Co.



**PLANTED:** 04/15/2005      **POPULATION:** 33,200      **INSECTICIDE:** None  
**HARVESTED:** 09/14/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Aatrex, Steadfast, Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6522CL	5	4	1140	23.0	30000	--	--	234.8	-1.0	233.8	1
Pioneer 33M54	8	4	1140	21.5	30200	--	--	228.5	1.3	229.8	2
Pioneer 32K22	2	4	1140	24.3	30500	--	--	232.0	-2.4	229.6	3
Pioneer 31N27	18	4	1140	25.9	31200	--	--	229.5	-0.2	229.3	4
Pioneer 32H58	6	4	1140	22.6	30000	--	--	228.6	-1.0	227.6	5
BECK 5616	12	4	1080	19.0	30000	--	--	225.3	2.0	227.3	6
BECK 5597	14	4	1080	20.1	29100	--	--	222.1	2.0	224.1	7
Pioneer 33A84	10	4	1140	21.0	30300	--	--	222.6	1.3	223.9	8
BECK 5422	13	4	1080	20.7	28500	--	--	220.5	2.0	222.5	9
Pioneer 33N56	9	4	1140	21.0	30100	--	--	217.9	1.3	219.2	10
BECK 5538	16	4	1140	17.0	30100	--	--	215.2	-0.2	215.0	11
BECK 5737CL	1	4	1140	18.0	29000	--	--	215.2	-2.4	212.8	12
BECK 7997CL	4	4	1140	24.8	26500	--	--	204.8	-1.0	203.8	13
Pioneer 33Y45	17	4	1140	24.8	30000	--	--	203.4	-0.2	203.2	14
Plot Averages (Non-Checker Rows):				21.7	29679	--	--	221.5		221.6	
Checker Average(BECK 6197):				20.6	29230	--	--	230.6		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

PLOT NOTES: Irrigated. Steadfast could have hurt 5616.

John Rexing Farms  
Evansville, IN

SOUTHWEST IN  
Vanderburgh Co.



**PLANTED:** 05/03/2005      **POPULATION:** 30,500      **INSECTICIDE:** None  
**HARVESTED:** 10/09/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 2 oz. Distinct, 0.75 oz. Steadfast  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5616	8	6	744	16.1	--	58.5	--	216.7	-2.4	214.3	1
BECK 7997CL	11	6	744	18.0	--	57.5	--	211.8	-1.3	210.5	2
BECK 5827	16	6	744	15.9	--	59.0	--	209.8	-1.0	208.8	3
BECK 5422	17	6	744	17.0	--	56.5	--	206.5	-1.0	205.5	4
BECK 6197	1	6	744	18.1	--	57.5	--	207.5	-5.3	202.2	5
Pioneer 33M54	7	6	744	17.3	--	58.0	--	203.0	-2.4	200.6	6
BECK 5538	5	6	744	16.3	--	58.0	--	204.7	-5.4	199.3	7
Pioneer 33N09	4	6	744	17.5	--	58.0	--	203.9	-5.4	198.5	8
BECK 6522CL	2	6	744	18.0	--	56.5	--	202.5	-5.3	197.2	9
Pioneer 32H58	14	6	744	16.7	--	58.0	--	198.0	-2.4	195.6	10
BECK 5597CL	10	6	744	15.9	--	57.0	--	196.5	-1.3	195.2	11
Pioneer 32B10	20	6	744	17.7	--	58.0	--	185.0	7.9	192.9	12
Pioneer 33T78	21	6	744	17.3	--	57.5	--	173.6	7.9	181.5	13
Croplan Genetics 1016ND	13	6	744	17.5	--	56.0	--	160.5	-2.4	158.1	14
Plot Averages (Non-Checker Rows):				17.1	--	57.6	--	198.6		197.2	
Checker Average(Pioneer 33V62):				17.5	--	57.5	--	201.5		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

PLOT NOTES: Low CEC Soil.

Stahl Farms  
Newburgh, IN

SOUTHWEST IN  
Warrick Co.



**PLANTED:** 05/13/2005      **POPULATION:** 28,000      **INSECTICIDE:** Mustang Max  
**HARVESTED:** 10/18/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6722CBRR	6	8	572	17.6	--	56.0	4.0	207.0	--	--	1
BECK EX 2411CB (5228CBRR genetics)	2	8	572	13.2	--	58.0	1.0	206.2	--	--	2
BECK 6599CBRR	5	8	572	15.0	--	56.0	4.0	202.5	--	--	3
BECK 5597Hx1	9	8	572	14.2	--	56.0	2.0	202.3	--	--	4
BECK 7997CBCL	13	8	572	18.4	--	56.0	1.0	201.6	--	--	5
BECK EX 2469 (5444RR genetics)	4	8	572	14.0	--	56.0	2.0	198.7	--	--	6
Pioneer 33N09	3	8	572	15.4	--	58.0	2.0	196.9	--	--	7
BECK 5422Bt 1	15	8	572	15.8	--	56.0	3.0	192.4	--	--	8
BECK 6522CL	1	8	572	15.4	--	55.0	5.0	191.4	--	--	9
BECK 7538Bt 1	7	8	572	16.6	--	57.0	5.0	190.4	--	--	10
BECK 6097CB	12	8	572	16.0	--	56.0	1.5	188.7	--	--	11
BECK 5727CBRW	10	8	572	15.2	--	59.0	1.5	185.7	--	--	12
BECK 6197	11	8	572	16.0	--	56.0	1.5	179.9	--	--	13
BECK 6102ND	14	8	572	16.4	--	57.0	2.0	179.8	--	--	14
BECK 6289Hx1	8	8	572	18.0	--	58.0	1.5	171.9	--	--	15
Plot Averages (Non-Checker Rows):				15.8	--	56.7	2.5	193.0	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Gary Folz

Hoffman Farms  
Jasper, IN

SOUTHWEST IN  
Dubois Co.



**PLANTED:** 05/13/2005      **POPULATION:** 27,100      **INSECTICIDE:** None  
**HARVESTED:** 10/07/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 2.65 qts. Keystone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6097CB	9	4	435	14.9	20000	58.0	--	219.3	-6.6	212.7	1
BECK 6599CBRR	21	4	435	15.0	20000	59.0	--	170.8	21.6	192.4	2
BECK 5444RR	19	4	435	15.5	22000	56.0	--	181.3	7.4	188.7	3
BECK 6102ND	13	4	435	14.0	23000	57.0	--	180.9	0.0	180.9	4
BECK 5737CL	4	4	435	15.2	18000	56.0	--	178.4	-1.3	177.1	5
BECK 7997CL	7	4	435	14.6	19000	57.0	--	173.4	-3.3	170.1	6
BECK 5899CBRR	16	4	435	15.2	20000	56.5	--	172.2	-3.0	169.2	7
BECK 5597CB	3	4	435	15.0	23000	58.0	--	168.1	-1.3	166.8	8
BECK 6218W	22	4	435	15.0	22000	58.0	--	144.8	21.6	166.4	9
BECK 5702ND	12	4	435	14.4	26000	58.5	--	165.7	0.0	165.7	10
BECK 5616RR	15	4	435	14.8	23000	59.0	--	167.6	-3.0	164.6	11
BECK 6197CB	10	4	435	14.5	22000	57.5	--	170.0	-6.6	163.4	12
BECK 6522CL	6	4	435	15.4	21000	59.0	--	162.8	-3.3	159.5	13
BECK 6722RR	18	4	435	14.8	21000	58.0	--	147.0	7.4	154.4	14
BECK 5422CBCL	1	4	435	14.6	25000	56.0	--	158.1	-8.3	149.8	15
Plot Averages (Non-Checker Rows):				14.9	21667	57.6	--	170.7		172.1	
Checker Average(BECK 5737CL):				14.8	22714	57.9	--	175.4		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Ben Carter

Jim Kunz  
Greensburg, IN

SOUTHEAST IN  
Decatur Co.



**PLANTED:** 05/06/2005      **POPULATION:** 27,000      **INSECTICIDE:** 3.5 lbs. Force  
**HARVESTED:** 10/11/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 2.5 qt. Lumax, 1 qt. Atrazine  
**ROW WIDTH:** 38.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5444RR	8	8	805	20.8	24500	56.5	5.0	193.4	--	--	1
BECK EX 0588	4	8	789	18.4	20000	57.0	6.0	187.5	--	--	2
BECK EX 2413 (5507RWRR genetics)	2	8	783	18.4	24000	57.0	2.0	187.1	--	--	3
BECK EX 1497	6	8	799	22.0	24000	56.0	8.0	187.0	--	--	4
BECK 6097CB	23	8	824	21.0	24000	56.0	0.0	185.8	--	--	5
BECK EX 2426CB (5538Hx1 genetics)	11	8	820	21.2	25000	57.0	0.0	184.8	--	--	6
BECK 5538	12	8	820	20.6	23000	58.0	1.0	183.3	--	--	7
BECK 5597CB	16	8	817	20.6	21000	56.5	1.0	182.7	--	--	8
Pioneer 32W86	21	8	824	22.4	22000	58.5	5.0	182.6	--	--	9
BECK 5422CBCL	7	8	799	21.6	25000	55.5	1.0	182.1	--	--	10
BECK 5422	15	8	817	20.6	22500	57.0	5.0	180.8	--	--	11
BECK EX 2411CB (5228CBRR genetics)	3	8	789	18.4	22000	59.0	0.0	178.4	--	--	12
BECK 6197	19	8	825	21.6	23000	55.0	1.0	175.8	--	--	13
BECK 6197CB	20	8	824	24.8	25000	54.5	0.0	175.5	--	--	14
BECK 5616RR	9	8	805	19.8	24000	57.5	2.0	175.2	--	--	15
BECK EX 1581	5	8	799	19.2	25000	58.0	0.0	172.8	--	--	16
BECK EX 3417	10	8	805	19.0	22000	58.0	1.0	172.7	--	--	17
BECK 5737CL	22	8	824	21.0	21000	60.0	2.0	170.9	--	--	18
Garst 8450IT	13	8	820	21.6	22000	56.5	3.0	169.3	--	--	19
BECK 5827	18	8	825	19.4	18000	60.0	1.0	168.1	--	--	20
BECK 5366	14	8	817	20.6	21000	56.0	1.0	167.5	--	--	21
BECK 5012	1	8	777	18.0	20500	58.0	1.0	164.9	--	--	22
BECK 5597	17	8	825	19.4	20500	57.5	5.0	162.8	--	--	23

Plot Averages (Non-Checker Rows):

20.5    22565    57.2    2.2    177.9    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Steve Gauck

Jim Coy  
Greensburg, IN

SOUTHEAST IN  
Decatur Co.



**PLANTED:** 04/18/2005      **POPULATION:** 29,500      **INSECTICIDE:** None  
**HARVESTED:** 10/18/2005      **SOIL TYPE:** Loam      **HERBICIDE:** 1 qt. Lumax, Aatrex  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5538	2	6	502	17.0	25000	60.0	2.0	221.3	--	--	1
Pioneer 32W86	7	6	502	16.8	26000	61.0	1.0	217.0	--	--	2
Garst 8450IT	3	6	502	17.0	25000	56.0	0.0	214.2	--	--	3
BECK 5366	1	6	502	15.4	28000	57.0	0.0	212.2	--	--	4
BECK 5827	6	6	502	15.6	26000	59.5	1.0	210.1	--	--	5
BECK 6522CL	9	6	502	16.8	25500	56.0	1.0	209.7	--	--	6
BECK 6197	8	6	502	18.6	25000	57.0	0.0	205.4	--	--	7
BECK 5597	4	6	502	15.2	27000	57.5	8.0	200.3	--	--	8
BECK 5597CL	5	6	502	15.2	28000	57.0	5.0	196.0	--	--	9

Plot Averages (Non-Checker Rows):

16.4    26167    57.9    2.0    209.6    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Steve Gauck

Cooper Farms LLC  
Orleans, IN

SOUTHEAST IN  
Orange Co.



**PLANTED:** 05/06/2005      **POPULATION:** 27,000      **INSECTICIDE:** None  
**HARVESTED:** 10/15/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 2 qts. Degree Xtra, Gramoxone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5444RR	2	6	1561	15.8	28000	58.0	--	167.7	--	--	1
BECK 5616RR	3	6	1561	16.4	28000	58.0	--	160.4	--	--	2
BECK EX 1576	4	6	1561	15.8	23000	57.0	--	159.4	--	--	3
BECK EX 0409	5	6	1561	18.6	25000	57.0	--	148.4	--	--	4
BECK 6197CB	9	6	1561	18.2	28000	57.0	--	146.3	--	--	5
BECK 6722RR	6	6	1561	17.8	23000	58.0	--	144.1	--	--	6
BECK EX 1425	7	6	1561	17.0	26000	61.0	--	143.1	--	--	7
BECK 6599CBRR	1	6	1561	16.0	27000	57.0	--	138.5	--	--	8
BECK 7997CBCL	11	6	1561	20.0	27000	57.0	--	135.7	--	--	9
BECK 6522CL	10	6	1561	17.0	29000	58.0	--	134.6	--	--	10
BECK 6097CB	8	6	1561	16.0	28000	57.0	--	134.3	--	--	11
BECK 5899CBRR	12	6	1561	15.4	27000	60.0	--	125.8	--	--	12

Plot Averages (Non-Checker Rows):

17.0      26583      57.9      --      144.9      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ben Carter

Kenny Krall  
Holton, IN

SOUTHEAST IN  
Ripley Co.



**PLANTED:** 05/13/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/31/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 3 qt. Expert  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5422CBCL	4	6	397	20.0	31000	55.5	0.0	204.3	--	--	1
BECK EX 2411CB (5228CBRR genetics)	1	6	397	15.6	30000	58.0	0.0	194.0	--	--	2
BECK 7538Bt 1	19	6	397	20.8	29000	58.0	0.0	192.1	--	--	3
BECK 5597CB	5	6	397	17.4	29000	56.0	0.0	191.2	--	--	4
BECK 7538Bt 1	18	6	397	21.0	29000	57.5	0.0	190.1	--	--	5
BECK 7538Bt 1	15	6	397	20.0	30000	58.0	0.0	187.9	--	--	6
BECK 7997CBCL	16	6	397	23.4	30000	54.5	0.0	186.0	--	--	7
BECK 6722RR	12	6	397	18.8	28000	55.0	2.0	181.9	--	--	8
BECK 6197CB	8	6	397	21.0	26000	54.5	0.0	180.4	--	--	9
BECK 5444RR	2	6	397	15.2	30000	57.0	1.0	180.1	--	--	10
BECK 6097CB	17	6	397	19.0	31000	54.5	0.0	179.5	--	--	11
BECK 6522CL	9	6	397	18.2	30000	53.0	2.0	178.0	--	--	12
BECK 5616RR	3	6	397	17.0	31000	57.5	1.0	177.3	--	--	13
BECK 6097CB	20	6	397	19.0	29000	54.0	0.0	177.0	--	--	14
BECK EX 0409	11	6	397	22.4	31000	52.0	0.0	172.0	--	--	15
BECK 5827	6	6	397	16.2	29000	58.0	1.0	166.4	--	--	16
Pioneer 31G66	7	6	397	18.6	27000	55.5	2.0	162.6	--	--	17
Pioneer 33D31	14	6	397	18.6	25000	57.5	2.0	159.6	--	--	18
BECK EX 1425	13	6	397	18.8	29000	56.5	6.0	159.0	--	--	19
BECK EX 1596	10	6	397	17.2	28000	52.5	6.0	154.0	--	--	20

Plot Averages (Non-Checker Rows):

18.9      29100      55.8      1.2      178.7      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Steve Gauck

Rick Zink  
Campbellsburg, IN

SOUTHEAST IN  
Washington Co.



**PLANTED:** 04/18/2005  
**HARVESTED:** 09/12/2005  
**ROW WIDTH:** 30.0 inches

**POPULATION:** 27,500  
**SOIL TYPE:** Clay Loam  
**PREVIOUS CROP:** Soybeans

**INSECTICIDE:** None  
**HERBICIDE:** Lexar  
**TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5737CL	3	6	840	22.8	23000	59.0	--	145.2	--	--	1
BECK 7997CL	5	6	840	25.8	24000	55.0	--	145.0	--	--	2
AgriGold A6490CL	11	6	840	22.8	19000	58.0	--	141.6	--	--	3
AgriGold A6395CL	12	6	840	20.4	21000	57.0	--	138.8	--	--	4
BECK 6522CL	4	6	840	22.8	27000	54.0	--	135.4	--	--	5
Garst 8380IT	8	6	840	20.8	30000	54.0	--	134.3	--	--	6
BECK 7538Bt 1	9	6	840	21.4	22000	58.0	--	132.2	--	--	7
Garst 8488IT	7	6	840	22.6	19000	57.0	--	129.3	--	--	8
Garst 8445	6	6	840	21.8	23000	56.5	--	128.1	--	--	9
BECK 5597CL	2	6	840	20.8	24000	56.0	--	124.8	--	--	10
BECK 5422CBCL	1	6	840	22.2	20000	56.5	--	121.8	--	--	11
BECK 6097CB	10	6	840	21.2	21000	53.5	--	114.2	--	--	12

Plot Averages (Non-Checker Rows):

22.1 22750 56.2 -- 132.6 --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Ben Carter, Beck's Hybrids - Joey Mullican

Darrin Alford  
Dillsboro, IN

SOUTHEAST IN  
Dearborn Co.



**PLANTED:** 05/05/2005  
**HARVESTED:** 10/28/2005  
**ROW WIDTH:** 30.0 inches

**POPULATION:** 31,000  
**SOIL TYPE:** Clay  
**PREVIOUS CROP:** Soybeans

**INSECTICIDE:** None  
**HERBICIDE:** Simazine, Atrazine, Buccaneer  
**TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 6522CL	9	6	480	16.8	28	55.0	0.0	204.1	--	--	1
BECK 5827	6	6	480	15.5	29	60.0	0.0	193.1	--	--	2
BECK 5538	3	6	480	14.8	28	56.5	2.0	191.9	--	--	3
BECK 5737CL	5	6	480	15.6	28	59.5	2.0	189.4	--	--	4
BECK 5422	2	6	480	16.6	29	55.5	10.0	188.7	--	--	5
BECK 6197	7	6	480	15.8	29	56.5	0.0	188.6	--	--	6
Pioneer 32W86	11	6	480	16.2	28	59.5	0.0	187.2	--	--	7
Garst 8450IT	8	6	480	16.8	28	56.5	0.0	187.2	--	--	8
BECK 7997CL	10	6	480	18.2	30	57.0	0.0	184.6	--	--	9
BECK 5597	4	6	480	14.6	29	55.5	12.0	174.8	--	--	10
BECK 5366	1	6	480	15.8	28	56.0	0.0	171.2	--	--	11

Plot Averages (Non-Checker Rows):

16.1 28 57.0 2.4 187.3 --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Steve Gauck

Barry Trotter  
Columbus, IN

SOUTHEAST IN  
Bartholomew Co.



**PLANTED:** 05/04/2005      **POPULATION:** 28,000      **INSECTICIDE:** None  
**HARVESTED:** 10/13/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 1 qt. Aatrex, 1.25 oz. Balance Pro  
**ROW WIDTH:** 36.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 7997CBCL	8	4	531	22.8	25000	55.0	0.0	203.1	--	--	1
BECK 6599CBRR	7	4	531	19.8	25000	54.5	8.0	200.9	--	--	2
BECK 5616RR	1	4	531	18.2	23000	57.0	0.0	196.2	--	--	3
BECK 6197CB	5	4	531	23.4	25000	54.0	0.0	193.6	--	--	4
BECK 5597	3	4	527	18.2	25000	57.0	10.0	185.1	--	--	5
BECK 5422	2	4	531	18.6	25000	56.5	1.0	183.3	--	--	6
Garst 8450IT	9	4	531	20.0	22000	55.5	2.0	183.1	--	--	7
BECK 5737CL	4	4	527	18.6	24000	58.5	1.0	183.0	--	--	8
Pioneer 32W86	15	4	531	19.6	25000	58.0	7.0	182.9	--	--	9
BECK 5899CBRR	6	4	531	18.0	23000	58.5	0.0	182.1	--	--	10
BECK 5702ND	12	4	527	18.4	25000	56.5	5.0	179.5	--	--	11
BECK 5302NDCB	11	4	527	17.2	25000	56.0	5.0	171.3	--	--	12
BECK EX 3563	14	4	527	19.6	26000	56.5	5.0	170.1	--	--	13
BECK 6102ND	13	4	527	19.6	25000	56.5	5.0	169.2	--	--	14
BECK 5202ND	10	4	527	17.2	27000	57.0	0.0	167.0	--	--	15

Plot Averages (Non-Checker Rows):

19.3    24667    56.5    3.3    183.4    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Steve Gauck

Tri-Ag Products, Inc.  
London, OH

SOUTHWEST OH  
Madison Co.



**PLANTED:** 05/10/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 10/31/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Python, Distinct, Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Dekalb DKC61-45	11	6	392	19.6	--	58.0	--	118.9	-0.9	118.0	1
BECK 5616RR	4	6	546	20.3	--	58.0	--	110.6	6.2	116.8	2
BECK EX 2426CB (5538Hx1 genetics)	6	6	530	20.5	--	56.0	--	110.4	6.2	116.6	3
BECK 5444RR	3	6	546	19.9	--	57.0	--	110.1	6.2	116.3	4
Asgrow RX715RR	10	6	512	18.8	--	57.5	--	117.1	-0.9	116.2	5
Dekalb DKC61-50	9	6	518	19.3	--	58.0	--	109.9	-0.9	109.0	6
BECK EX 3417	5	6	532	18.8	--	57.0	--	97.8	6.2	104.0	7
BECK 5422	7	6	531	20.7	--	57.0	--	94.4	6.2	100.6	8
BECK 6599CBRR	2	6	560	24.0	--	54.0	--	88.3	6.2	94.5	9
BECK 5597	20	5	235	18.5	--	55.0	--	106.1	-12.7	93.4	10
BECK 5702ND	15	6	257	21.9	--	57.5	--	93.1	-6.3	86.8	11
BECK EX 3592	18	6	244	23.3	--	56.5	--	92.1	-6.3	85.8	12
BECK 6102ND	16	6	252	18.8	--	58.0	--	86.9	-6.3	80.6	13
BECK 5202ND	13	6	304	21.8	--	58.0	--	85.7	-6.3	79.4	14
BECK 5302NDCB	14	6	300	22.8	--	56.0	--	80.7	-6.3	74.4	15
BECK EX 3563	17	6	250	22.7	--	56.5	--	79.6	-6.3	73.3	16

Plot Averages (Non-Checker Rows):

20.7    --    56.9    --    98.9    97.9

Checker Average(BECK 5422CBCL):

20.2    --    56.1    --    86.2    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Brian Duffy

Rod Schaurer  
Covington, OH

WEST CENTRAL OH  
Miami Co.



**PLANTED:** 05/07/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 10/13/2005      **SOIL TYPE:** N/A      **HERBICIDE:** 2 lb. Atrazine, 3 oz. Banvel  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Pioneer 33H05	20	8	560	18.6	--	56.0	20.0	201.5	-7.2	194.3	1
BECK EX 1425	9	8	560	19.2	--	59.0	5.0	192.4	1.6	194.0	2
BECK 6722RR	8	8	560	20.0	--	57.0	20.0	191.8	1.6	193.4	3
BECK EX 0588	2	8	560	16.6	--	58.0	40.0	178.9	8.4	187.3	4
BECK 5422	14	8	560	19.4	--	55.5	20.0	186.7	-4.1	182.6	5
BECK 5166	11	8	560	16.6	--	57.0	10.0	186.4	-4.1	182.3	6
BECK 5597Hx1	17	8	560	18.8	--	56.0	5.0	189.4	-7.2	182.2	7
BECK 5597	15	8	560	17.6	--	56.0	25.0	184.8	-4.1	180.7	8
BECK EX 1497	3	8	560	20.6	--	57.5	10.0	170.9	8.4	179.3	9
BECK EX 1576	6	8	560	20.6	--	55.0	10.0	173.9	1.6	175.5	10
BECK EX 0409	7	8	560	21.4	--	56.0	20.0	172.8	1.6	174.4	11
BECK 5422CBCL	4	8	560	19.0	--	55.0	30.0	164.5	8.4	172.9	12
Pioneer 34P88	19	8	560	17.8	--	57.5	20.0	179.3	-7.2	172.1	13
BECK 5129	12	8	560	16.9	--	58.5	10.0	172.8	-4.1	168.7	14
BECK 6097CB	18	8	560	18.8	--	56.0	50.0	161.2	-7.2	154.0	15
BECK 5302NDCB	13	8	560	19.4	--	55.5	10.0	155.1	-4.1	151.0	16
Plot Averages (Non-Checker Rows):				18.8	--	56.6	19.1	178.9		177.8	
Checker Average(BECK 5538):				17.0	--	58.2	27.0	162.0		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Jill Maxson

Steve Poeppelman  
Yorkshire, OH

WEST CENTRAL OH  
Shelby Co.



**PLANTED:** 04/19/2005      **POPULATION:** 30,000      **INSECTICIDE:** 8 lb. Lorsban  
**HARVESTED:** 10/30/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** Keystone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Wheat      **TILLAGE:** Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5483Bt 1	14	6	460	17.7	--	57.5	--	235.1	--	--	1
BECK 6722RR	13	6	460	18.0	--	57.0	--	226.0	--	--	2
BECK 5222	1	6	460	16.3	--	57.0	--	221.6	--	--	3
BECK EX 2426CB (5538Hx1 genetics)	11	6	460	16.2	--	59.0	--	216.7	--	--	4
BECK 5727	8	6	460	16.1	--	59.5	--	215.9	--	--	5
BECK 5597CB	5	6	460	16.3	--	57.5	--	213.7	--	--	6
BECK 5737CL	9	6	460	16.2	--	59.5	--	212.3	--	--	7
BECK 5597	4	6	460	16.6	--	57.0	--	211.3	--	--	8
BECK 5737RWCL	10	6	460	16.1	--	60.0	--	209.2	--	--	9
BECK 5597CL	6	6	460	16.2	--	57.0	--	207.8	--	--	10
BECK 5366	7	6	460	16.1	--	57.0	--	202.3	--	--	11
BECK 5538	3	6	460	16.5	--	55.5	--	199.3	--	--	12
BECK EX 1286	12	6	460	16.0	--	56.5	--	192.7	--	--	13
BECK 5322	2	6	460	16.2	--	57.5	--	188.7	--	--	14
Plot Averages (Non-Checker Rows):				16.5	--	57.7	--	210.9		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: John Poeppelman

Hal Haymaker  
Washington Court House, OH

WEST CENTRAL OH  
Fayette Co.



**PLANTED:** 04/19/2005      **POPULATION:** 29,000      **INSECTICIDE:** 1.6 oz. Baythroid  
**HARVESTED:** 10/03/2005      **SOIL TYPE:** N/A      **HERBICIDE:** 2.7 qt. Volley  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Wheat      **TILLAGE:** Chisel / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5322	2	6	805	19.8	--	58.0	--	152.3	5.9	158.2	1
BECK 5422CBCL	1	6	806	24.7	--	57.0	--	140.2	5.9	146.1	2
BECK 5538	3	6	803	17.7	--	59.0	--	129.4	5.9	135.3	3
BECK EX 2426CB (5538Hx1 genetics)	15	6	783	23.9	--	57.0	--	136.4	-2.9	133.5	4
BECK 5616RR	13	6	786	21.6	--	57.0	--	133.9	-2.9	131.0	5
BECK 6197CB	4	6	801	31.1	--	56.0	--	124.6	5.9	130.5	6
BECK 5737CL	5	6	799	27.2	--	58.0	--	124.2	5.9	130.1	7
BECK EX 3417	14	6	785	20.9	--	57.0	--	132.8	-2.9	129.9	8
BECK 5202ND	7	6	796	18.7	--	57.0	--	119.9	5.9	125.8	9
BECK 5702ND	10	6	791	27.7	--	56.0	--	121.6	3.7	125.3	10
BECK 6102ND	11	6	789	24.0	--	57.0	--	119.6	3.7	123.3	11
BECK 5597CB	6	6	798	24.4	--	56.0	--	115.9	5.9	121.8	12
BECK 5302NDCB	9	6	793	26.2	--	56.0	--	116.1	3.7	119.8	13

Plot Averages (Non-Checker Rows):

Checker Average(Seed Consultants SC 1124A):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Andy Fitzpatrick, Beck's Hybrids-Brian Duffy

McNeilan Farms  
Celina, OH

WEST CENTRAL OH  
Mercer Co.



**PLANTED:** 05/17/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/14/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** Balance Pro, Aatrex 4L, Accent  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5392LL	1	4	625	20.0	--	57.0	--	159.1	--	--	1
BECK 5129	3	4	625	18.6	--	56.0	--	158.8	--	--	2
BECK 5597	9	4	625	18.6	--	56.0	--	151.6	--	--	3
BECK 5322CB	7	4	625	18.2	--	55.0	--	151.4	--	--	4
BECK 5222	6	4	625	18.1	--	57.0	--	150.1	--	--	5
BECK 6197CB	15	4	625	21.9	--	54.0	--	149.1	--	--	6
BECK 5392LL	16	4	625	20.0	--	56.0	--	146.4	--	--	7
BECK 5214Hx1	4	4	625	19.0	--	56.0	--	144.2	--	--	8
BECK 5727	13	4	625	20.0	--	58.0	--	143.4	--	--	9
BECK 5959CB	12	4	625	20.6	--	55.0	--	141.6	--	--	10
BECK 5166CL	17	4	625	19.4	--	55.0	--	141.1	--	--	11
BECK 5366	8	4	625	18.2	--	56.0	--	138.0	--	--	12
BECK 5392LL	5	4	625	18.7	--	56.5	--	137.1	--	--	13
BECK 6097CB	14	4	625	20.0	--	55.0	--	135.4	--	--	14
BECK 5616RR	11	4	625	19.7	--	56.0	--	132.2	--	--	15
BECK 5597Hx1	10	4	625	21.3	--	56.0	--	126.1	--	--	16
BECK 5166CL	2	4	625	19.6	--	56.0	--	119.6	--	--	17

Plot Averages (Non-Checker Rows):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Kurt R. Bandel

Wuebker Farms  
Versailles, OH

WEST CENTRAL OH  
Darke Co.



**PLANTED:** 05/06/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/19/2005      **SOIL TYPE:** Blount      **HERBICIDE:** 2.6 qt. Keystone  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Wheat      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows No.	Length	% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
BECK 5222	4	6	694	16.8	--	53.5	3.0	169.4	-4.8	164.6	1
BECK 5322	8	6	694	15.0	--	52.0	2.5	155.9	1.5	157.4	2
Pioneer 33D11	20	6	694	17.5	--	55.0	2.0	161.4	-4.2	157.2	3
BECK 5322RW	29	6	694	15.7	--	52.0	3.0	147.5	8.3	155.8	4
Pioneer 34A15	5	6	694	15.7	--	56.0	2.5	159.5	-4.8	154.7	5
BECK EX 1581	24	6	694	17.3	--	54.0	1.0	159.8	-5.2	154.6	6
BECK 5129	2	6	674	15.2	--	55.0	1.0	158.7	-4.8	153.9	7
BECK 5727CB	16	6	691	17.0	--	53.0	1.0	155.4	-1.7	153.7	8
BECK 5166RW	28	6	694	14.0	--	53.5	2.5	144.4	8.3	152.7	9
BECK 5214Hx1	37	6	624	14.8	--	53.0	2.0	140.8	11.6	152.4	10
BECK 5597Hx1	14	6	694	20.0	--	55.0	1.0	153.3	-1.7	151.6	11
BECK 5597	39	5	555	17.8	--	51.5	2.0	147.7	3.0	150.7	12
BECK 5422	11	6	694	19.4	--	53.5	1.0	147.7	1.5	149.2	13
Hubner H3605	31	6	694	17.5	--	50.0	2.0	140.0	8.3	148.3	14
BECK 5422Bt 1	12	6	694	21.0	--	54.0	1.0	146.4	1.5	147.9	15
BECK EX 2413 (5507RWRR genetics)	18	6	694	14.0	--	53.0	2.0	148.6	-1.7	146.9	16
BECK 5322CB	9	6	694	16.0	--	53.0	2.5	144.4	1.5	145.9	17
BECK 5166	3	6	694	14.4	--	52.5	2.0	150.6	-4.8	145.8	18
Pioneer 35D28	6	6	694	15.8	--	56.0	3.0	149.5	-4.8	144.7	19
BECK 5737CL	34	6	694	17.0	--	55.0	4.0	132.8	11.6	144.4	20
BECK 5727CBRW	17	6	694	17.4	--	58.0	1.0	145.7	-1.7	144.0	21
BECK 5366	10	6	691	16.7	--	52.5	1.0	142.1	1.5	143.6	22
BECK 6097CB	15	6	694	18.4	--	52.5	1.5	144.5	-1.7	142.8	23
Pioneer 33N09	21	6	685	18.0	--	53.5	3.5	145.6	-4.2	141.4	24
BECK 5616	32	6	694	16.2	--	53.0	2.0	132.0	8.3	140.3	25
BECK 5322CBRW	30	6	694	16.0	--	53.0	1.0	131.1	8.3	139.4	26
BECK 5538	36	6	676	13.9	--	54.0	2.0	127.1	11.6	138.7	27
BECK 5422CBCL	26	6	694	20.0	--	53.0	1.0	139.5	-5.2	134.3	28
BECK 5283Bt 1	35	6	688	14.3	--	53.0	4.0	121.1	11.6	132.7	29
BECK EX 0588	23	6	694	15.9	--	54.0	2.0	136.8	-5.2	131.6	30
BECK EX 1497	25	6	694	21.0	--	54.0	2.0	132.0	-5.2	126.8	31
Plot Averages (Non-Checker Rows):				16.8	--	53.6	2.0	145.5		146.7	
Checker Average(BECK 5597):				18.2	--	53.4	1.7	150.7		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Kurt R. Bandel



“I was very impressed with the emergence of the corn hybrids. I also like the seed coating on the corn. The FaStart coating is something I appreciated having available. Most seed companies charge extra for this.”

James Davidson  
New Carlisle, OH

William Murphy  
Eldorado, OH

WEST CENTRAL OH  
Preble Co.



PLANTED: 05/07/2005      POPULATION: 28,000      INSECTICIDE: 3 oz. Mustang Max  
HARVESTED: 10/21/2005      SOIL TYPE: N/A      HERBICIDE: Field Master, Simazine, 2,4-D  
ROW WIDTH: 36.0 inches      PREVIOUS CROP: Soybeans      TILLAGE: No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5444RR	4	4	810	16.4	--	58.5	--	153.5	9.7	163.2	1
BECK 6722RR	12	4	810	19.7	--	57.0	--	158.0	-2.7	155.3	2
BECK EX 1576	10	4	810	16.4	--	56.5	--	156.2	-2.7	153.5	3
BECK 5166	19	4	810	16.0	--	56.5	--	160.5	-7.6	152.9	4
Dekalb DKC61-42	32	4	810	17.4	--	57.5	--	148.1	3.5	151.6	5
BECK EX 1425	13	4	810	18.8	--	59.5	--	153.3	-2.7	150.6	6
BECK EX 2426CB (5538Hx1 genetics)	7	4	810	17.0	--	59.0	--	140.7	9.7	150.4	7
BECK 6197	31	4	810	19.4	--	56.0	--	146.5	3.5	150.0	8
BECK 5222	18	4	810	17.0	--	58.0	--	154.3	-7.6	146.7	9
BECK 5422Bt 1	28	4	810	19.9	--	56.5	--	142.9	3.5	146.4	10
BECK 5597	26	4	810	17.7	--	56.0	--	142.2	3.5	145.7	11
BECK 5322CB	21	4	810	18.0	--	57.0	--	150.5	-7.6	142.9	12
BECK 5202ND	34	4	810	16.5	--	59.0	--	144.3	-2.0	142.3	13
BECK 6599CBRR	3	4	810	19.5	--	55.5	--	132.6	9.7	142.3	14
BECK 5302NDCB	35	4	810	19.3	--	56.0	--	143.6	-2.0	141.6	15
BECK 5366	22	4	810	17.1	--	56.5	--	146.7	-7.6	139.1	16
BECK EX 0409	11	4	810	19.7	--	56.0	--	141.4	-2.7	138.7	17
BECK 5616RR	5	4	810	17.1	--	58.0	--	128.8	9.7	138.5	18
BECK 5727CB	29	4	810	18.5	--	58.5	--	134.3	3.5	137.8	19
BECK 5702ND	36	4	810	20.0	--	56.5	--	135.6	-2.0	133.6	20
BECK 5129	16	4	810	15.0	--	58.0	--	139.2	-7.6	131.6	21
BECK 5538	27	4	810	17.7	--	59.0	--	127.8	3.5	131.3	22
BECK 5827	30	4	810	17.8	--	58.5	--	127.7	3.5	131.2	23
BECK 5214Hx1	20	4	810	16.6	--	57.0	--	138.6	-7.6	131.0	24
BECK 5422	25	4	810	17.9	--	57.5	--	125.2	3.5	128.7	25
BECK EX 2411CB (5228CBRR genetics)	17	4	810	14.5	--	57.5	--	135.6	-7.6	128.0	26
BECK 5454CL	1	6	810	16.9	--	57.0	--	122.4	5.4	127.8	27
BECK 5012	15	4	810	15.9	--	58.5	--	131.8	-7.6	124.2	28
BECK 6102ND	37	4	810	19.6	--	57.0	--	125.7	-2.0	123.7	29
BECK 5322	24	4	810	17.9	--	56.0	--	119.4	3.5	122.9	30
BECK 5422CBCL	9	4	810	17.9	--	57.0	--	124.4	-2.7	121.7	31
BECK EX 3417	6	4	810	14.4	--	57.0	--	98.3	9.7	108.0	32
Plot Averages (Non-Checker Rows):				17.6	--	57.3	--	138.4		138.5	
Checker Average(BECK 5422):				17.3	--	56.8	--	141.1		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ryan McAllister

### **FaStart™ Coated Seed Corn**

FaStart offers the systemic action of the best seed-applied insecticides to give seedling insect control. It often improves yield potential by delivering more uniform emergence, faster growth, and healthier plants. Remember, all Beck's hybrids also contain Sure Gro for systemic control of fungus.

Matt Nieport  
Ansonia, OH

WEST CENTRAL OH  
Darke Co.



**PLANTED:** 05/04/2005      **POPULATION:** 28,500      **INSECTICIDE:** None  
**HARVESTED:** 10/17/2005      **SOIL TYPE:** Clay Loam      **HERBICIDE:** 1.25 oz. Balance Pro, 1lb. Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5597CL	10	8	357	19.9	--	55.0	--	173.5	-6.3	167.2	1
BECK 5597CB	11	8	357	19.2	--	54.5	--	172.5	-6.3	166.2	2
AgriGold A6675	8	8	357	19.1	--	56.0	--	177.5	-12.7	164.8	3
BECK 5222	12	8	357	18.0	--	55.0	--	164.0	-6.3	157.7	4
BECK 5012	21	8	357	16.6	--	56.0	--	135.3	12.6	147.9	5
BECK 5129	14	8	357	16.4	--	54.0	--	152.2	-6.3	145.9	6
AgriGold A6391CL	13	8	357	17.2	--	55.0	--	149.8	-6.3	143.5	7
BECK 5727CB	5	8	357	19.9	--	58.0	--	154.0	-12.7	141.3	8
BECK 5166	7	8	357	18.4	--	55.0	--	153.5	-12.7	140.8	9
BECK 6097CB	4	8	357	19.9	--	57.0	--	153.2	-12.7	140.5	10
BECK 5622LL	23	8	357	16.6	--	56.0	--	117.4	22.5	139.9	11
BECK EX 2488	2	8	357	19.9	--	54.5	--	151.3	-12.7	138.6	12
BECK EX 0588	17	8	357	17.4	--	57.0	--	138.5	-6.3	132.2	13
BECK 5959	6	8	357	18.7	--	56.0	--	144.6	-12.7	131.9	14
BECK EX 1581	16	8	357	18.0	--	56.0	--	137.3	-6.3	131.0	15
BECK 5422CBCL	15	8	357	17.5	--	56.0	--	136.0	-6.3	129.7	16
BECK 5366	19	8	357	18.0	--	56.0	--	131.0	-6.3	124.7	17
BECK 6197	3	8	357	18.8	--	53.5	--	137.4	-12.7	124.7	18
BECK EX 2411CB (5228CBRR genetics)	18	8	357	18.0	--	57.0	--	129.7	-6.3	123.4	19

Plot Averages (Non-Checker Rows):

18.3      --      55.7      --      147.8      141.7

Checker Average(BECK 5622LL):

17.4      --      55.3      --      139.9      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Kurt R. Bandel

Jim Grubaugh & Son  
Haviland, OH

NORTHWEST OH  
Paulding Co.



**PLANTED:** 04/19/2005      **POPULATION:** 27,700      **INSECTICIDE:** None  
**HARVESTED:** 10/18/2005      **SOIL TYPE:** Latty Clay      **HERBICIDE:** 3.75 lbs. Surpass 20G, 3 oz. Hornet  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Clover      **TILLAGE:** Moldboard / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5129	3	4	495	16.4	--	57.0	--	165.1	5.5	170.6	1
BECK 5012	2	4	495	17.1	--	57.5	--	164.9	5.5	170.4	2
BECK 5322CB	14	4	495	18.6	--	55.5	--	181.2	-12.9	168.3	3
BECK 5222	19	4	495	18.5	--	56.5	--	170.6	-4.4	166.2	4
BECK 5283Bt 1	17	4	495	17.5	--	56.0	--	174.2	-8.7	165.5	5
BECK 5125CB	8	4	495	18.6	28000	56.0	--	155.3	9.6	164.9	6
BECK 5222	11	4	495	17.8	--	56.5	--	159.6	1.9	161.5	7
BECK 5322	12	4	495	17.2	--	56.0	--	154.9	1.9	156.8	8
BECK 5125CBRW	9	4	495	17.5	--	56.0	--	140.9	9.6	150.5	9
BECK 5538	15	4	495	18.8	--	58.0	--	151.9	-12.9	139.0	10
BECK 5166	5	4	495	17.3	12000	57.0	--	107.3	-2.0	105.3	11
BECK 5166RW	6	4	495	17.2	11000	57.0	--	98.3	-2.0	96.3	12

Plot Averages (Non-Checker Rows):

17.7      17000      56.6      --      152.0      151.3

Checker Average(BECK 5222):

17.5      25000      56.6      --      166.2      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Kurt R. Bandel

Jay Bosse  
Bluffton, OH

NORTHWEST OH  
Hancock Co.



**PLANTED:** 04/15/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/17/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Atrazine, Simazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5597CL	8	4	606	22.3	--	55.0	--	179.5	--	--	1
BECK 5222	5	4	606	18.7	--	56.0	--	174.1	--	--	2
BECK 4996	1	4	606	16.4	--	56.0	--	174.0	--	--	3
BECK 5616RR	15	4	606	22.2	--	55.0	--	167.8	--	--	4
BECK 6197CB	12	4	606	28.5	--	54.0	--	166.3	--	--	5
BECK 5322CBRW	6	4	606	20.6	--	55.0	--	164.3	--	--	6
BECK 5702ND	16	4	606	23.3	--	55.0	--	161.7	--	--	7
BECK 5538	10	4	606	19.5	--	57.0	--	159.5	--	--	8
BECK 6097CB	9	4	606	22.2	--	55.0	--	159.5	--	--	9
BECK 5214Hx1	4	4	606	18.9	--	56.0	--	159.0	--	--	10
BECK 5422CBCL	14	4	606	21.6	--	55.0	--	158.4	--	--	11
BECK 5129	2	4	606	17.8	--	56.0	--	150.7	--	--	12
BECK EX 2469 (5444RR genetics)	13	4	606	24.0	--	55.0	--	145.1	--	--	13
Pioneer 34H31	11	4	606	21.1	--	57.0	--	141.5	--	--	14
BECK 5166	3	4	606	18.9	--	55.0	--	134.7	--	--	15
Pioneer 34D71	7	4	606	20.6	--	55.5	--	134.1	--	--	16
Plot Averages (Non-Checker Rows):				21.0	--	55.5	--	158.1	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Chad Vetter

Rollie Wolfrum  
Hicksville, OH

NORTHWEST OH  
Defiance Co.



**PLANTED:** 05/03/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/21/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Label Rate Steadfast  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5366	3	8	1100	17.5	--	57.0	--	181.1	3.6	184.7	1
BECK EX 2411CB (5228CBRR genetics)	15	8	1125	16.6	--	59.5	--	179.4	3.6	183.0	2
BECK 5222	2	8	1095	16.4	--	56.5	--	178.0	3.6	181.6	3
BECK 5322RR	14	8	1125	17.1	--	57.0	--	177.6	3.6	181.2	4
BECK 5166 Poncho 1250	8	8	1125	17.0	--	56.5	--	185.5	-6.4	179.1	5
BECK 5214Hx1	20	8	1125	17.0	--	59.0	--	180.2	-1.7	178.5	6
BECK 5166RW	6	8	1125	16.5	--	56.5	--	182.6	-4.6	178.0	7
BECK 5616RR	21	8	1125	18.1	--	58.0	--	179.3	-1.7	177.6	8
BECK 5166	5	8	1120	17.4	--	56.0	--	180.5	-4.6	175.9	9
BECK 5283Bt 1	9	8	1125	17.2	--	56.5	--	180.0	-6.4	173.6	10
BECK 5099RR	18	8	1125	15.8	--	59.0	--	174.4	-1.7	172.7	11
BECK 5012	17	8	1125	14.8	--	58.5	--	171.7	-1.7	170.0	12
BECK 5597	12	8	1125	17.5	--	57.0	--	168.3	1.7	170.0	13
BECK 5538	11	8	1125	17.3	--	59.5	--	165.2	1.7	166.9	14
Plot Averages (Non-Checker Rows):				16.9	--	57.6	--	177.4		176.6	
Checker Average(BECK 5322CB):				17.2	--	56.7	--	182.0		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids - Chad Vetter

Mike Leichty  
West Unity, OH

NORTHWEST OH  
Williams Co.



**PLANTED:** 04/20/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/24/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Balance Pro, Fultime  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Pioneer 34M94	12	6	564	16.3	--	57.5	--	195.6	13.5	209.1	1
BECK 5597	13	6	564	15.4	--	58.5	--	192.7	13.5	206.2	2
BECK 5616	14	6	564	15.9	--	59.0	--	191.8	13.5	205.3	3
BECK 5422	10	6	564	16.9	--	58.0	--	187.9	13.5	201.4	4
BECK 5538	11	6	564	15.9	--	60.0	--	186.7	13.5	200.2	5
BECK 5214Hx1	5	6	564	16.5	--	59.0	--	201.4	-5.5	195.9	6
BECK 5422 + Zinc	9	6	564	16.9	--	58.0	--	182.1	13.5	195.6	7
BECK 4996Hx1	2	6	564	14.3	--	58.5	--	195.6	-5.5	190.1	8
BECK 5129	3	6	564	14.9	--	58.0	--	191.5	-5.5	186.0	9
BECK 5222	7	6	564	15.5	--	57.5	--	185.2	-5.5	179.7	10
BECK 5166	4	6	564	15.9	--	57.5	--	183.8	-5.5	178.3	11
BECK 5283Bt 1	6	6	564	15.1	--	58.0	--	173.6	-5.5	168.1	12

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5399CBRR):

15.8      --      58.3      --      189.0      193.0

15.7      --      57.7      --      204.1      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Chad Vetter, Brad Westfall

Ralph Knippen  
Delphos, OH

NORTHWEST OH  
Putnam Co.



**PLANTED:** 04/20/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/15/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Define, Atrazine, Balance Pro  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Moldboard / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK EX 2469 (5444RR genetics)	13	4	904	17.9	--	57.5	--	192.0	-0.4	191.6	1
BECK 5222	6	4	904	16.3	--	57.0	--	188.9	2.0	190.9	2
BECK 5597Hx1	17	4	904	17.1	--	56.5	--	183.3	3.2	186.5	3
BECK 6097CB	18	4	904	18.3	--	56.0	--	181.0	3.2	184.2	4
Pioneer 34M94	16	4	904	17.1	--	56.0	--	180.9	3.2	184.1	5
BECK 5366	21	4	904	16.1	--	56.0	--	177.8	3.7	181.5	6
BECK 5422CBCL	8	4	904	17.6	--	57.0	--	179.3	2.0	181.3	7
BECK EX 2426CB (5538Hx1 genetics)	14	4	904	17.7	--	56.0	--	180.1	-0.4	179.7	8
BECK EX 1497	7	4	904	18.9	--	56.0	--	177.7	2.0	179.7	9
BECK 5616RR	11	4	904	17.9	--	56.0	--	178.7	-0.7	178.0	10
BECK 5322CB	19	4	904	17.7	--	56.0	--	174.3	3.2	177.5	11
BECK 5214Hx1	4	4	904	16.3	--	58.0	--	179.6	-2.4	177.2	12
BECK 5012	2	4	904	16.7	--	57.0	--	175.7	-6.7	169.0	13
BECK 5422Bt 1	1	4	904	18.6	--	57.0	--	175.0	-6.7	168.3	14
BECK EX 3417	10	4	904	16.4	--	56.0	--	168.1	-0.7	167.4	15
Pioneer 34A15	22	4	904	16.0	--	57.0	--	159.2	3.7	162.9	16

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5597):

17.3      --      56.6      --      178.2      178.7

18.2      --      56.7      --      182.1      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Chad Vetter

Vern Oberhaus  
Napoleon, OH

NORTHWEST OH  
Henry Co.



**PLANTED:** 04/14/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/26/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** 2.1 qt. Bicep II Magnum, 3 oz. Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK EX 2469 (5444RR genetics)	3	3	1070	17.5	--	58.0	--	211.1	4.8	215.9	1
Great Lakes 5961Bt	39	6	1070	17.0	--	55.5	--	198.8	8.8	207.6	2
BECK 5222	1	6	1070	17.1	--	56.0	--	200.7	4.6	205.3	3
BECK 5538	35	6	1070	17.4	--	59.5	--	193.8	11.2	205.0	4
BECK 5597CL	27	6	1070	17.5	--	57.0	--	200.0	4.3	204.3	5
BECK 5214Hx1	21	6	1070	16.5	--	58.0	--	205.9	-1.8	204.1	6
BECK 5222	40	6	1070	17.8	--	55.5	--	194.2	8.8	203.0	7
BECK 5322CBRW	23	6	1070	18.6	--	57.0	--	206.2	-4.3	201.9	8
Pfister 2760	11	6	1070	19.0	--	58.0	--	205.8	-4.6	201.2	9
Pioneer 34H31	9	6	1070	17.2	--	61.5	--	207.0	-6.4	200.6	10
BECK 5616RR	37	6	1070	17.8	--	57.5	--	187.0	13.0	200.0	11
BECK 6097CB	25	6	1070	18.6	--	57.0	--	196.8	1.4	198.2	12
BECK 5366	29	6	1070	18.1	--	56.5	--	194.4	2.2	196.6	13
BECK 5422CBCL	31	6	1070	18.2	--	55.5	--	188.7	4.6	193.3	14
Pioneer 34D72	5	6	1070	16.8	--	59.0	--	191.1	1.1	192.2	15
Pioneer 34D71	7	6	1070	16.6	--	59.5	--	191.4	-3.9	187.5	16
BECK 5959	33	6	1070	18.9	--	55.5	--	177.0	5.8	182.8	17
BECK 5129	17	6	1070	16.4	--	58.0	--	192.7	-10.2	182.5	18
BECK 5166	19	6	1070	17.1	--	57.0	--	182.5	-3.9	178.6	19
BECK 4996	13	6	1070	16.4	--	57.5	--	179.9	-7.3	172.6	20
BECK 4596RR	15	6	1070	16.4	--	58.0	--	157.0	-12.5	144.5	21
Plot Averages (Non-Checker Rows):				17.5	--	57.5	--	193.4		194.2	
Checker Average(BECK 5222):				17.1	--	56.0	--	206.7		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Brian Duffy, Kevin Oberhaus

**Beck's Superior Hybrids, Inc.**  
**6767 East 276<sup>th</sup> Street**  
**Atlanta, IN 46031**

**1-800-937-2325**

**<http://www.beckshybrids.com>**

Dierksheide Bros.  
Bowling Green, OH

NORTHWEST OH  
Wood Co.



**PLANTED:** 04/19/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/20/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Balance Pro  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** N/A

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank	
		No.	Length									
BECK 5422Bt 1	11	6	600	17.9	--	56.5	--	220.1	1.5	221.6	1	
BECK EX 2469 (5444RR genetics)	9	6	600	15.8	--	58.0	--	218.0	1.5	219.5	2	
BECK 5538	13	6	600	16.8	--	60.0	--	217.2	1.5	218.7	3	
Pioneer 34A16	21	6	600	17.3	--	58.0	--	218.3	-1.5	216.8	4	
Dekalb DKC61-45	34	6	600	17.1	--	58.0	--	213.3	1.7	215.0	5	
BECK 5283Bt 1	18	6	600	15.9	--	58.0	--	213.4	1.1	214.5	6	
BECK 5366	12	6	600	17.4	--	56.5	--	211.7	1.5	213.2	7	
Pioneer 34A15	19	6	600	16.6	--	59.0	--	212.0	1.1	213.1	8	
BECK 5422	3	6	600	18.0	--	55.0	--	213.3	-0.8	212.5	9	
Pioneer 34H32	10	6	600	15.8	--	60.0	--	209.9	1.5	211.4	10	
Dekalb DKC63-81	33	6	600	17.9	--	58.0	--	208.7	1.7	210.4	11	
Pioneer 34M95	7	6	600	16.4	--	58.0	--	210.1	-0.8	209.3	12	
Dekalb DKC54-51	31	6	600	15.1	--	58.5	--	208.9	-0.2	208.7	13	
BECK 5422 + Zinc	4	6	600	17.2	--	55.5	--	209.0	-0.8	208.2	14	
Pioneer 34M94	25	6	600	16.0	--	57.5	--	209.3	-1.5	207.8	15	
BECK 5322CB	36	6	600	15.9	--	58.0	--	205.2	1.7	206.9	16	
Dekalb DKC57-81	30	6	600	16.0	--	59.0	--	206.9	-0.2	206.7	17	
BECK 6097CB	5	6	600	16.7	--	56.0	--	207.2	-0.8	206.4	18	
BECK 5616RR	6	6	600	16.9	--	56.5	--	207.2	-0.8	206.4	19	
BECK 5214Hx1	22	6	600	14.3	--	59.0	--	207.2	-1.5	205.7	20	
Pioneer 35D28	1	6	600	15.5	--	58.0	--	207.2	-1.6	205.6	21	
Pioneer 34D72	17	6	600	15.4	--	59.0	--	201.5	1.1	202.6	22	
BECK 5129	27	6	600	15.1	--	58.0	--	201.7	-0.2	201.5	23	
BECK 5166	23	6	600	15.0	--	58.0	--	202.9	-1.5	201.4	24	
Pioneer 34H31	24	6	600	17.1	--	61.0	--	202.8	-1.5	201.3	25	
Dekalb DKC52-47	35	6	600	14.0	--	57.0	--	199.0	1.7	200.7	26	
Pioneer 34A15	37	6	600	16.6	--	58.0	--	198.1	1.7	199.8	27	
BECK 5597	15	6	600	15.9	--	58.0	--	198.6	1.1	199.7	28	
BECK 5012	28	6	600	15.0	--	60.0	--	198.8	-0.2	198.6	29	
Dekalb DKC52-23	29	6	600	14.6	--	58.0	--	197.6	-0.2	197.4	30	
Pioneer 34D71	16	6	600	15.1	--	58.5	--	194.6	1.1	195.7	31	
Plot Averages (Non-Checker Rows):						16.1	--	58.0	--	207.4	207.6	
Checker Average(BECK 5222):						15.3	--	57.5	--	215.4	--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Chad Vetter

Rex Bassett  
Mark Center, OH

NORTHWEST OH  
Defiance Co.



**PLANTED:** 04/16/2005      **POPULATION:** 30,000      **INSECTICIDE:** None  
**HARVESTED:** 10/14/2005      **SOIL TYPE:** Hoytville      **HERBICIDE:** 2.6 qt. Keystone, 1/2 qt. Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 4996	23	6	444	18.2	--	55.0	--	176.7	15.8	192.5	1
BECK 5322RR	25	6	444	19.8	--	55.0	--	172.6	15.8	188.4	2
BECK EX 2469 (5444RR genetics)	24	6	444	18.2	--	55.0	--	171.1	15.8	186.9	3
BECK 5129	18	6	444	19.1	--	55.0	--	169.9	15.7	185.6	4
BECK 5366	22	6	444	18.2	--	55.0	--	167.2	15.8	183.0	5
BECK 5616	3	6	571	20.4	--	55.0	--	185.4	-3.0	182.4	6
Dekalb DKC61-45	10	6	493	19.8	--	55.5	--	194.7	-17.8	176.9	7
BECK 5214Hx1	17	6	444	19.0	--	56.0	--	158.0	15.7	173.7	8
Dekalb DKC57-84	13	6	458	18.3	--	55.0	--	176.3	-5.0	171.3	9
BECK 5012	19	6	444	18.1	--	56.0	--	153.5	15.7	169.2	10
Pioneer 33N09	1	6	594	23.0	--	55.0	--	164.8	4.0	168.8	11
BECK 6097CB	4	6	560	20.4	--	54.0	--	169.3	-3.0	166.3	12
BECK 5322CB	12	6	470	17.6	--	55.0	--	170.2	-5.0	165.2	13
Pioneer 34M95	6	6	539	19.5	--	55.0	--	167.3	-3.0	164.3	14
Dekalb DKC54-51	20	6	444	18.2	--	55.0	--	143.9	15.7	159.6	15
BECK 5166	15	6	444	18.0	--	55.0	--	162.2	-5.0	157.2	16
BECK 5597CL	9	6	504	19.8	--	54.0	--	174.0	-17.8	156.2	17
BECK 5422CBCL	8	6	516	22.0	--	55.0	--	171.5	-17.8	153.7	18
Pioneer 34H31	5	6	550	19.8	--	56.0	--	155.7	-3.0	152.7	19
Pioneer 35D28	14	6	444	18.0	--	55.0	--	150.8	-5.0	145.8	20

Plot Averages (Non-Checker Rows):

19.3      --      55.1      --      167.8      170.0

Checker Average(BECK 5222):

18.1      --      55.2      --      173.2      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Chad Vetter

Reed Farms  
Blissfield, MI

MICHIGAN  
Lenawee Co.



**PLANTED:** 04/15/2005      **POPULATION:** 27,700      **INSECTICIDE:** Aztec  
**HARVESTED:** 10/10/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Steadfast  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Sweet Corn      **TILLAGE:** Chisel / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5538	4	6	1830	19.0	--	58.0	--	233.3	--	--	1
BECK 5322	1	6	1830	19.0	--	56.5	--	227.4	--	--	2
Pioneer 34M94	7	6	1830	19.6	--	56.0	--	214.9	--	--	3
BECK 5597	5	6	1830	20.0	--	56.5	--	214.2	--	--	4
Pioneer 35D28	3	6	1830	19.4	--	57.5	--	209.9	--	--	5
BECK 5214Hx1	6	6	1830	19.6	--	57.0	--	208.9	--	--	6
Pioneer 36B08	2	6	1830	17.5	--	57.5	--	183.0	--	--	7

Plot Averages (Non-Checker Rows):

19.2      --      57.0      --      213.1      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Duane Goetz

Alan Seifke  
Burlington, MI

MICHIGAN  
Calhoun Co.



PLANTED: 05/05/2005      POPULATION: 27,700      INSECTICIDE: None  
 HARVESTED: 10/14/2005      SOIL TYPE: N/A      HERBICIDE: Atrazine, Pendamax  
 ROW WIDTH: 30.0 inches      PREVIOUS CROP: Soybeans      TILLAGE: Moldboard / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5283Bt 1	47	4	1130	18.6	--	56.0	--	216.2	3.8	220.0	1
BECK EX 1581	20	4	1130	20.4	--	57.0	--	214.1	0.0	214.1	2
BECK 5399CBRR	53	4	1130	21.0	--	55.0	--	208.1	-7.7	200.4	3
BECK 5322CBRW	52	4	1130	21.5	--	55.0	--	208.1	-7.7	200.4	4
BECK EX 3410	30	4	1130	20.4	--	56.0	--	185.1	8.0	193.1	5
Fielders Choice 7753	45	4	1130	18.9	--	56.0	--	190.7	1.2	191.9	6
BECK EX 2474	12	4	1130	20.5	--	54.0	--	183.3	8.6	191.9	7
BECK 5125CBRW	41	4	1130	19.5	--	57.0	--	194.4	-3.0	191.4	8
BECK 5166RW	42	4	1130	19.2	--	56.0	--	191.8	-3.0	188.8	9
Dyna Grow 5295Bt	36	4	1130	19.2	--	57.0	--	185.5	2.2	187.7	10
BECK EX 2411CB (5228CBRR genetics)	17	4	1130	20.2	--	55.0	--	191.5	-5.5	186.0	11
Fielders Choice 7697	44	4	1130	18.5	--	57.0	--	184.7	1.2	185.9	12
BECK EX 2426CB (5538Hx1 genetics)	26	4	1130	19.8	--	57.0	--	178.4	6.5	184.9	13
BECK EX 1411	29	4	1130	22.0	--	56.0	--	176.6	8.0	184.6	14
BECK 6097CB	55	4	1130	21.5	--	55.0	--	188.4	-6.3	182.1	15
BECK 5538	56	4	1130	21.0	--	57.0	--	187.5	-6.3	181.2	16
Wellman 1525	32	4	1130	18.0	--	57.0	--	171.5	9.5	181.0	17
BECK EX 0588	18	4	1130	19.9	--	56.0	--	186.4	-5.5	180.9	18
Wellman 1548	38	4	1130	19.0	--	56.0	--	179.1	1.5	180.6	19
BECK 4996	11	4	1130	18.2	--	54.0	--	168.6	8.6	177.2	20
BECK 5166	15	4	1130	20.2	--	54.0	--	177.9	-2.1	175.8	21
BECK EX 1497	24	4	1130	22.4	--	54.0	--	168.3	6.1	174.4	22
BECK EX 2416	3	4	1130	18.7	--	57.0	--	181.9	-8.1	173.8	23
BECK EX 3417	23	4	1130	20.5	--	57.0	--	167.0	6.1	173.1	24
BECK 5339CBCL	58	4	1130	21.5	--	54.0	--	182.8	-10.0	172.8	25
Dyna Grow 55N37	35	4	1130	19.4	--	56.0	--	167.6	2.2	169.8	26
Wellman 1565	50	4	1130	20.2	--	55.0	--	177.0	-7.8	169.2	27
Dyna Grow 54P72	9	4	1130	17.8	--	56.0	--	163.5	5.3	168.8	28
BECK 5129	39	4	1130	20.5	--	56.0	--	164.5	1.5	166.0	29
BECK EX 3566	21	4	1130	20.6	--	58.0	--	164.4	0.0	164.4	30
BECK 5597	49	4	1130	20.3	--	56.0	--	171.9	-7.8	164.1	31
BECK EX 1286	14	4	1130	21.8	--	55.0	--	164.1	-2.1	162.0	32
Wellman 1521	33	4	1130	18.2	--	56.0	--	152.3	9.5	161.8	33
BECK 4712	5	4	1130	18.6	--	57.0	--	164.1	-2.4	161.7	34
Wellman 1488	8	4	1130	17.9	--	56.0	--	151.2	5.3	156.5	35
BECK EX 3414	27	4	1130	21.6	--	56.0	--	146.6	6.5	153.1	36
Wellman 2697	6	4	1130	19.8	--	57.0	--	149.0	-2.4	146.6	37
Pioneer 38H67	2	4	1130	19.6	--	55.0	--	138.5	-8.1	130.4	38

Plot Averages (Non-Checker Rows):

Checker Average(BECK 4812):

19.9      --      55.9      --      177.4      177.6  
 18.7      --      57.1      --      167.0      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Rick Mears

Brian McCloskey  
Marseilles, IL

NORTHEAST IL  
La Salle Co.



PLANTED: 04/18/2005      POPULATION: 31,200      INSECTICIDE: Force  
HARVESTED: 10/20/2005      SOIL TYPE: Silt Loam      HERBICIDE: Dual II Magnum, Callisto  
ROW WIDTH: 30.0 inches      PREVIOUS CROP: Soybeans      TILLAGE: Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5012	1	4	395	13.9	--	60.3	--	146.8	6.8	153.6	1
BECK EX 2426CB (5538Hx1 genetics)	19	4	395	14.7	--	58.1	--	149.4	4.0	153.4	2
BECK 5222	12	4	395	14.3	--	58.8	--	154.9	-1.8	153.1	3
BECK 5166	3	4	395	13.8	--	58.0	--	145.0	6.8	151.8	4
BECK 5366	13	4	395	15.0	--	59.1	--	153.6	-1.8	151.8	5
BECK EX 1286	4	4	395	13.8	--	59.8	--	142.2	6.8	149.0	6
BECK EX 3572	41	4	395	16.1	--	54.0	--	162.9	-14.7	148.2	7
Pioneer 35D28	14	4	395	14.4	--	57.5	--	149.5	-1.8	147.7	8
BECK 5129	2	4	395	13.8	--	59.2	--	140.2	6.8	147.0	9
BECK EX 3417	17	4	395	13.8	--	57.1	--	148.6	-1.8	146.8	10
BECK 5616RR	16	4	395	14.8	--	59.3	--	143.7	-1.8	141.9	11
BECK 5827	25	4	395	14.8	--	55.8	--	137.4	4.0	141.4	12
Asgrow RX715	10	4	395	14.9	--	57.6	--	142.3	-1.8	140.5	13
BECK 5125CB	5	4	395	13.9	--	57.9	--	133.2	6.8	140.0	14
BECK 5959	20	4	395	14.6	--	55.4	--	133.0	4.0	137.0	15
BECK 5214Hx1	8	4	395	14.1	--	60.4	--	127.8	6.8	134.6	16
BECK EX 0409	22	4	395	16.9	--	55.6	--	128.6	4.0	132.6	17
BECK 6097CB	27	4	395	13.9	--	56.2	--	126.1	4.0	130.1	18
BECK 5597CB	11	4	395	14.9	--	56.9	--	130.9	-1.8	129.1	19
BECK EX 2488	42	4	395	16.1	--	52.0	--	143.1	-14.7	128.4	20
BECK 5959RW	21	4	395	15.5	--	53.0	--	119.8	4.0	123.8	21
Wyffels 6330	15	4	395	15.0	--	57.1	--	125.2	-1.8	123.4	22
Pioneer 34A15	26	4	395	14.4	--	56.1	--	119.0	4.0	123.0	23
BECK EX 3567	40	4	395	15.1	--	55.1	--	134.9	-14.7	120.2	24
BECK 6722RR	23	4	395	16.1	--	56.7	--	113.9	4.0	117.9	25
BECK 6722RR	43	4	395	17.1	--	55.6	--	127.9	-14.7	113.2	26
BECK EX 1576	38	4	395	15.7	--	52.1	--	126.2	-14.7	111.5	27
BECK EX 3414	36	4	395	16.9	--	53.9	--	109.0	1.8	110.8	28
Wyffels 7260	44	4	395	15.5	--	53.7	--	121.8	-14.7	107.1	29
BECK EX 3516	39	4	395	15.3	--	54.8	--	120.9	-14.7	106.2	30
AgriGold A6395	30	4	395	14.1	--	56.2	--	101.1	1.8	102.9	31
BECK EX 1425	24	4	395	16.6	--	54.4	--	92.4	4.0	96.4	32
BECK 6197CB	28	4	395	14.7	--	58.0	--	92.1	4.0	96.1	33
BECK 5959CB	35	4	395	17.1	--	52.9	--	93.3	1.8	95.1	34
BECK 5422CBCL	7	4	395	15.8	--	57.4	--	85.8	6.8	92.6	35
BECK 6289Hx1	31	4	395	15.1	--	54.1	--	81.8	1.8	83.6	36
BECK EX 3410	32	4	395	14.2	--	56.4	--	81.5	1.8	83.3	37
BECK EX 3411	33	4	395	15.3	--	55.8	--	76.1	1.8	77.9	38
BECK EX 1411	34	4	395	14.8	--	54.1	--	65.9	1.8	67.7	39
BECK EX 1497	6	4	395	16.5	--	61.6	--	53.8	6.8	60.6	40

Plot Averages (Non-Checker Rows):

15.1      --      56.5      --      122.0      121.8

Checker Average(BECK 5597):

14.4      --      56.4      --      115.5      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Moore

Ken & Becky McComb  
Ransom, IL

NORTHEAST IL  
La Salle Co.



**PLANTED:** 04/16/2005      **POPULATION:** 30,000      **INSECTICIDE:** Force  
**HARVESTED:** 10/04/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Epic, Atrazine, Buctril  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation / Conv.-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5959RW	12	6	490	19.4	--	54.5	--	185.7	--	--	1
BECK 6197RW	13	6	490	20.6	--	54.5	--	184.5	--	--	2
BECK 5597Hx1	17	6	490	19.0	--	57.0	--	180.5	--	--	3
BECK 6097CB	14	6	490	19.2	--	55.0	--	179.5	--	--	4
BECK 5129	15	6	490	15.6	--	56.0	--	176.3	--	--	5
BECK 5616RR	18	6	490	19.2	--	57.0	--	174.2	--	--	6
BECK 5959CB	10	6	490	21.2	--	54.0	--	168.8	--	--	7
BECK 5214Hx1	16	6	490	18.4	--	58.0	--	165.6	--	--	8
BECK 5166RW	4	6	490	15.2	--	56.6	--	161.8	--	--	9
BECK EX 3410	7	6	490	17.6	--	57.0	--	159.4	--	--	10
BECK 5166	3	6	490	15.8	--	56.0	--	153.1	--	--	11
BECK 5125CBRW	5	6	490	17.0	--	56.6	--	151.5	--	--	12
BECK EX 3411	8	6	490	18.2	--	58.0	--	147.7	--	--	13
BECK EX 2474	1	6	490	18.2	--	54.0	--	147.7	--	--	14
BECK 5125CB	6	6	490	17.6	--	56.0	--	144.9	--	--	15
BECK EX 1286	2	6	490	15.6	--	55.0	--	144.8	--	--	16
BECK EX 1411	9	6	490	18.4	--	58.0	--	144.7	--	--	17
BECK EX 3414	11	6	490	20.4	--	55.0	--	143.9	--	--	18

Plot Averages (Non-Checker Rows):

18.1      --      56.0      --      161.9      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Shawn Clapp

PLOT NOTES: Wind storm occurred twice in growing season.

Bob Umback  
Easton, IL

CENTRAL IL  
Mason Co.



**PLANTED:** 04/21/2005      **POPULATION:** 27,000      **INSECTICIDE:** None  
**HARVESTED:** 10/07/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Bicep II Magnum  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5827	13	6	1178	14.0	--	60.0	--	95.0	--	--	1
BECK 5322	1	6	1178	13.4	--	57.5	--	93.5	--	--	2
BECK 5616	10	6	1178	13.6	--	60.0	--	88.4	--	--	3
Pioneer 32K22	8	6	1178	15.0	--	61.0	--	88.1	--	--	4
Pioneer 33M54	4	6	1178	14.9	--	61.0	--	86.4	--	--	5
BECK 5597	6	6	1178	13.5	--	57.0	--	86.1	--	--	6
Pioneer 33Y45	3	6	1178	13.4	--	60.5	--	85.5	--	--	7
Asgrow RX715	12	6	1178	13.6	--	57.0	--	84.8	--	--	8
Pioneer 32P75	7	6	1178	15.0	--	58.0	--	84.2	--	--	9
BECK 5422	5	6	1178	14.4	--	58.0	--	82.2	--	--	10
BECK 5366	2	6	1178	12.7	--	58.0	--	79.2	--	--	11
BECK 5959	9	6	1178	14.8	--	57.0	--	78.1	--	--	12
BECK 6197	14	6	1178	14.0	--	57.0	--	77.8	--	--	13
Pioneer 31N27	11	6	1178	15.4	--	60.0	--	67.4	--	--	14

Plot Averages (Non-Checker Rows):

14.1      --      58.7      --      84.1      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Moore

Joe Pickrell  
Buffalo, IL

CENTRAL IL  
Sangamon Co.



PLANTED: 04/08/2005      POPULATION: 32,000      INSECTICIDE: Force  
HARVESTED: 09/14/2005      SOIL TYPE: Silt Loam      HERBICIDE: Lumax  
ROW WIDTH: 30.0 inches      PREVIOUS CROP: Soybeans      TILLAGE: Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5899CBRR	24	6	798	21.6	--	60.0	--	199.7	3.6	203.3	1
BECK 6097CB	13	6	798	20.8	--	55.0	--	203.7	-3.7	200.0	2
BECK 6289Hx1	25	6	798	19.0	--	56.0	--	195.1	3.6	198.7	3
BECK 6197CB	16	6	798	20.0	--	55.5	--	196.7	0.8	197.5	4
BECK EX 1425	9	6	798	18.3	--	56.0	--	197.1	-3.7	193.4	5
BECK 5366	12	6	798	20.0	--	55.0	--	196.4	-3.7	192.7	6
BECK 5959RW	18	6	798	15.2	--	57.0	--	191.3	0.8	192.1	7
BECK 6197	14	6	798	21.6	--	56.0	--	195.5	-3.7	191.8	8
BECK EX 1411	3	6	798	21.1	--	55.0	--	207.6	-15.9	191.7	9
BECK 6197RW	17	6	798	18.8	--	56.0	--	190.0	0.8	190.8	10
BECK 6599CBRR	26	6	798	22.6	--	55.0	--	185.7	3.6	189.3	11
BECK 5597CB	19	6	798	19.8	--	56.0	--	187.6	0.8	188.4	12
BECK EX 0409	7	6	798	19.4	--	56.0	--	192.0	-3.7	188.3	13
BECK 6722RR	8	6	798	21.0	--	55.0	--	191.7	-3.7	188.0	14
BECK EX 1576	6	6	798	18.8	--	57.0	--	191.5	-3.7	187.8	15
BECK EX 3411	2	6	798	24.8	--	54.0	--	203.2	-15.9	187.3	16
BECK 5616RR	21	6	798	22.1	--	56.0	--	184.6	0.8	185.4	17
BECK 5727CBRW	23	6	798	22.5	--	54.0	--	181.8	3.6	185.4	18
BECK 5322CB	11	6	798	19.8	--	56.0	--	187.7	-3.7	184.0	19
BECK EX 3414	5	6	798	20.4	--	56.0	--	186.9	-3.7	183.2	20
BECK 5214Hx1	10	6	798	20.0	--	56.0	--	183.5	-3.7	179.8	21
BECK EX 3410	1	6	798	20.4	--	55.0	--	195.5	-15.9	179.6	22
BECK 6522CL	27	6	798	20.1	--	57.0	--	175.3	3.6	178.9	23
BECK 5597Hx1	20	6	798	18.6	--	57.0	--	177.5	0.8	178.3	24
BECK 7997CBCL	28	6	798	20.2	--	57.0	--	167.5	3.6	171.1	25

Plot Averages (Non-Checker Rows):

Checker Average(BECK 5959CB):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Angie Huisinga

## Side By Side

Larry Johnson	Hoopston, IL	Beck 5166	26.0%	198.0 Bu./A.
		DeKalb DKC53-78	18.5%	177.3 Bu./A.
Sowers Farms	Toledo, IL	Beck 5737CL	14.2%	221.7 Bu./A.
		Pioneer 34H31	14.1%	233.0 Bu./A.
Sowers Farms	Toledo, IL	Beck 6197	14.5%	172.1 Bu./A.
		Beck 5737CL	13.3%	174.9 Bu./A.
Arin Ziebarth	Normal, IL	Beck 5959RW	16.8%	187.9 Bu./A.
		Asgrow RX718YGRW	16.0%	173.3 Bu./A.
Lyndon Meyer	Ft. Branch, IN	Beck 5422	14.8%	169.9 Bu./A.
		Pioneer 33M54	15.5%	174.0 Bu./A.

Alan Toncray  
Bath, IL

CENTRAL IL  
Mason Co.



**PLANTED:** 04/16/2005      **POPULATION:** 28,000      **INSECTICIDE:** None  
**HARVESTED:** 10/15/2005      **SOIL TYPE:** Sand      **HERBICIDE:** Roundup, Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Popcorn      **TILLAGE:** Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5616RR	6	6	1189	15.0	--	59.0	--	208.3	--	--	1
BECK 5899CBRR	4	6	1189	15.4	--	61.0	--	205.6	--	--	2
Burrus 794RR	7	6	1189	18.2	--	57.0	--	204.4	--	--	3
BECK 6722RR	9	6	1189	17.0	--	57.0	--	200.1	--	--	4
BECK 5399CBRR	3	6	1189	15.8	--	58.0	--	197.6	--	--	5
BECK EX 1425	1	6	1189	16.2	--	61.0	--	197.5	--	--	6
BECK 6599CBRR	8	6	1189	17.2	--	57.0	--	197.0	--	--	7
FS 6873	5	6	1189	15.4	--	60.0	--	196.6	--	--	8
BECK 5322CBRWRR	2	6	1189	15.8	--	58.0	--	196.1	--	--	9
Plot Averages (Non-Checker Rows):				16.2	--	58.7	--	200.4	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Craig Moore

Steve Mayfield  
Clinton, IL

CENTRAL IL  
DeWitt Co.



**PLANTED:** 04/18/2005      **POPULATION:** 31,000      **INSECTICIDE:** Full Rate Aztec  
**HARVESTED:** 10/17/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** Guardsman, Balance Pro  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 7997CBCL	20	4	453	18.3	--	61.0	--	195.4	--	--	1
BECK 6197CB	19	4	453	16.0	--	60.0	--	192.4	--	--	2
BECK 5827	14	4	453	13.0	--	61.0	--	189.1	--	--	3
BECK 6197	18	4	453	14.8	--	60.0	--	188.3	--	--	4
BECK 5222	10	4	453	13.0	--	60.0	--	185.2	--	--	5
BECK EX 2426CB (5538Hx1 genetics)	7	4	453	13.7	--	60.0	--	182.0	--	--	6
BECK 5129	9	4	453	12.7	--	59.0	--	179.2	--	--	7
BECK 5616RR	5	4	453	12.9	--	59.0	--	178.8	--	--	8
BECK 5166	2	4	442	12.2	--	58.0	--	178.5	--	--	9
BECK 5322CB	12	4	453	13.0	--	61.0	--	176.5	--	--	10
BECK 5012	8	4	453	12.9	--	60.0	--	176.3	--	--	11
BECK 6097CB	17	4	453	14.0	--	57.0	--	176.2	--	--	12
BECK 5959CB	16	4	453	15.8	--	61.0	--	176.2	--	--	13
BECK 5366	11	4	453	12.9	--	58.0	--	175.6	--	--	14
BECK 5597CB	13	4	453	13.0	--	58.0	--	175.4	--	--	15
BECK EX 3417	6	4	453	13.1	--	58.0	--	173.4	--	--	16
BECK 5959	15	4	453	13.6	--	56.0	--	171.0	--	--	17
BECK 5422CBCL	4	4	453	13.9	--	61.0	--	168.0	--	--	18
BECK EX 1497	3	4	453	12.9	--	60.0	--	166.1	--	--	19
BECK EX 1286	1	4	438	12.0	--	57.0	--	158.1	--	--	20
Plot Averages (Non-Checker Rows):				13.7	--	59.3	--	178.1	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.  
WEIGHED BY: Beck's Hybrids-Angie Huisinga

Mathews Farms  
LeRoy, IL

CENTRAL IL  
McLean Co.



**PLANTED:** 04/18/2005      **POPULATION:** 30,000      **INSECTICIDE:** 4 lbs. Force  
**HARVESTED:** 09/21/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Balance Pro, Marksman  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5322wx	7	6	280	22.0	--	56.0	0.0	202.2	--	--	1
BECK 5366	8	6	280	20.2	--	54.0	0.0	199.3	--	--	2
BECK 5616RR	15	6	280	24.2	--	55.0	0.0	198.2	--	--	3
BECK 5322CB	6	6	280	20.8	--	55.0	0.0	198.1	--	--	4
BECK 5366wx	9	6	280	21.6	--	53.0	0.0	191.0	--	--	5
BECK 5727CB	12	6	280	20.6	--	57.0	0.0	189.6	--	--	6
Pioneer 33J58	4	6	280	24.2	--	58.0	0.0	188.0	--	--	7
BECK 5275wx	10	6	280	19.0	--	55.0	0.0	183.5	--	--	8
BECK 5727wx	13	6	280	21.4	--	57.0	0.0	183.2	--	--	9
BECK 5627	16	6	280	21.4	--	56.0	0.0	182.2	--	--	10
BECK 5597	5	6	280	21.2	--	54.0	0.0	179.6	--	--	11
BECK 5422wx	14	6	280	23.2	--	52.0	0.0	179.4	--	--	12
BECK 5166wx	3	6	280	18.2	--	56.0	0.0	166.8	--	--	13
BECK 5166	2	6	280	18.0	--	55.0	0.0	163.3	--	--	14
Pioneer 34M97	11	6	280	19.6	--	59.0	0.0	162.9	--	--	15
AgriGold A6395	1	6	280	20.4	--	54.0	0.0	146.4	--	--	16
Plot Averages (Non-Checker Rows):				21.0	--	55.4	0.0	182.1	--	--	

\*Yield = Bushels per acre corrected to 15% moisture.  
 WEIGHED BY: Beck's Hybrids - Shawn Clapp

Phil Hartzler  
Minonk, IL

CENTRAL IL  
Woodford Co.



**PLANTED:** 04/16/2005      **POPULATION:** 31,000      **INSECTICIDE:** Force  
**HARVESTED:** 09/19/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** Dual First Rate, Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5597	7	8	637	24.8	--	54.5	--	165.6	1.9	167.5	1
BECK 5827	13	8	637	27.3	--	56.0	--	162.6	1.9	164.5	2
BECK 5959	16	8	637	26.8	--	54.0	--	156.5	1.9	158.4	3
BECK 5616	9	8	637	27.1	--	54.5	--	155.8	1.9	157.7	4
Pioneer 33N09	10	8	637	28.5	--	57.0	--	155.0	1.9	156.9	5
BECK 5012	2	8	637	21.7	--	56.0	--	150.7	1.9	152.6	6
BECK 5222	4	8	637	22.6	--	54.5	--	150.4	1.9	152.3	7
Mycogen 2G770	12	8	637	27.3	--	53.5	--	148.3	1.9	150.2	8
BECK 5214Hx1	5	8	637	22.9	--	54.5	--	147.9	1.9	149.8	9
BECK 5166	3	8	637	22.5	--	55.0	--	147.6	1.9	149.5	10
BECK 5616RR	11	8	637	26.8	--	55.0	--	147.2	1.9	149.1	11
BECK 5339CBCL	6	8	637	23.1	--	54.0	--	142.5	1.9	144.4	12
BECK 6097CB	14	8	637	26.8	--	53.5	--	139.3	1.9	141.2	13
BECK 6197CB	15	8	637	35.9	--	53.5	--	135.0	1.9	136.9	14
Plot Averages (Non-Checker Rows):				26.0	--	54.7	--	150.3		152.2	
Checker Average(BECK 5959):				27.0	--	53.8	--	144.5		--	

\*Yield = Bushels per acre corrected to 15% moisture.  
 WEIGHED BY: Beck's Hybrids-Craig Moore

Mike Cyrulik  
Clinton, IL

CENTRAL IL  
DeWitt Co.



**PLANTED:** 04/09/2005      **POPULATION:** 31,000      **INSECTICIDE:** Force  
**HARVESTED:** 10/24/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** Guardsman Max  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation / Conv.-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5366	9	4	300	13.8	--	60.0	--	173.0	11.7	184.7	1
BECK 5827	10	4	300	14.0	--	62.0	--	171.0	11.7	182.7	2
BECK 7997CBCL	24	4	306	16.6	--	61.0	--	195.5	-18.0	177.5	3
BECK 5012	2	4	300	12.4	--	62.0	--	152.3	20.5	172.8	4
BECK 5166	4	4	300	12.8	--	60.0	--	150.6	20.5	171.1	5
BECK 6097CB	15	4	300	14.2	--	62.0	--	172.2	-2.6	169.6	6
BECK 5322CB	8	4	300	13.6	--	61.0	--	157.6	11.7	169.3	7
BECK 6197CB	18	4	300	15.2	--	61.0	--	175.4	-8.5	166.9	8
BECK 6722RR	22	4	306	15.4	--	62.0	--	183.7	-18.0	165.7	9
BECK 5959CB	14	4	300	14.2	--	58.0	--	166.5	-2.6	163.9	10
BECK 6197	17	4	300	15.0	--	61.0	--	170.1	-8.5	161.6	11
BECK EX 1425	19	4	300	15.2	--	61.0	--	169.7	-8.5	161.2	12
BECK 5129	5	4	300	12.6	--	60.0	--	136.5	20.5	157.0	13
BECK 5222	7	4	300	13.4	--	62.0	--	143.7	11.7	155.4	14
BECK 5597CB	13	4	300	13.6	--	61.0	--	155.5	-2.6	152.9	15
BECK 5616RR	20	4	300	15.4	--	62.0	--	160.5	-8.5	152.0	16
BECK 5597	12	4	300	14.2	--	62.0	--	150.8	-2.6	148.2	17
BECK 6522CL	23	4	306	16.0	--	62.0	--	165.8	-18.0	147.8	18
BECK EX 1286	3	4	300	12.6	--	60.0	--	126.4	20.5	146.9	19
Plot Averages (Non-Checker Rows):				14.2	--	61.1	--	161.9		163.5	
Checker Average(BECK 6197CB):				14.5	--	60.5	--	163.7		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Angie Huisinga

Eric White  
Forest City, IL

CENTRAL IL  
Mason Co.



**PLANTED:** 04/07/2005      **POPULATION:** 26,500      **INSECTICIDE:** None  
**HARVESTED:** 09/15/2005      **SOIL TYPE:** Sandy Loam      **HERBICIDE:** Bicep II Magnum  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6722RR	14	6	1356	13.8	--	56.0	--	83.1	-0.8	82.3	1
Burrus 795B	3	6	1348	14.8	--	54.5	--	79.7	1.6	81.3	2
Burrus 590	1	6	1348	14.6	--	57.0	--	76.8	1.6	78.4	3
BECK EX 0409	13	6	1356	14.4	--	57.0	--	78.3	-0.8	77.5	4
BECK 5959CB	4	6	1356	15.6	--	55.0	--	73.4	1.6	75.0	5
BECK 5366	2	6	1348	12.8	--	55.0	--	73.2	1.6	74.8	6
BECK EX 1425	15	6	1356	13.2	--	59.0	--	75.3	-0.8	74.5	7
BECK EX 1576	11	6	1356	14.4	--	54.0	--	71.5	0.0	71.5	8
BECK 5616RR	7	6	1356	13.7	--	56.0	--	68.0	0.0	68.0	9
BECK 5827	9	6	1356	15.4	--	58.0	--	66.8	0.0	66.8	10
BECK 5597CB	6	6	1356	13.8	--	54.0	--	61.1	0.0	61.1	11
Pioneer 32K22	8	6	1356	16.4	--	57.5	--	58.1	0.0	58.1	12
BECK 6197CB	10	6	1356	16.4	--	55.0	--	57.6	0.0	57.6	13
Plot Averages (Non-Checker Rows):				14.6	--	56.0	--	71.0		71.3	
Checker Average(BECK 5597CB):				13.7	--	54.0	--	68.2		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Craig Moore

SGI  
Gibson City, IL

EAST CENTRAL IL  
Ford Co.



**PLANTED:** 04/30/2005      **POPULATION:** 30,000      **INSECTICIDE:** Aztec  
**HARVESTED:** 10/05/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Guardsman Max, Balance Pro  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5166wx	6	6	443	15.8	--	57.0	--	165.4	-7.0	158.4	1
BECK 5275wx	8	6	443	15.2	--	57.0	--	159.8	-4.7	155.1	2
BECK 5166	15	6	443	15.0	--	55.0	--	146.1	7.0	153.1	3
BECK EX 3567	4	6	443	15.6	--	56.5	--	159.9	-7.0	152.9	4
BECK 5366	16	6	443	15.2	--	54.0	--	145.3	7.0	152.3	5
BECK 5366wx	10	6	443	15.8	--	56.5	--	156.3	-4.7	151.6	6
BECK 5538	2	6	443	15.2	--	58.5	--	158.1	-7.0	151.1	7
BECK EX 3572	3	6	443	16.8	--	59.0	--	158.1	-7.0	151.1	8
BECK 5727wx	12	6	443	15.8	--	58.5	--	154.7	-4.7	150.0	9
BECK EX 0116	5	6	443	18.8	--	57.0	--	156.8	-7.0	149.8	10
BECK 5322wx	9	6	443	15.4	--	58.0	--	153.6	-4.7	148.9	11
BECK 5627	14	6	443	16.8	--	56.0	--	141.6	7.0	148.6	12
BECK 5422wx	11	6	443	18.6	--	56.5	--	144.6	-4.7	139.9	13
BECK 6218W	17	6	443	18.0	--	55.0	--	109.3	7.0	116.3	14
Plot Averages (Non-Checker Rows):				16.3	--	56.8	--	150.7		148.5	
Checker Average(BECK 5959):				17.2	--	55.6	--	146.1		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Shawn Clapp

Jon McGee  
Longview, IL

EAST CENTRAL IL  
Douglas Co.



**PLANTED:** 04/16/2005      **POPULATION:** 33,000      **INSECTICIDE:** 7.3 lbs. Aztec  
**HARVESTED:** 09/29/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 2.7 qt. Confidence  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5627	4	8	500	20.8	31000	57.0	--	167.5	12.6	180.1	1
BECK 5322RW	19	8	500	19.0	30000	56.0	--	174.9	-2.0	172.9	2
BECK 5616RR	16	8	500	20.1	34000	55.0	--	177.6	-9.6	168.0	3
BECK 5959RW	18	8	500	20.7	34000	52.0	--	166.5	-2.0	164.5	4
BECK 6197	8	8	500	20.6	28000	55.0	--	171.4	-12.5	158.9	5
BECK 5322CBRWRR	15	8	500	18.7	31000	56.0	--	168.3	-9.6	158.7	6
BECK 6289Hx1	11	8	500	23.2	31000	54.0	--	167.4	-10.6	156.8	7
BECK 6097CB	12	8	500	18.9	30000	55.0	--	163.3	-10.6	152.7	8
BECK 5597Hx1	10	8	500	20.9	25000	56.0	--	160.4	-10.6	149.8	9
BECK 5597CB	14	8	500	19.1	31000	56.0	--	147.4	-9.6	137.8	10
BECK EX 0116	7	8	500	20.7	32000	56.0	--	136.5	-12.5	124.0	11
BECK 5366wx	3	8	500	21.9	23000	54.0	--	97.3	12.6	109.9	12
BECK 6218W	6	8	500	20.9	31000	57.0	--	118.9	-12.5	106.4	13
BECK 5422wx	2	8	500	21.9	26000	56.0	--	87.0	12.6	99.6	14
Plot Averages (Non-Checker Rows):				20.5	29786	55.4	--	150.3		145.7	
Checker Average(BECK 5827):				21.1	30500	56.3	--	164.1		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Carl Harlan & Joe McElhoe

# A & R Fox

## Saunemin, IL

# EAST CENTRAL IL

## Livingston Co.



**PLANTED:** 04/14/2005      **POPULATION:** 30,000      **INSECTICIDE:** Aztec  
**HARVESTED:** 10/09/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Balance Pro, Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation / Conv.-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5727CBRW	20	8	490	16.9	--	--	--	167.6	--	--	1
BECK 6197RW	17	8	490	17.3	--	--	--	165.3	--	--	2
BECK EX 3414	15	8	490	18.0	--	--	--	154.7	--	--	3
BECK 5959RW	16	8	490	16.5	--	--	--	154.4	--	--	4
BECK 5959CB	14	8	490	20.4	--	--	--	147.2	--	--	5
BECK EX 3410	11	8	490	15.2	--	--	--	144.1	--	--	6
BECK 5166RW	5	8	490	14.3	--	--	--	144.0	--	--	7
BECK EX 1411	13	8	490	16.2	--	--	--	144.0	--	--	8
BECK EX 3411	12	8	490	16.6	--	--	--	140.2	--	--	9
BECK 6197CB	18	8	490	19.3	--	--	--	140.2	--	--	10
BECK 5012	9	8	490	14.5	--	--	--	135.7	--	--	11
BECK EX 2488	6	8	490	15.7	--	--	--	135.4	--	--	12
BECK 5597	19	8	490	15.6	--	--	--	134.0	--	--	13
BECK EX 1286	3	8	490	14.0	--	--	--	133.3	--	--	14
BECK 5166	4	8	490	14.2	--	--	--	131.4	--	--	15
BECK EX 3566	8	8	490	16.2	--	--	--	129.9	--	--	16
BECK 5129	10	8	490	13.9	--	--	--	127.0	--	--	17
BECK 5099RR	7	8	490	14.8	--	--	--	124.1	--	--	18
BECK 4996	1	8	490	17.7	--	--	--	106.1	--	--	19
BECK EX 2474	2	8	490	14.6	--	--	--	100.5	--	--	20

Plot Averages (Non-Checker Rows):

16.1      --      --      --      138.0      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Rich Fox

# Brad Orr

## Gilman, IL

# EAST CENTRAL IL

## Iroquois Co.



**PLANTED:** 04/01/2005      **POPULATION:** 30,000      **INSECTICIDE:** Aztec  
**HARVESTED:** 09/30/2005      **SOIL TYPE:** N/A      **HERBICIDE:** Dual II Magnum, Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5222	9	8	394	20.4	--	--	--	195.4	--	--	1
BECK EX 2474	8	8	394	21.7	--	--	--	191.3	--	--	2
BECK 5959CB	5	8	197	23.5	--	--	--	184.1	--	--	3
BECK EX 3414	6	8	197	22.9	--	--	--	181.9	--	--	4
BECK 6097CB	7	8	197	21.8	--	--	--	179.1	--	--	5
BECK EX 3410	2	8	197	19.7	--	--	--	178.3	--	--	6
BECK EX 1411	4	8	197	21.1	--	--	--	166.8	--	--	7
BECK 5222	10	8	394	20.9	--	--	--	165.7	--	--	8
BECK 6197CB	11	8	197	24.6	--	--	--	163.9	--	--	9
BECK 5616RR	1	16	197	22.5	--	--	--	162.0	--	--	10
BECK EX 3411	3	8	197	21.0	--	--	--	157.1	--	--	11

Plot Averages (Non-Checker Rows):

21.8      --      --      --      175.1      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Ron Gick

Garry Starkey  
Metcalfe, IL

EAST CENTRAL IL  
Edgar Co.



**PLANTED:** 05/05/2005      **POPULATION:** 31,000      **INSECTICIDE:** Aztec  
**HARVESTED:** 10/27/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** Princep, 2,4-D, Lumax, 1 qt. Cinch Atz  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 6722RR	34	8	921	17.1	25	58.0	--	187.5	-0.4	187.1	1
Midwest 9851	5	4	921	13.9	31	60.0	--	182.9	1.2	184.1	2
Pioneer 33N09	17	8	921	15.9	27	60.0	--	185.8	-2.6	183.2	3
Pioneer 33K39	15	8	921	14.5	27	61.0	--	185.3	-2.6	182.7	4
BECK 5899CBRR	42	8	921	15.8	25	59.0	--	176.9	4.0	180.9	5
Golden Harvest H-8991	2	8	921	13.7	26	59.0	--	175.8	1.2	177.0	6
BECK 5538	36	8	921	16.4	27	60.0	--	176.3	-0.4	175.9	7
BECK 5166	21	8	921	13.0	31	58.0	--	178.4	-2.8	175.6	8
BECK 5727CBRW	27	8	921	14.6	29	61.0	--	177.2	-2.7	174.5	9
AgriGold A6467	11	8	921	14.0	24	60.0	--	176.4	-2.2	174.2	10
AgriGold A6417	10	8	921	13.8	24	59.0	--	176.1	-2.2	173.9	11
BECK 7997CBCL	40	8	921	18.9	26	57.0	--	169.6	4.0	173.6	12
BECK 5959RW	33	8	921	17.1	24	56.0	--	173.7	-0.4	173.3	13
BECK 5627	29	8	921	15.0	28	60.0	--	175.9	-2.7	173.2	14
BECK 6522CL	30	8	921	15.0	29	55.0	--	175.6	-2.7	172.9	15
BECK 5827	20	8	921	14.3	25	58.0	--	175.6	-2.8	172.8	16
Pioneer 33J24	16	8	921	15.3	25	61.0	--	174.8	-2.6	172.2	17
BECK 5616	23	8	921	15.2	27	57.0	--	174.7	-2.8	171.9	18
BECK 5597	32	8	921	14.3	28	56.0	--	171.5	-0.4	171.1	19
BECK 7538Bt 1	38	8	921	17.8	27	60.0	--	166.6	4.0	170.6	20
BECK 5616	22	8	921	15.5	27	58.0	--	173.1	-2.8	170.3	21
BECK 5366	35	8	921	14.8	29	57.0	--	168.1	-0.4	167.7	22
Midwest 7651	4	4	921	14.0	32	59.0	--	165.7	1.2	166.9	23
Golden Harvest H-8620	3	8	921	13.7	30	59.0	--	165.6	1.2	166.8	24
FS 6556	8	8	921	14.2	28	59.0	--	168.6	-2.2	166.4	25
BECK EX 2411CB (5228CBRR genetics)	6	8	921	13.4	26	59.0	--	164.1	1.2	165.3	26
BECK 5339CBCL	41	8	921	15.4	32	58.0	--	161.2	4.0	165.2	27
BECK 5597CB	26	8	921	15.0	29	57.0	--	167.7	-2.7	165.0	28
BECK 6289Hx1	39	8	921	16.5	33	58.0	--	159.9	4.0	163.9	29
BECK 6827	18	8	921	15.8	26	61.0	--	166.2	-2.6	163.6	30
Golden Harvest H-9249	12	8	921	15.1	27	60.0	--	165.3	-2.2	163.1	31
BECK 5959CB	24	8	921	17.3	29	56.0	--	165.8	-2.8	163.0	32
Pioneer 34H31	14	8	921	15.6	27	62.0	--	165.0	-2.6	162.4	33
BECK 5322CBRW	28	8	921	15.5	24	59.0	--	163.1	-2.7	160.4	34
FS 7374	9	8	921	14.6	30	61.0	--	159.2	-2.2	157.0	35
Plot Averages (Non-Checker Rows):				15.2	28	58.8	--	171.9		171.1	
Checker Average(BECK 5827):				14.8	27	58.3	--	177.0		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan & Joe McElhoe

Brian Meharry  
Tolono, IL

EAST CENTRAL IL  
Champaign Co.



**PLANTED:** 04/18/2005  
**HARVESTED:** 09/30/2005  
**ROW WIDTH:** 30.0 inches

**POPULATION:** 30,500  
**SOIL TYPE:** Silt Loam  
**PREVIOUS CROP:** Soybeans

**INSECTICIDE:** 3.2 lbs. Aztec  
**HERBICIDE:** 3 qt. Lumax  
**TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
Dekalb DKC63-79	35	8	800	18.9	28000	57.0	3.0	159.8	7.5	167.3	1
BECK 6722RR	6	8	800	23.9	28000	54.0	1.0	172.2	-11.5	160.7	2
BECK 5827	36	8	800	17.9	26000	58.0	2.0	152.0	7.5	159.5	3
Pioneer 32K22	22	8	800	18.6	28000	59.0	2.0	146.8	11.7	158.5	4
BECK 5322wx	31	8	800	18.9	28000	59.0	2.0	144.8	12.8	157.6	5
Pioneer 33N09	4	8	800	22.5	28000	57.0	2.0	173.8	-17.3	156.5	6
Kruger K-5313YGCB	7	8	800	21.8	28000	55.0	1.0	167.0	-11.5	155.5	7
Kruger K-5517YGCB	23	8	800	21.7	28000	54.0	2.0	143.3	11.7	155.0	8
BECK 5727wx	26	8	800	18.4	32000	60.0	3.0	140.5	14.2	154.7	9
FS 6473	19	8	800	18.5	30000	57.0	2.0	148.9	4.3	153.2	10
BECK 5166	10	8	800	16.9	27000	58.0	1.0	159.6	-8.9	150.7	11
Kruger K-5514YGCB	20	8	800	18.3	30000	55.0	4.0	145.9	4.3	150.2	12
BECK 5422wx	30	8	800	20.7	26000	58.0	2.0	136.5	12.8	149.3	13
BECK 5366wx	27	8	800	18.6	27000	57.0	2.0	133.0	14.2	147.2	14
BECK 5727CBRW	8	8	800	20.9	27000	58.0	2.0	157.9	-11.5	146.4	15
BECK 5322CBRW	16	8	800	18.3	30000	58.0	2.0	148.9	-2.6	146.3	16
BECK 5366	38	8	800	16.7	28000	56.0	2.0	146.3	-0.2	146.1	17
BECK 5616RR	3	8	800	20.1	31000	56.0	1.0	162.2	-17.3	144.9	18
BECK 5166wx	28	8	800	15.6	27000	59.0	2.0	130.1	14.2	144.3	19
BECK 5275wx	32	8	800	15.6	27000	58.0	3.0	131.3	12.8	144.1	20
Pioneer 34A15	15	8	800	18.0	32000	61.0	1.0	146.3	-2.6	143.7	21
FS 6735	18	8	800	19.5	31000	57.0	2.0	138.4	4.3	142.7	22
BECK 6289Hx1	24	8	800	18.7	29000	57.0	2.0	129.5	11.7	141.2	23
BECK 5597CB	14	8	800	18.9	30000	56.0	1.0	143.8	-2.6	141.2	24
BECK 5129	11	8	800	17.3	28000	57.0	2.0	149.4	-8.9	140.5	25
BECK 5959CB	2	8	800	21.6	30000	56.0	1.0	157.3	-17.3	140.0	26
Dekalb DKC63-50	34	8	800	18.5	29000	55.0	4.0	126.2	7.5	133.7	27
BECK 6218W	12	8	800	22.7	30000	59.0	1.0	140.0	-8.9	131.1	28

Plot Averages (Non-Checker Rows):

19.2 28679 57.2 2.0 147.6 148.6

Checker Average(BECK 5366):

17.9 27200 56.0 1.5 141.8 --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan, Joe McElhoe



“Nine out of ten years early planting has paid off. This year we had a field frosted to a point that we needed to replant. Beck’s philosophy on early planting is in agreement with mine and I appreciate their 100% replant policy.”

Mike Doyle  
Ellsworth, IL

Allen Decker  
Wellington, IL

EAST CENTRAL IL  
Iroquois Co.



**PLANTED:** 04/20/2005      **POPULATION:** 31,000      **INSECTICIDE:** 7.2 lbs. Aztec  
**HARVESTED:** 09/17/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 3 qt. Guardsman Max, 3 oz. Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 6722RR	48	6	410	24.2	--	53.0	--	203.7	7.6	211.3	1
BECK 5222	12	6	410	20.8	--	54.0	--	205.5	3.4	208.9	2
BECK 5959RW	2	6	410	22.0	--	53.0	--	202.4	4.3	206.7	3
BECK 5366	8	6	410	20.8	--	53.0	--	205.8	0.6	206.4	4
BECK 5166RW	11	6	410	19.2	--	55.0	--	202.5	3.4	205.9	5
Dekalb DKC60-15	32	6	410	22.0	--	55.0	--	210.8	-8.2	202.6	6
CPS 9111	34	6	410	23.4	--	54.0	--	202.9	-2.7	200.2	7
Garst 8380IT	16	6	410	25.8	--	53.0	--	197.6	0.6	198.2	8
BECK 5399CBRR	14	6	410	19.8	--	54.0	--	196.2	0.6	196.8	9
AgSource 5393CB	39	6	410	20.8	--	55.0	--	188.3	7.2	195.5	10
BECK 5959CB	4	6	410	23.2	--	53.0	--	190.6	4.3	194.9	11
Garst 8488IT	27	6	410	24.0	--	52.0	--	199.0	-4.3	194.7	12
AgSource 6693CB	46	6	410	23.4	--	52.0	--	186.2	7.6	193.8	13
BECK 6097CB	10	6	410	23.6	--	53.0	--	190.1	3.4	193.5	14
Dekalb DKC61-42	30	6	410	22.2	--	55.0	--	201.2	-8.2	193.0	15
Garst 8450IT	18	6	410	25.6	--	51.0	--	201.5	-8.6	192.9	16
Garst NF352YG1	19	6	410	24.4	--	54.0	--	200.5	-8.6	191.9	17
Garst 8535YG1IT	28	6	410	23.2	--	52.0	--	196.1	-4.3	191.8	18
AgSource 5350	40	6	410	20.6	--	54.0	--	184.1	7.2	191.3	19
AgSource 7783CB	35	6	410	26.4	--	51.0	--	193.6	-2.7	190.9	20
BECK EX 3410	47	6	410	21.8	--	54.0	--	182.5	7.6	190.1	21
Garst 8350YG1	23	6	410	25.8	--	53.0	--	196.5	-6.9	189.6	22
Garst 8424	22	6	410	23.8	--	52.0	--	195.3	-6.9	188.4	23
BECK 5214Hx1	15	6	410	20.0	--	56.0	--	186.4	0.6	187.0	24
AgSource 6273	38	6	410	26.0	--	54.0	--	179.7	7.2	186.9	25
AgSource 6232	44	6	410	24.0	--	54.0	--	178.7	7.9	186.6	26
BECK 5129	3	6	410	19.8	--	54.0	--	181.9	4.3	186.2	27
Dekalb DKC63-78	31	6	410	24.6	--	54.0	--	193.2	-8.2	185.0	28
AgSource 6233CB	43	6	410	23.8	--	54.0	--	176.9	7.9	184.8	29
BECK 5597CB	7	6	410	24.4	--	52.0	--	182.2	0.6	182.8	30
BECK 5125CB	6	6	410	19.2	--	53.0	--	178.7	0.6	179.3	31
Garst 8566YG1	20	6	410	24.6	--	53.0	--	185.8	-8.6	177.2	32
Garst 8545	26	6	410	23.2	--	52.0	--	180.6	-4.3	176.3	33
AgSource 6150	42	6	410	25.6	--	54.0	--	166.9	7.9	174.8	34
Garst 8445	24	6	410	24.6	--	53.0	--	175.2	-6.9	168.3	35
AgSource 6153HT	36	6	410	25.8	--	53.0	--	155.0	-2.7	152.3	36
Plot Averages (Non-Checker Rows):				23.1	--	53.4	--	190.4		190.5	
Checker Average(BECK 5616RR):				23.6	--	53.3	--	189.9		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan, Joe McElhoe

Rolling Prairie Farms  
Mattoon, IL

EAST CENTRAL IL  
Coles Co.



**PLANTED:** 04/11/2005      **POPULATION:** 31,000      **INSECTICIDE:** 4.4 lbs. Force  
**HARVESTED:** 09/15/2005      **SOIL TYPE:** N/A      **HERBICIDE:** .6 oz. Steadfast, 2 oz. Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5959RW	9	4	1180	18.8	--	56.0	--	200.0	--	--	1
BECK 5627	19	4	1180	19.5	--	60.0	--	199.3	--	--	2
BECK 5959	10	4	1180	18.8	--	56.0	--	196.3	--	--	3
BECK 5322CBRW	22	4	1180	19.0	--	56.5	--	195.9	--	--	4
BECK 5959CB	7	4	1180	19.8	--	56.0	--	195.8	--	--	5
BECK 5322CB	21	4	1180	19.4	--	56.5	--	195.5	--	--	6
BECK 6197	18	4	1180	19.6	--	57.0	--	191.5	--	--	7
BECK 5214Hx1	11	4	1180	15.8	--	59.0	--	191.2	--	--	8
BECK 6197CB	17	4	1180	22.8	--	56.0	--	189.6	--	--	9
BECK EX 1392	2	4	1180	23.5	--	54.0	--	188.5	--	--	10
BECK 5597CB	15	4	1180	18.8	--	57.0	--	185.9	--	--	11
BECK 5597	14	4	1180	18.0	--	57.0	--	185.8	--	--	12
BECK 5727CBRW	20	4	1180	18.5	--	60.5	--	185.4	--	--	13
BECK 5597Hx1	13	4	1180	18.4	--	57.0	--	185.2	--	--	14
BECK 6289Hx1	12	4	1180	18.5	--	57.0	--	184.2	--	--	15
BECK EX 3414	8	4	1180	19.0	--	57.0	--	182.9	--	--	16
BECK 5422CBCL	24	4	1180	19.5	--	56.5	--	181.4	--	--	17
BECK 6097CB	16	4	1180	17.4	--	57.0	--	179.1	--	--	18
BECK EX 1411	6	4	1180	17.2	--	58.0	--	179.0	--	--	19
BECK 5616RR	23	4	1180	17.5	--	58.0	--	175.4	--	--	20
BECK EX 3410	4	4	1180	15.0	--	58.5	--	174.2	--	--	21
BECK EX 0116	3	4	1180	19.5	--	57.0	--	173.7	--	--	22
BECK EX 3411	5	4	1180	15.8	--	60.0	--	159.7	--	--	23
BECK 5399CBRR	1	4	1180	19.6	--	56.0	--	150.3	--	--	24

Plot Averages (Non-Checker Rows):

18.7      --      57.2      --      184.4      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Scott Kinney

Craig Cramer  
Saunemin, IL

EAST CENTRAL IL  
Livingston Co.



**PLANTED:** 04/19/2005      **POPULATION:** 30,000      **INSECTICIDE:** Force  
**HARVESTED:** 10/12/2005      **SOIL TYPE:** Bryce Swygert      **HERBICIDE:** Lightning, Callisto  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5737CL	5	8	2385	17.5	--	56.0	--	140.4	--	--	1
BECK 6522CL	3	8	2385	18.0	--	54.0	--	135.7	--	--	2
BECK 5166CL	1	8	2385	15.2	--	56.0	--	134.3	--	--	3
Garst 8450CL	6	8	2380	17.1	--	56.0	--	132.8	--	--	4
BECK 5339CBCL	4	8	2385	17.1	--	55.0	--	128.2	--	--	5
BECK 5597CL	2	8	2385	17.3	--	56.0	--	124.8	--	--	6

Plot Averages (Non-Checker Rows):

17.0      --      55.5      --      132.7      --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Shawn Clapp

Dean Piatt  
Armstrong, IL

EAST CENTRAL IL  
Vermilion Co.



PLANTED: 04/18/2005  
HARVESTED: 10/07/2005  
ROW WIDTH: 30.0 inches

POPULATION: 31,700  
SOIL TYPE: Silt Loam  
PREVIOUS CROP: Soybeans

INSECTICIDE: 4.4 lbs. Force  
HERBICIDE: 3.5 qt. Fulltime  
TILLAGE: Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 5125CBRW	26	8	1785	13.8	30	58.0	5.0	188.3	5.9	194.2	1
BECK 5538	16	8	1785	15.3	27	60.0	2.0	191.6	1.8	193.4	2
BECK 5214Hx1	28	8	1785	15.6	28	60.0	1.0	187.0	5.9	192.9	3
BECK 5166RW	23	8	1785	14.6	29	59.0	3.0	193.4	-1.9	191.5	4
BECK 5727CBRW	27	8	1785	15.8	29	60.0	6.0	182.6	5.9	188.5	5
BECK 5959RW	24	8	1785	17.7	24	57.0	1.0	188.6	-1.9	186.7	6
BECK 5727wx	34	8	1785	15.0	33	62.0	3.0	176.6	3.4	180.0	7
BECK 5959	19	8	1785	17.1	30	58.0	2.0	180.2	-1.4	178.8	8
BECK EX 3414	11	8	1785	16.9	31	59.0	1.0	178.6	-0.1	178.5	9
BECK 5366	15	8	1785	14.3	28	59.0	1.0	176.4	1.8	178.2	10
BECK 5166wx	30	8	1785	13.4	30	60.0	1.0	170.8	7.1	177.9	11
BECK EX 1286	2	8	1785	13.8	29	58.0	2.0	183.6	-6.2	177.4	12
BECK 5125CB	20	8	1785	14.1	29	58.0	2.0	176.9	-1.4	175.5	13
BECK 5959CB	10	8	1785	18.6	26	57.0	1.0	175.0	-0.1	174.9	14
BECK 5366wx	31	8	1785	14.4	32	59.0	2.0	166.9	7.1	174.0	15
BECK 5166	3	8	1785	13.8	32	58.0	2.0	179.7	-6.2	173.5	16
BECK 5616RR	4	8	1785	15.2	28	60.0	1.0	177.1	-6.2	170.9	17
BECK 5129	12	8	1785	13.4	29	59.0	1.0	168.3	-0.1	168.2	18
BECK 5222	14	8	1785	14.1	29	59.0	3.0	162.6	1.8	164.4	19
BECK 5597	18	8	1785	15.2	25	59.0	2.0	163.8	-1.4	162.4	20
BECK 6197CB	22	8	1785	18.0	31	58.0	1.0	158.9	-1.9	157.0	21
BECK 5422wx	32	8	1785	16.6	33	60.0	2.0	144.9	7.1	152.0	22
BECK EX 1411	8	8	1785	15.4	32	60.0	1.0	146.2	0.3	146.5	23
BECK 5454CL	35	8	1785	15.0	31	58.0	3.0	141.4	3.4	144.8	24
BECK EX 3411	7	8	1785	15.3	29	61.0	1.0	143.9	0.3	144.2	25
BECK EX 3410	6	8	1785	13.4	28	60.0	1.0	135.1	0.3	135.4	26
Plot Averages (Non-Checker Rows):				15.2	29	59.1	2.0	170.7		171.6	
Checker Average(BECK 5366):				14.5	30	58.6	1.6	167.8		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids - Carl Harlan & Joe McElhoo

PLOT NOTES: 2.5 Gallons Ag Spectrum Starter



“As a seed provider, Beck’s is able to acquire and deliver new technologies to farmers quicker than most companies. Being a family-owned business and making decisions on the ground level is what I feel helps Beck’s stay ahead of the competition. When you take the corporate ladder out of a company you spend more time moving decisions forward instead of up and down.”

Tom Uthell  
Teutopolis, IL

Tim Schable  
Atwood, IL

EAST CENTRAL IL  
Douglas Co.



**PLANTED:** 04/20/2005      **POPULATION:** 30,000      **INSECTICIDE:** 4.4 lbs. Force  
**HARVESTED:** 09/23/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 3 qt. Fultime, 1 pt. Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Crow's 4963B	24	8	1145	18.7	29000	57.0	1.0	195.1	2.2	197.3	1
BECK 5627	23	8	1145	18.6	29000	59.0	2.0	194.1	2.2	196.3	2
Pioneer 33N09	30	8	1145	19.7	30000	59.0	1.0	186.4	2.4	188.8	3
BECK 5322CBRW	2	8	1145	18.3	30000	58.0	1.0	183.7	1.0	184.7	4
Hoblit 2545	26	8	1145	21.4	30000	56.0	1.0	181.7	2.8	184.5	5
BECK 5322RW	12	8	1145	18.7	32000	58.0	2.0	188.8	-4.4	184.4	6
BECK 5959CB	11	8	1145	19.4	28000	56.0	1.0	186.1	-4.4	181.7	7
BECK 5322wx	22	8	1145	19.4	27000	59.0	1.0	178.4	2.2	180.6	8
BECK 5166wx	20	8	1145	15.0	27000	59.0	1.0	179.4	-0.1	179.3	9
BECK 6197	18	8	1145	19.0	27000	56.0	1.0	178.0	-0.1	177.9	10
BECK 5959RW	10	8	1145	20.0	26000	57.0	1.0	181.9	-4.4	177.5	11
BECK 5597CB	4	8	1145	17.9	33000	57.0	1.0	176.2	1.0	177.2	12
BECK 7997CBCL	7	8	1145	23.0	28000	55.0	1.0	180.5	-3.4	177.1	13
Pioneer 32K22	28	8	1145	20.9	34000	59.0	3.0	172.8	2.8	175.6	14
BECK 7538Bt 1	16	8	1145	22.0	30000	57.0	3.0	180.5	-5.2	175.3	15
Crow's 5125 Cruiser	27	8	1145	17.7	29000	59.0	1.0	172.3	2.8	175.1	16
BECK 5422CBCL	14	8	1145	19.4	24000	57.0	2.0	180.0	-5.2	174.8	17
BECK 5339CBCL	3	8	1145	16.5	30000	57.0	1.0	172.8	1.0	173.8	18
BECK 5339CBCL	19	8	1145	17.0	26000	57.0	1.0	173.1	-0.1	173.0	19
BECK 5597Hx1	8	8	1145	19.9	31000	56.0	1.0	175.7	-3.4	172.3	20
BECK 5422wx	15	8	1145	21.5	25000	57.0	1.0	176.0	-5.2	170.8	21
BECK 6289Hx1	6	8	1145	19.8	30000	56.0	1.0	174.0	-3.4	170.6	22

Plot Averages (Non-Checker Rows):

19.3    28864    57.3    1.3    180.3    179.5

Checker Average(BECK 5727CBRW):

17.3    30000    59.0    1.0    182.1    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Carl Harlan & Joe McElhoe

Larry Schilling  
Dahlgren, IL

SOUTHERN IL  
Hamilton Co.



**PLANTED:** 05/07/2005      **POPULATION:** 31,000      **INSECTICIDE:** None  
**HARVESTED:** 10/24/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 5 pt. Lexar, 1 qt. Princep  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Corn      **TILLAGE:** Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 6197CB	4	6	700	20.2	--	57.0	--	206.9	1.9	208.8	1
BECK 5597Hx1	3	6	700	19.2	--	58.0	--	201.1	1.9	203.0	2
BECK 5899CBRR	1	12	715	16.6	--	59.5	--	202.3	0.3	202.6	3
BECK 6722RR	12	12	700	20.4	--	56.5	--	203.1	-2.8	200.3	4
BECK 5616RR	9	6	700	18.0	--	58.0	--	200.0	-0.2	199.8	5
BECK 7538Bt 1	6	6	700	20.9	--	58.0	--	196.8	2.5	199.3	6
BECK 7997CBCL	10	6	700	23.1	--	56.5	--	197.0	-0.2	196.8	7
BECK 6289Hx1	7	6	700	20.4	--	57.0	--	178.6	2.5	181.1	8

Plot Averages (Non-Checker Rows):

19.9    --    57.6    --    198.2    199.0

Checker Average(Pioneer 32P76):

20.6    --    57.4    --    199.2    --

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

PLOT NOTES: P & K were VRT Applied.

Rob Catey  
Greenup, IL

SOUTHERN IL  
Cumberland Co.



**PLANTED:** 04/25/2005      **POPULATION:** 28,500      **INSECTICIDE:** 4.4 lb. Force  
**HARVESTED:** 10/24/2005      **SOIL TYPE:** Silty Clay Loam      **HERBICIDE:** 3.3 qt. Degree Xtra, .9 qt. Aatrex  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj. Yield*	Adj. Yield*	Rank
		No.	Length								
BECK 6522CL	10	4	1155	13.3	--	59.0	--	185.5	6.5	192.0	1
BECK 5737CL	3	4	1155	12.9	--	61.0	--	182.2	7.7	189.9	2
Campbell 7700 YGCB	13	4	1155	14.4	--	59.0	--	183.1	6.5	189.6	3
BECK 5959CB	5	4	1155	14.0	--	59.0	--	181.3	7.7	189.0	4
BECK 5737RWCL	4	4	1155	12.6	--	63.0	--	178.7	7.7	186.4	5
Hubner H3574	17	4	1155	13.4	--	60.0	--	179.8	6.5	186.3	6
BECK 5727CB	1	4	1155	12.8	--	61.0	--	178.3	7.7	186.0	7
Campbell 6980W	15	4	1155	12.8	--	60.0	--	178.3	6.5	184.8	8
Campbell 7070	14	4	1155	13.6	--	60.0	--	176.6	6.5	183.1	9
BECK 7538Bt 1	23	4	1155	13.9	--	61.0	--	185.6	-3.8	181.8	10
BECK 6599CBRR	25	4	1155	13.3	--	61.0	--	182.7	-3.8	178.9	11
Hubner H4808	20	4	1155	14.8	--	59.0	--	182.3	-3.8	178.5	12
BECK 5616RR	28	4	1155	13.4	--	59.0	--	189.4	-12.9	176.5	13
BECK 7997CBCL	21	4	1155	16.1	--	60.0	--	178.2	-3.8	174.4	14
BECK 6722RR	29	4	1155	13.8	--	60.0	--	187.1	-12.9	174.2	15
BECK EX 1425	24	4	1155	14.1	--	62.0	--	175.6	-3.8	171.8	16
BECK 5597	11	4	1155	12.1	--	59.0	--	163.0	6.5	169.5	17
BECK 5222	7	4	1155	12.5	--	59.0	--	160.8	7.7	168.5	18
BECK 5597CB	12	4	1155	12.6	--	60.0	--	162.0	6.5	168.5	19
BECK 5727CBRW	2	4	1155	12.6	--	61.0	--	160.7	7.7	168.4	20
Campbell 6940	16	4	1155	12.6	--	62.0	--	156.5	6.5	163.0	21
BECK 6197CB	8	4	1155	13.7	--	60.0	--	154.5	7.7	162.2	22
BECK 6289Hx1	22	4	1155	13.7	--	60.0	--	164.1	-3.8	160.3	23
BECK 5959RW	6	4	1155	12.8	--	59.0	--	152.0	7.7	159.7	24
BECK 5899CBRR	26	4	1155	13.4	--	63.0	--	160.6	-3.8	156.8	25
AgriGold A6466LL	19	4	1155	13.4	--	61.0	--	157.8	-3.8	154.0	26
Plot Averages (Non-Checker Rows):				13.4	--	60.3	--	173.0		175.2	
Checker Average(BECK 6097CB):				13.3	--	59.7	--	169.0		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Scott Kinney, Campbell Seed



“The Beck’s corn is more consistent than other brands we have used. Their wheat has always been better, and the Beck’s soybeans have been more consistent even though Mother Nature was not. We attribute this to the overall quality of the Beck’s beans coupled with the elite genetics.”

Kevin and Rob Miller  
Washington C.H., OH

Tom Uthell  
Teutopolis, IL

SOUTHERN IL  
Effingham Co.



**PLANTED:** 04/16/2005      **POPULATION:** 29,000      **INSECTICIDE:** 8.7 lbs. Lorsban  
**HARVESTED:** 09/27/2005      **SOIL TYPE:** N/A      **HERBICIDE:** 1 qt. Guardsman Max  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5959CB	4	4	1190	19.5	--	58.0	--	157.7	--	--	1
BECK 5959	7	4	1190	17.2	--	58.0	--	153.7	--	--	2
BECK 5959RW	6	4	1190	17.9	--	58.0	--	150.6	--	--	3
BECK 5827	10	4	1190	17.9	--	60.0	--	146.0	--	--	4
BECK 5444RR	16	4	1190	20.5	--	57.5	--	142.1	--	--	5
BECK 5538	14	4	1190	17.4	--	60.0	--	137.8	--	--	6
BECK EX 3414	5	4	1190	16.6	--	60.0	--	135.6	--	--	7
BECK 5616RR	15	4	1190	17.0	--	60.0	--	132.8	--	--	8
BECK 5597Hx1	9	4	1190	19.3	--	59.0	--	130.0	--	--	9
BECK 6097CB	11	4	1190	16.2	--	58.0	--	120.9	--	--	10
BECK 6197	13	4	1190	18.4	--	58.0	--	119.4	--	--	11
BECK 6197CB	12	4	1190	20.5	--	57.0	--	112.7	--	--	12
BECK 5597	8	4	1190	16.2	--	60.0	--	90.5	--	--	13
BECK EX 3411	2	4	1190	17.4	--	59.0	--	71.5	--	--	14
BECK EX 1411	3	4	1190	17.3	--	60.0	--	63.5	--	--	15
BECK EX 3410	1	4	1190	16.8	--	61.0	--	25.6	--	--	16

Plot Averages (Non-Checker Rows):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Scott Kinney

PLOT NOTES: 5444RR was planted later on 5/7/05

Jeff Carr  
Hidalgo, IL

SOUTHERN IL  
Jasper Co.



**PLANTED:** 04/20/2005      **POPULATION:** 27,700      **INSECTICIDE:** None  
**HARVESTED:** 09/27/2005      **SOIL TYPE:** N/A      **HERBICIDE:** 3 qt. Degree Xtra, 1 qt. Aatrex 4L  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK EX 3411	1	6	570	16.0	--	59.0	--	216.7	--	--	1
BECK 6722RR	8	6	570	17.5	--	57.0	--	195.0	--	--	2
BECK 5616RR	10	6	570	15.3	--	57.0	--	194.9	--	--	3
BECK EX 3410	2	6	570	16.1	--	59.0	--	191.6	--	--	4
BECK EX 1425	9	6	570	18.2	--	58.0	--	190.3	--	--	5
BECK EX 1411	3	6	570	17.6	--	58.0	--	190.0	--	--	6
BECK 5959CB	4	6	570	19.5	--	56.0	--	188.9	--	--	7
BECK 5959RW	14	6	570	18.5	--	57.0	--	188.6	--	--	8
BECK 5959	13	6	570	17.8	--	56.0	--	186.5	--	--	9
BECK EX 3414	5	6	570	17.7	--	57.0	--	184.5	--	--	10
BECK EX 1576	6	6	570	17.2	--	57.0	--	183.6	--	--	11
BECK 5827	15	6	570	18.2	--	60.0	--	180.7	--	--	12
BECK 6197	18	6	570	18.2	--	57.0	--	180.0	--	--	13
BECK EX 0409	7	6	570	19.1	--	56.0	--	179.6	--	--	14
BECK 6097CB	16	6	570	16.8	--	57.0	--	179.5	--	--	15
BECK 5597	11	6	570	16.5	--	57.0	--	178.0	--	--	16
BECK 5597Hx1	12	6	570	17.6	--	57.0	--	173.6	--	--	17
BECK 6197CB	17	6	570	19.2	--	57.0	--	172.8	--	--	18

Plot Averages (Non-Checker Rows):

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Scott Kinney

Burkdell Farms  
Benton, IL

SOUTHERN IL  
Franklin Co.



**PLANTED:** 04/16/2005      **POPULATION:** 29,700      **INSECTICIDE:** 3.2 oz. Mustang Max  
**HARVESTED:** 09/23/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** 3 qt. Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation / Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 5616RR	3	6	1185	13.9	--	57.0	--	132.5	6.6	139.1	1
NK N76-D3	25	6	1185	14.8	--	55.0	--	132.6	4.0	136.6	2
BECK 5827	19	6	1185	14.4	--	58.0	--	136.4	-0.1	136.3	3
BECK 6097CB	5	6	1185	12.4	--	55.0	--	129.0	0.7	129.7	4
BECK 5422Bt 1	23	6	1185	15.2	--	56.0	--	125.5	3.7	129.2	5
Dekalb DKC63-81	27	6	1185	15.4	--	57.0	--	124.8	4.4	129.2	6
BECK 7997CBCL	11	6	1185	17.0	--	56.0	--	131.8	-3.6	128.2	7
FS 6973 CL/Bt	17	6	1185	15.4	--	57.5	--	129.9	-2.6	127.3	8
BECK 6197CB	9	6	1185	15.3	--	56.0	--	129.7	-2.9	126.8	9
Pioneer Blend 115	1	6	1185	14.2	--	57.0	--	116.1	5.0	121.1	10
FS 7346 YGCB	21	6	1185	15.3	--	53.0	--	118.1	2.2	120.3	11
BECK 6289Hx1	15	6	1185	15.9	--	55.5	--	123.2	-4.3	118.9	12
BECK 7538Bt 1	13	6	1185	15.8	--	56.0	--	118.8	-4.0	114.8	13
BECK 5597CB	7	6	1185	14.7	--	55.0	--	115.1	-4.5	110.6	14
Plot Averages (Non-Checker Rows):				15.0	--	56.0	--	126.0		126.3	
Checker Average(Pioneer 33P67):				15.8	--	56.8	--	126.4		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Gene Hagedorn

Heppler Farms  
Sturgis, KY

KENTUCKY  
Union Co.




**PLANTED:** 04/15/2005      **POPULATION:** 29,800      **INSECTICIDE:** None  
**HARVESTED:** 09/21/2005      **SOIL TYPE:** Silt Loam      **HERBICIDE:** .75 oz. Steadfast, 1.5 lbs. Atrazine  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** No-Till

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK EX 1576	6	8	486	21.0	--	55.0	--	158.1	3.3	161.4	1
BECK 7997CBCL	12	8	486	25.0	--	56.0	--	139.1	14.8	153.9	2
Pioneer 33P70	3	8	512	23.6	--	60.0	--	149.5	3.3	152.8	3
BECK EX 1425	9	8	486	22.8	--	56.0	--	137.0	14.8	151.8	4
BECK 6197CB	14	8	486	23.4	--	56.0	--	134.9	14.8	149.7	5
BECK 7538Bt 1	4	8	486	21.2	--	59.0	--	143.9	3.3	147.2	6
BECK 6097CB	13	8	486	21.4	--	55.0	--	131.4	14.8	146.2	7
CPS 5411RR	18	8	512	20.8	--	57.0	--	149.3	-3.3	146.0	8
BECK EX 0409	7	8	486	22.0	--	58.0	--	142.5	3.3	145.8	9
Pioneer 31G68	19	8	512	23.0	--	57.0	--	147.3	-3.3	144.0	10
BECK 5597Hx1	11	8	486	22.6	--	56.0	--	129.0	14.8	143.8	11
BECK 5422Bt 1	2	8	512	22.4	--	58.0	--	138.0	3.3	141.3	12
Pioneer 34B20	15	8	486	20.2	--	59.0	--	125.5	14.8	140.3	13
Pioneer 33M54	20	8	512	21.2	--	59.0	--	142.6	-3.3	139.3	14
CPS 5412CBRR	17	8	512	21.0	--	60.0	--	137.3	-3.3	134.0	15
BECK 6289Hx1	5	8	486	21.6	--	57.0	--	125.5	3.3	128.8	16
BECK 6599CBRR	10	8	486	22.2	--	56.0	--	111.7	14.8	126.5	17
Plot Averages (Non-Checker Rows):				22.1	--	57.3	--	137.8		144.3	
Checker Average(BECK 6722RR):				22.1	--	57.5	--	150.0		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Deck Burnette


Wayne Glenn Farms  
Owensboro, KYKENTUCKY  
Davies Co.

**PLANTED:** 04/11/2005      **POPULATION:** 28,000      **INSECTICIDE:** 2.56 oz. Warrior  
**HARVESTED:** 10/01/2005      **SOIL TYPE:** Patton      **HERBICIDE:** 3 qts. Lexar  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Chisel / Field Cultivation

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
Pioneer 33P70	5	6	503	18.2	--	59.0	--	223.2	-4.8	218.4	1
BECK 6599CBRR	4	6	503	16.8	--	58.0	--	216.0	-4.8	211.2	2
BECK EX 1425	9	6	503	18.2	--	62.0	--	207.9	-4.8	203.1	3
BECK 7538Bt 1	16	6	486	20.2	--	57.0	--	200.3	2.7	203.0	4
BECK 6197CB @ 33,000	13	6	486	19.4	--	58.0	--	198.3	2.7	201.0	5
BECK 6722RR	8	6	503	18.3	--	57.0	--	205.6	-4.8	200.8	6
BECK 5616RR	3	6	503	17.4	--	58.0	--	198.4	-4.8	193.6	7
BECK 7997CBCL	14	6	486	21.0	--	58.0	--	190.4	2.7	193.1	8
BECK EX 1576	6	6	503	16.4	--	57.0	--	193.7	-4.8	188.9	9
BECK 6097CB	11	6	503	17.6	--	56.0	--	185.9	2.7	188.6	10
BECK 6197CB	12	6	503	19.8	--	58.0	--	184.8	2.7	187.5	11
BECK 5899CBRR	2	6	503	16.8	--	59.0	--	181.6	-4.8	176.8	12
BECK EX 0409	7	6	503	17.8	--	57.0	--	180.5	-4.8	175.7	13
BECK 5597CB	15	6	486	17.2	--	58.0	--	169.4	2.7	172.1	14
Plot Averages (Non-Checker Rows):				18.2	--	58.0	--	195.4		193.8	
Checker Average(BECK 6522CL):				18.5	--	57.7	--	220.8		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Deck Burnette

Martin Krampe, Jr.  
Owensboro, KYKENTUCKY  
Davies Co.

**PLANTED:** 04/21/2005      **POPULATION:** 29,000      **INSECTICIDE:** None  
**HARVESTED:** 09/24/2005      **SOIL TYPE:** Patton      **HERBICIDE:** Princep, Atrazine, Spirit, 0.66 oz. Accent  
**ROW WIDTH:** 30.0 inches      **PREVIOUS CROP:** Soybeans      **TILLAGE:** Disc

Brand - Hybrid	Entry Order	Rows		% Mois.	Harv. Pop.	Test Wt.	% Lodg.	Actual Yield*	Check Adj.	Adj. Yield*	Rank
		No.	Length								
BECK 7997CBCL	10	6	980	22.5	--	56.0	--	182.4	--	--	1
NK N70-T9	1	6	980	18.4	--	56.0	--	175.0	--	--	2
BECK EX 1576	11	6	980	16.9	--	56.0	--	174.6	--	--	3
BECK 6197CB	7	6	980	17.5	--	55.0	--	173.9	--	--	4
BECK 7538Bt 1	9	6	980	17.7	--	58.0	--	171.9	--	--	5
BECK EX 0409	12	6	980	18.7	--	55.0	--	161.7	--	--	6
BECK 5597Hx1	3	6	980	17.5	--	57.0	--	161.0	--	--	7
BECK 5422CL	2	6	980	17.1	--	57.0	--	159.0	--	--	8
BECK 6522CL	8	6	980	18.9	--	56.0	--	157.8	--	--	9
BECK 6289Hx1	6	6	980	17.6	--	56.0	--	156.2	--	--	10
BECK EX 1425	13	6	980	17.2	--	57.0	--	147.7	--	--	11
BECK 6097CB	5	6	980	17.2	--	55.0	--	145.9	--	--	12
BECK 5616RR	4	6	980	16.7	--	58.0	--	114.3	--	--	13
Plot Averages (Non-Checker Rows):				18.0	--	56.3	--	160.1		--	

\*Yield = Bushels per acre corrected to 15% moisture.

WEIGHED BY: Beck's Hybrids-Scott Ebelhar